ic_autolab round 34 (generic track): report

Protocol: PROTOCOL.md, frozen 2026-11-04T12:14:18Z at git `290b2770c0f3018c85c94a2e2cf35a54a3addebf`; route `local`. Counted GAE only (deterministic, host independent); no wall-time claim; development loop, no validation-gate row. Loop home: `../`; ledger: `../ledger.json`.

Claim record: `PCC-20261104-2631da` (`python3 tools/pcc/pcc.py standing PCC-20261104-2631da`). Until a signed replay and recompute exist, this round's outcome is an unverified assertion [pcc:unverified].

Outcome

k class	sel	sel / inc at w = 0 [95%]	w = 0.1	w = 1	band	S sel (w = 0 / 0.1 / 1)	S inc	S rho-neg	distance sel / rho
20 **null**	wwalkGg-x09-j8-n2	0.938 [0.864, 1.019]	0.915 [0.839, 0.999]	0.774 [0.683, 0.876]	sel < inc	2.438 / 2.487 / 2.930	2.598 / 2.717 / 3.786	1.613 / 1.731 / 2.793	1.5x / 1.4x / 1.0x
24 **no_challenger**	none (best candidate `wwalkGg-x05-n2`, train S 1.981 / 2.022 / 2.385)	-	-	-	-	-	1.825 / 1.885 / 2.420	1.135 / 1.237 / 2.152	inc: 1.6x / 1.5x / 1.1x
28 **null**	wwalkGg-x05-n2	0.981 [0.854, 1.126]	0.995 [0.859, 1.153]	1.101 [0.893, 1.358]	unresolved inside the band	1.488 / 1.543 / 2.038	1.517 / 1.550 / 1.851	0.947 / 1.036 / 1.830	1.6x / 1.5x / 1.1x
32 **null**	wwalkGg-x06-j8-n2	0.880 [0.741, 1.046]	0.857 [0.713, 1.030]	0.738 [0.574, 0.948]	sel < inc	1.352 / 1.414 / 1.970	1.536 / 1.649 / 2.670	0.838 / 0.920 / 1.660	1.6x / 1.5x / 1.2x

Classes follow the protocol's decision rule. Distance to rho is the distance remaining, not a gate. The reasons per size:

- k = 20: compare ops.status = ok, admissible = true; sel / inc = 0.9384 [0.864, 1.019] at w = 0; band: sel < inc; A/A inc-aa / inc interval [1.000, 1.000] contains 1
- k = 24: no_challenger
- k = 28: compare ops.status = ok, admissible = true; sel / inc = 0.9809 [0.854, 1.126] at w = 0; band: unresolved inside the band; A/A inc-aa / inc interval [1.000, 1.000] contains 1
- k = 32: compare ops.status = ok, admissible = true; sel / inc = 0.8802 [0.741, 1.046] at w = 0; band: sel < inc; A/A inc-aa / inc interval [1.000, 1.000] contains 1

Train (development screen, in sample)

k = 20: session `ECBS1h0ee09a6be3c3` (run exit 0, verify exit 0, receipt sha256 `5aa81121535da98221c7dbbb47ca8004a2ef15010b5abe1139f8e470f6e655c6`)

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
`rho-neg`	rho	- -	`rho.negation`	32	32	1.370 / 1.463 / 2.307	matched reference
`inc`	wsum2g-b15	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wsum:coef=15,free=1`	32	32	2.650 / 2.774 / 3.893	incumbent
`wwalkG-x03-n2`	wwalkG-x03	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.3,g=1,grow=2`	32	32	5.157 / 5.367 / 7.253	exploration: family wwalkG-x03 untried at k = 20, N = 0.0001 x N_a
`wwalkG-x04-n2`	wwalkG-x04	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.4,g=1,grow=2`	32	32	5.096 / 5.251 / 6.644	exploration: family wwalkG-x04 untried at k = 20, N = 0.0001 x N_a
`wwalkG-x05-n2`	wwalkG-x05	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.5,g=1,grow=2`	32	32	5.488 / 5.660 / 7.201	exploration: family wwalkG-x05 untried at k = 20, N = 0.0001 x N_a
`wwalkG-x06-j8-n2`	wwalkG-x06-j8	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,jumps=8,g=1,grow=2`	32	32	5.480 / 5.632 / 6.996	exploration: family wwalkG-x06-j8 untried at k = 20, N = 0.0001 x N_a
`wwalkG-x09-j8-n2`	wwalkG-x09-j8	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,jumps=8,g=1,grow=2`	32	32	4.653 / 4.750 / 5.623	exploration: family wwalkG-x09-

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
							j8 untried at k = 20, N = 0.0001 x N_a
wwalkG-x06-j32-n2	wwalkG-x06-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	5.551 / 5.609 / 6.135	exploration: family wwalkG-x06-j32 untried at k = 20, N = 0.0001 x N_a
wwalkG-x09-j32-n2	wwalkG-x09-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	5.527 / 5.617 / 6.421	exploration: family wwalkG-x09-j32 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x03-n2	wwalkGg-x03	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.3,g=1,grow=2	32	32	2.987 / 3.105 / 4.170	exploration: family wwalkGg-x03 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x04-n2	wwalkGg-x04	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.4,g=1,grow=2	32	32	3.102 / 3.203 / 4.113	exploration: family wwalkGg-x04 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x05-n2	wwalkGg-x05	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2	32	32	3.373 / 3.471 / 4.362	exploration: family wwalkGg-x05 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x06-j8-n2	wwalkGg-x06-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=8,g=1,grow=2	32	32	3.169 / 3.237 / 3.848	exploration: family wwalkGg-x06-j8 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x09-j8-n2	wwalkGg-x09-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=8,g=1,grow=2	32	32	2.407 / 2.454 / 2.869	exploration: family wwalkGg-x09-j8 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x06-j32-n2	wwalkGg-x06-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	3.510 / 3.555 / 3.968	exploration: family wwalkGg-x06-j32 untried at k = 20, N = 0.0001 x N_a
wwalkGg-x09-j32-n2	wwalkGg-x09-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	3.276 / 3.318 / 3.691	exploration: family wwalkGg-x09-j32 untried at k = 20, N = 0.0001 x N_a

k = 24: session `ECBS1h2ea33315b5ea` (run exit 0, verify exit 0, receipt sha256 `0372247c6299808160fd53e7f854083377dfa2c039e265764efe6ede62340f1e`)

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
rho-neg	rho	- -	rho.negation	32	32	1.135 / 1.237 / 2.152	matched reference
inc	wwalkGg-x09	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,g=1,grow=2	32	32	1.825 / 1.885 / 2.420	incumbent
wwalkG-x03-n2	wwalkG-x03	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.3,g=1,grow=2	32	32	3.506 / 3.824 / 6.686	exploration: family wwalkG-x03 untried at k = 24, N = 0.0001 x N_a

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
wwalkG-x04-n2	wwalkG-x04	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.4,g=1,grow=2	32	32	3.571 / 3.843 / 6.295	exploration: family wwalkG-x04 untried at k = 24, N = 0.0001 x N_a
wwalkG-x05-n2	wwalkG-x05	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2	32	32	2.628 / 2.699 / 3.342	exploration: family wwalkG-x05 untried at k = 24, N = 0.0001 x N_a
wwalkG-x06-j8-n2	wwalkG-x06-j8	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=8,g=1,grow=2	32	32	3.032 / 3.097 / 3.677	exploration: family wwalkG-x06-j8 untried at k = 24, N = 0.0001 x N_a
wwalkG-x09-j8-n2	wwalkG-x09-j8	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=8,g=1,grow=2	32	32	2.843 / 2.913 / 3.539	exploration: family wwalkG-x09-j8 untried at k = 24, N = 0.0001 x N_a
wwalkG-x06-j32-n2	wwalkG-x06-j32	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	2.977 / 3.075 / 3.950	exploration: family wwalkG-x06-j32 untried at k = 24, N = 0.0001 x N_a
wwalkG-x09-j32-n2	wwalkG-x09-j32	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	2.867 / 2.942 / 3.614	exploration: family wwalkG-x09-j32 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x03-n2	wwalkGg-x03	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.3,g=1,grow=2	32	32	2.668 / 2.818 / 4.166	exploration: family wwalkGg-x03 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x04-n2	wwalkGg-x04	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.4,g=1,grow=2	32	32	2.690 / 2.810 / 3.898	exploration: family wwalkGg-x04 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x05-n2	wwalkGg-x05	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2	32	32	1.981 / 2.022 / 2.385	exploration: family wwalkGg-x05 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x06-j8-n2	wwalkGg-x06-j8	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=8,g=1,grow=2	32	32	2.506 / 2.556 / 2.998	exploration: family wwalkGg-x06-j8 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x09-j8-n2	wwalkGg-x09-j8	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=8,g=1,grow=2	32	32	2.223 / 2.264 / 2.640	exploration: family wwalkGg-x09-j8 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x06-j32-n2	wwalkGg-x06-j32	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	2.190 / 2.230 / 2.590	exploration: family wwalkGg-x06-j32 untried at k = 24, N = 0.0001 x N_a
wwalkGg-x09-j32-n2	wwalkGg-x09-j32	2	prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	2.250 / 2.295 / 2.701	exploration: family wwalkGg-x09-j32 untried at k

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
							= 24, N = 0.0001 x N_a

k = 28: session `ECBS1h224fbf019693` (run exit 0, verify exit 0, receipt sha256 `0ae01c532e562c87dea52be84ec3bdcf9a4e55cace2d44cee4f963308b1d9f97`)


arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
`rho-neg`	rho	`--`	`rho.negation`	32	32	1.054 / 1.153 / 2.044	matched reference
`inc`	wwalkGg-x09	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,g=1,grow=2`	32	32	1.716 / 1.769 / 2.250	incumbent
`wwalkG-x03-n2`	wwalkG-x03	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.3,g=1,grow=2`	32	32	2.562 / 2.833 / 5.273	exploration: family wwalkG-x03 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x04-n2`	wwalkG-x04	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.4,g=1,grow=2`	32	32	2.329 / 2.493 / 3.977	exploration: family wwalkG-x04 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x05-n2`	wwalkG-x05	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.5,g=1,grow=2`	32	32	1.734 / 1.851 / 2.905	exploration: family wwalkG-x05 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x06-j8-n2`	wwalkG-x06-j8	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,jumps=8,g=1,grow=2`	32	32	2.226 / 2.269 / 2.653	exploration: family wwalkG-x06-j8 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x09-j8-n2`	wwalkG-x09-j8	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,jumps=8,g=1,grow=2`	32	32	2.054 / 2.209 / 3.599	exploration: family wwalkG-x09-j8 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x06-j32-n2`	wwalkG-x06-j32	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,jumps=32,g=1,grow=2`	32	32	2.498 / 2.584 / 3.360	exploration: family wwalkG-x06-j32 untried at k = 28, N = 0.0001 x N_a
`wwalkG-x09-j32-n2`	wwalkG-x09-j32	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,jumps=32,g=1,grow=2`	32	32	2.448 / 2.494 / 2.912	exploration: family wwalkG-x09-j32 untried at k = 28, N = 0.0001 x N_a
`wwalkGg-x03-n2`	wwalkGg-x03	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.3,g=1,grow=2`	32	32	2.644 / 2.811 / 4.307	exploration: family wwalkGg-x03 untried at k = 28, N = 0.0001 x N_a
`wwalkGg-x04-n2`	wwalkGg-x04	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.4,g=1,grow=2`	32	32	2.168 / 2.256 / 3.045	exploration: family wwalkGg-x04 untried at k = 28, N = 0.0001 x N_a
`wwalkGg-x05-n2`	wwalkGg-x05	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.5,g=1,grow=2`	32	32	1.321 / 1.359 / 1.704	exploration: family wwalkGg-x05 untried at k = 28, N = 0.0001 x N_a

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
wwalkGg-x06-j8-n2	wwalkGg-x06-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=8,g=1,grow=2	32	32	2.225 / 2.268 / 2.648	exploration: family wwalkGg-x06-j8 untried at k = 28, N = 0.0001 x N_a
wwalkGg-x09-j8-n2	wwalkGg-x09-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=8,g=1,grow=2	32	32	1.615 / 1.670 / 2.166	exploration: family wwalkGg-x09-j8 untried at k = 28, N = 0.0001 x N_a
wwalkGg-x06-j32-n2	wwalkGg-x06-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	2.166 / 2.197 / 2.477	exploration: family wwalkGg-x06-j32 untried at k = 28, N = 0.0001 x N_a
wwalkGg-x09-j32-n2	wwalkGg-x09-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	2.250 / 2.275 / 2.495	exploration: family wwalkGg-x09-j32 untried at k = 28, N = 0.0001 x N_a

k = 32: session `ECBS1hf510b5acecae` (run exit 0, verify exit 0, receipt sha256 `276d881aaf206a7915768072ce016806b42cc7a8b91f420bcc830c9caa02f862`)

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
rho-neg	rho	- -	rho.negation	32	32	1.032 / 1.133 / 2.047	matched reference
inc	wwalkG-x06	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,g=1,grow=2	32	32	1.531 / 1.644 / 2.657	incumbent
wwalkG-x03-n2	wwalkG-x03	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.3,g=1,grow=2	32	32	2.162 / 2.396 / 4.505	exploration: family wwalkG-x03 untried at k = 32, N = 0.0001 x N_a
wwalkG-x04-n2	wwalkG-x04	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.4,g=1,grow=2	32	32	2.027 / 2.174 / 3.503	exploration: family wwalkG-x04 untried at k = 32, N = 0.0001 x N_a
wwalkG-x05-n2	wwalkG-x05	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2	32	32	2.655 / 2.868 / 4.786	exploration: family wwalkG-x05 untried at k = 32, N = 0.0001 x N_a
wwalkG-x06-j8-n2	wwalkG-x06-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=8,g=1,grow=2	32	32	1.528 / 1.674 / 2.990	exploration: family wwalkG-x06-j8 untried at k = 32, N = 0.0001 x N_a
wwalkG-x09-j8-n2	wwalkG-x09-j8	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=8,g=1,grow=2	32	32	1.761 / 1.818 / 2.335	exploration: family wwalkG-x09-j8 untried at k = 32, N = 0.0001 x N_a
wwalkG-x06-j32-n2	wwalkG-x06-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,jumps=32,g=1,grow=2	32	32	1.649 / 1.709 / 2.247	exploration: family wwalkG-x06-j32 untried at k = 32, N = 0.0001 x N_a
wwalkG-x09-j32-n2	wwalkG-x09-j32	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,jumps=32,g=1,grow=2	32	32	1.506 / 1.579 / 2.232	exploration: family wwalkG-x09-

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
`wwalkGg-x03-n2`	wwalkGg-x03	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.3,g=1,grow=2`	32	32	2.302 / 2.439 / 3.677	j32 untried at k = 32, N = 0.0001 x N_a exploration: family wwalkGg-x03 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x04-n2`	wwalkGg-x04	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.4,g=1,grow=2`	32	32	2.017 / 2.096 / 2.808	exploration: family wwalkGg-x04 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x05-n2`	wwalkGg-x05	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.5,g=1,grow=2`	32	32	2.600 / 2.708 / 3.675	exploration: family wwalkGg-x05 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x06-j8-n2`	wwalkGg-x06-j8	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,jumps=8,g=1,grow=2`	32	32	1.366 / 1.430 / 1.999	exploration: family wwalkGg-x06-j8 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x09-j8-n2`	wwalkGg-x09-j8	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,jumps=8,g=1,grow=2`	32	32	1.780 / 1.816 / 2.146	exploration: family wwalkGg-x09-j8 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x06-j32-n2`	wwalkGg-x06-j32	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,jumps=32,g=1,grow=2`	32	32	1.655 / 1.691 / 2.020	exploration: family wwalkGg-x06-j32 untried at k = 32, N = 0.0001 x N_a
`wwalkGg-x09-j32-n2`	wwalkGg-x09-j32	2	`prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,jumps=32,g=1,grow=2`	32	32	1.462 / 1.500 / 1.842	exploration: family wwalkGg-x09-j32 untried at k = 32, N = 0.0001 x N_a



train screen

Selection


- k = 20: challenger `wwalkGg-x09-j8-n2` (Pareto alternative at w = 1: `wwalkGg-x09-j8-n2`)
- k = 24: no_challenger (Pareto alternative at w = 1: `wwalkGg-x05-n2`)
- k = 28: challenger `wwalkGg-x05-n2` (Pareto alternative at w = 1: `wwalkGg-x05-n2`)
- k = 32: challenger `wwalkGg-x06-j8-n2` (Pareto alternative at w = 1: `wwalkGg-x09-j32-n2`)

Holdout sessions

k	session	run exit	verify exit	receipt sha256	levels
20	`ECBS1h32466037ea6b`	0	0	`32f27095d48f0cd2ea4ab00b6b91ee6a91cfc1c2ffea3bf9a89f44e8472d5ae6`	{“verified”:480}
28	`ECBS1hf733b24e8ac2`	0	0	`76c1d89d1952a5b2c22b4888036b870ed61735fb434e5b78a9ce6bf3b453e5f7`	{“verified”:480}
32	`ECBS1h2c11272b86e2`	0	0	`7f2f62dc7d83287f5ba5f405750ccfe60b630010a8001842cb02dcdeb1efbf17`	{“verified”:480}

Ledger after this round

k	incumbent	since round	S (w = 0 / 0.1 / 1)	distance to rho
20	`wsum2g-b15-n2` (`prime-projected-abscissa:size=2,scan_cap=32` + `wsum:coef=15,free=1`)	28	2.575 / 2.691 / 3.741	1.8x / 1.7x / 1.5x
24	`wwalkGg-x09-n2` (`prime-projected-abscissa:size=2,scan_cap=32` + `wwalk:x=0.9,g=1,grow=2`)	33	1.673 / 1.718 / 2.117	1.4x / 1.3x / 1.0x
28	`wwalkGg-x09-n2` (`prime-projected-abscissa:size=2,scan_cap=32` + `wwalk:x=0.9,g=1,grow=2`)	33	1.572 / 1.611 / 1.961	1.5x / 1.4x / 1.0x
32	`wwalkG-x06-n2` (`prime-projected-abscissa:size=2,scan_cap=32` + `wwalk:x=0.6,g=1,grow=2`)	33	1.515 / 1.625 / 2.608	1.6x / 1.5x / 1.3x



ratchet

Evidence and deviations

- ecbench binary sha256: `737fb5b0901bda2c34a6a059032aa91fb76b1cfe656a4146c21c9778c5127c2e`; `--cpus auto`, allow_busy = true; `verify --replay 8` per session; audit receipts in `analysis/`; sessions in `sessions/` (records in the artifact store when large).
- Route: the local route is an explicitly requested development screen, not the Iso Lab EKS default; counts are deterministic and replayed, wall time is not claimed. No row of this round enters the IC leaderboard or `benchmarks/README.md` (validation gate).
- Train selection is in sample (disclosed); the holdout is fresh (new `target_seed`, excluded exposures). Failed, timed-out and regressing arms are retained above.