Five ECDLP follow-ups: verified operation evidence

Evidence date: 2026-10-20. **Pricing:** M+0.5S+10I; 0.1M per declared native logical operation except the cubic arithmetic gate, which has no native charge. All ratios below are operation counts, not qualified wall speed.

Two complete genus-2 cohorts

The two-choice collector and the projective numerator chart each ran on all 1,260 original exact-order source targets (21 curves, 60 targets each, 16–40 bits). For the projective chart, all 3,780 arm records were source-verified and independently replayed. At the stated price, projective/affine is **0.642714×** and projective/source-rho is **2.881445×** pooled. The full 12×3 price grid and per-curve rows are in `results/genus2-projective-price-grid.csv`.




Figure 1: Complete paired operation-cost ratios by order size; 180 targets at each size.

Mixed fibers: pair table and polynomial all-roots solvers

All 540 pair-table candidate records on nine eligible prime-order curves were source-verified; native reanalysis retained every price and curve. Homogeneous, mixed and matched-random pooled ratios to rho are 3.6435×, 3.2222× and 3.7180×.

The Semaev-S4 exhaustive-polynomial solver also recovered all 540 scalars on the same 180 targets and checked every answer on the source. Homogeneous, mixed and matched-random pooled costs are 57.8840×, 32.2975× and 34.4846× rho. All 36 pooled price cells lose to rho and the corresponding pair-table arm. External F4/msolve is untested.




Figure 2: Complete DLP cost ratios; 180 exact-order targets per arm.




Figure 3: Complete Semaev-S4 all-roots DLP costs; 180 exact-order targets per arm; external F4 comparison outstanding.

Cubic transfer and odd-kernel escape: unresolved attacks

For Tian's published F523 cubic fixture, the 3-kernel and smooth quartic were checked. Native quartic Jacobian arithmetic verifies T=1987S and rS=0 from published classes; five optimized cubic-field source-rho seeds recover the source scalar. One quartic doubling costs 14.043× mean source rho in this implementation. A bounded linear search received the published S,T without their scalar, recovered 1987 and source-verified it; its cold cost is 51979.77× mean rho. A genuine line-sieve index calculus on those published classes also recovered 1987, verified both rational-divisor relations in the Jacobian, and source-verified the answer. At M+0.5S+10I+0.1A it costs 561.59× mean source rho and loses in all 36 price cells. The source-to-Jacobian map was not executed. The 20 Smith-negative genus-3 holdouts were materialized, but odd kernels and end-to-end attacks on them remain untested.




Figure 4: Arithmetic diagnostic only; one quartic doubling and a known-scalar multiplication divided by the mean of five complete source-rho solves.




Figure 5: Cold cost of one verified DLP on published destination classes; no source-to-Jacobian map or index calculus was run.




Figure 6: Cold cost of published-class line-sieve index calculus, including all relation and descent attempts. Source map absent; operation pricing includes modular additions.

Evidence: `REPORT.md`, `results/`, `correctness/`, `sessions_projective_chart_v2.tar.zst`, and the seven linked `reports/run-*` PDFs. Negative outcomes and unexecuted routes remain explicit in the report. Literature: Tian's cubic transfer and Tian's genus-3 odd-isogeny construction.