
Native global joint S5 regression v1

Run regression-v1, started 2026-10-24 00:42:41 UTC. Frozen solver source: 950e15f38c4a2646a14518ee89cc672687ac2d6a. The copied runner hash and exact commands are retained in runs/regression-v1/metadata/.



The first six global p37/seed0/query2 solves are terminal. Phi and doubling finite-domain processes exit 134 with allocation-failure stderr. Pure L0 finite-domain returns an explicit incomplete result at the cooperative limit. All three global geometric processes exit 134 with allocation failure. Empty root output from an incomplete solve is not zero true yield. The attempted pure incomplete result fails the complete-set oracle check.

The three source-block exports completed. Their initial union launchers were interrupted before producing solve directories or exit receipts; continuation is in runs/regression-v2/, not overwritten v1 outputs. See migration reconciliation (../../MIGRATION_RECONCILIATION_20261024.md).

The protocol retains one thread, 8 GiB address space, a 1,200 s outer watchdog and a shared 1,180 s cooperative budget per query. Heavy phases use the busy reservation. These durations are unadmitted diagnostics. The first allocation failure additionally incurred a core-dump delay; the saved adjustment disables core dumps for subsequent owned processes. It changes neither mathematical inputs nor address-space/time caps.

No complete joint collector, measured speedup or impossibility statement is established by these six terminal outcomes. The completed source-block and later variant results require their separate reports and audits.