R13 replacement cohort: rejected

Instance i-06dc588064a36bd57; Intel Xeon 6975P-C. Native physical-core isolation: logical siblings 2 and 18. Five rounds per set. Cold base/candidate ratios, 40 pairs per primary set.

Degree	Suite mean (95% interval)	Holdout mean (95% interval)
37	0.995486 (0.992043–0.998941)	0.999403 (0.996952–1.001859)
47	0.997786 (0.995150–1.000429)	0.998734 (0.993303–1.004195)
57	0.994377 (0.987760–1.001039)	0.990503 (0.984583–0.996458)

Acceptance requires every primary interval above 1.01. None passes. Native verdict: rejected. No extension: all six half-widths below 3%.

A/A: 220 clean groups / 292 attempts. Suite: 399 clean groups / 400 scheduled / 493 attempts. One n59 candidate group exhausted bounded retries under contention. Holdouts: 240 clean groups / 295 attempts. Every attempt is retained.

Validation: 1,170 records and 2,340 scalar certificates pass. Independent recomputation: 114 fields, zero disagreements. Four seeded output replays pass on another local build; exact-arm Linux replay remains open. No timing is drawn from replay. No leaderboard promotion or VALIDATION.json.

Sources: REPORT.md, analysis.json, certverify.json, recompute.json, replay.json and runs.tar.xz beside this PDF; frozen protocol two directories above. Earlier host cohorts are separate. Canonical graphs remain unchanged because the candidate is rejected.