run-20261022T0940Z-quartic_twist_tagged_s5_k4_p37_aa2_v1

Raw: quartic_twist_tagged_s5_k4_p37_aa2_v1.json | SHA-256: d676e476519aa90360ad5fddcb1b77556e28163c394b567c267e2e216cb58117 Current source SHA-256: 45251363eab451979d5eaf18246e63546c3ac5fc74455addb528e91e8c1e9ed0 Measurement source: final source; current SHA below is the rendering-time snapshot. Intel Xeon Platinum 6975P-C; shared host; L0 exploratory run. Public target [271]G; p=37, b0=2, r=1873633, seed=0.

Execution

`target/release/examples/quartic_twist_tagged_s5 --k 4 research/twist_index_calculus_20261020/quartic_twist_mixed_v1.ndjson` Cap: 8 GiB address space, 1200 s watchdog.

Recorded observations

- Producer status: partial; exact signed-set agreements 4/4; system failures 1.
- Signed polynomial relations 0; field solutions 0; systems attempted 4.
- An agreement on an empty set does not make a failed system complete. The independent scalar-keyed pilot audit classifies each arm.



Counted native field work only. L0 wall time is not isolated; native hash, allocator and partition CPU are missing. No priced IC/rho speed claim.