run-20261023T0126Z-quartic_twist_k1_thin_p97_seed2_j2_aa_v1

Raw SHA-256: cd80e740c39d61812cca68151aa59f4171b54d12bfb0a2202dec601d0db3ea99 Audit SHA-256: ce3731210544554413fdb1294e56b92dee2f2a93f4c530ffc68e4766cbdc9993 Protocol cadd7b9001; Shared Intel Xeon Platinum 6975P-C host; L0 exploratory run. Public target [271]G.

Execution

`target/release/examples/quartic_twist_k1_thin research/twist_index_calculus_20261020/quartic_twist_mixed_v1.ndjson 97 2 2` 8 GiB address-space cap; 1200 s watchdog.

Recorded observations

- Native `pass`; independent point-keyed/BSGS audit `pass`; 150 residuals, anchored rank 5/5, recovered 271.
- Physical base 60 retained points from 72 constructed points; 2 complete L2 orbits. Full-base construction and map, plus a proper-subset map, are charged.
- Exact signed k=1 sets on processed prefix: 5 reference, 5 polynomial, 0 missing; 7,200 attempted S4 systems, 0 failures.
- Counted candidate: 4,465,588,225 Fp multiplications and 26,573 group operations; same-seed full-base control 6,696,848,851 Fp multiplications (full/candidate 1.500).
- Same-target twist24 rho: 791,504 Fp multiplications and 5,395 group operations. Independent BSGS verified 60 retained physical factor logs.



Hash/tree and allocator CPU, calibrated GAE and isolated timing are absent. No priced IC/rho or external-solver claim.