run-20261023T0105Z-quartic_twist_k1_thin_p73_seed0_j2_v1

Raw SHA-256: 17156e62b2724a8031017ec14f9da55802ec6d66b2dfad885958d40a89a44b3b Audit SHA-256: e3b5b89ab638767b5648cd12af0253c0ae47806ae6a1113a299501e60cf3e595 Protocol cadd7b9001; Shared Intel Xeon Platinum 6975P-C host; L0 exploratory run. Public target [271]G.

Execution

`target/release/examples/quartic_twist_k1_thin research/twist_index_calculus_20261020/quartic_twist_mixed_v1.ndjson 73 0 2` 8 GiB address-space cap; 1200 s watchdog.

Recorded observations

- Native `pass`; independent point-keyed/BSGS audit `pass`; 20 residuals, anchored rank 6/6, recovered 271.
- Physical base 72 retained points from 96 constructed points; 2 complete L2 orbits. Full-base construction and map, plus a proper-subset map, are charged.
- Exact signed k=1 sets on processed prefix: 6 reference, 6 polynomial, 0 missing; 960 attempted S4 systems, 0 failures.
- Counted candidate: 593,181,104 Fp multiplications and 11,095 group operations; same-seed full-base control 888,203,272 Fp multiplications (full/candidate 1.497).
- Same-target twist24 rho: 496,841 Fp multiplications and 3,735 group operations. Independent BSGS verified 72 retained physical factor logs.



Hash/tree and allocator CPU, calibrated GAE and isolated timing are absent. No priced IC/rho or external-solver claim.