Run report: E5c, G against ±[h]·P on P-192 and P-224, 2026-10-19T22:40Z

Observations only. The interpretation is in `../../E5c.md`. No ECDLP run.

item	value
command	`cargo run --release --example generator_effect_e5c -- research/generator_effect_ic_20261019/e5/e5c.json`
protocol	`e5/PROTOCOL_E5c.md`, frozen at commit `8aab54912` before any run
code	`examples/generator_effect_e5c.rs` as committed in the PR that adds this report; the run used the working tree on `8aab54912` with that file, byte-identical to the commit
host	Apple arm64 (MacBook Pro), Darwin 25.6.0, 14 rayon threads; isolation **L0** (no pinning, other sessions running)
curves	`CurveParams::p192()`, `CurveParams::p224()`, cofactor 1
scans	per curve: `P_first` with both roots and the next 15 valid abscissae with one root each (17 scans), plus 2 control scans against `±[12345]P_first`; each scan `1 ≤ h ≤ 2^24`
seeds	none (deterministic)
requested / completed	38 scans / 38 of 38; no failures
wall time (informational, L0)	47.0 s total; about 1.0–1.6 s per scan
raw output	`e5/e5c.json`, `e5/e5c.log`

Measured values

- Checks: `G` on curve and `[n]G = 0`; 16 base points on curve; 18 BigUint cross-checks per curve (9 checkpoints × 2 roots), 0 mismatches.
- Positive controls: against `[12345]P_first` exactly one match `(12345, +)`, against `−[12345]P_first` exactly one match `(12345, −)`, on both curves.
- Scans against ±G: **0 matches** in 34 scans (34 · 2^24 multiples).
- Most leading bits shared with `G.x`, per scan: P-192 22–28, P-224 22–28.




Figure 1: E5c figure

Figure. Run 20261019T2240Z, 2^24 multiples per scan, 17 scans per curve. Source: `e5/plot_e5c.py`.