R05 interim: native P-256 sieving has started

This is an interim observation of nist-factor-R05-20261022T1027Z. The exact observation time, native raw relation count, source commit and worker PID are in OBSERVATION.json. The process was running when observed. This report makes no assertion about its state after that timestamp and claims no new factor.



One fixed 444-bit cofactor is being processed, so this interim report uses a phase diagram instead of a comparison graph. Native relation counts are operational raw counts, not independently deduplicated relations or proof of enough rank. No sampling interval or runtime estimate applies.

The target is skipped_256_876-twist2, a 512-bit whole order whose literal residual is fixed in the protocol. R04's selected native polynomial passes exact input/common-root checks in both formats, and the whole-target prime/product replay passes. The current arithmetic result remains eight of nine targets fully factored, resolving thirteen of fourteen original DiSSECT timeout fields.

Pinned YAFU c7d90283972820f99b3b4920bfc1eff05c1f6342 uses its native lattice sievers, two workers, seed 20261022, -gnfs -xover 81 -pbatch 120, native 3600-second limit, outer 3660 seconds plus 30 seconds kill grace, 4 GiB virtual-memory cap per native process and a launcher-applied 1 GiB maximum output per file. The file cap may stop collection before the configured 46,000,000-relation target. This is a bounded continuation, not a promise to finish factorization here. The host has four CPUs and 16 GiB RAM, L0. No speed or security conclusion follows; no paid or remote machine runs.

The initial source archive export failed on missing promisor objects before search. Twelve required native source files were instead copied and every blob hash matched the frozen commit, isolating the running worker from later branch edits. A one-second small-input control validates the version-2 receipt writer; it is not a genuine-GNFS coverage claim. Earlier genuine GNFS known-answer/resume controls and fixed-input rejection checks remain the method prerequisites. All setup errors and control records are retained.

The live raw tree preserves commands, inputs, hashes, checkpoints, relation data, stdout/stderr and attempt history. A native event observer retains outputs across cleanup. The final raw archive, exact status, independent factor/prime/product replay and final report are pending until termination. They are not represented as completed by this interim document.

Historical generators, upstream trait defects, historical skip reasons and the remaining prime factorization stay unresolved. The linked R02 product proofs establish the existing partitions only. Existing IC scoreboards, timelines and performance figures have no affected result and remain unchanged.