Run report: E3b sessions, 2026-10-21T05:12Z

Observations only. The interpretation is in `../../E3b.md`.

item	value
protocol	`E3b-PROTOCOL.md`, frozen in commit `f9cf6ab116` before these sessions; deviations D1, D2 at its end
specs	`e3b/specs/` (`e3-c4`, `e3-c5`, `e3-c6`, `f4-c1-sem-{chain,full}-t{2,3}`)
command	`ecbench run --allow-busy --cpus none --lock <lock> --spec e3b/specs/<spec>.json --out e3b/sessions/<name> --quiet`, seven sessions started together at 2026-10-21T05:12:34Z; build of commit `ede431274` (the E3 binary, `ecbench` sha256 `b72458fbfa802e88…`)
host	macOS (Apple silicon), shared and heavily loaded (load average above 100 when checked), no CPU topology, so `--cpus none`. Every record is at isolation level L0. Wall time is not used for any cost
workloads	8 `planted_shared` targets per ladder curve; F4 sessions: E3′s e3-c1 targets 0 and 1 (chain `t = 3`: target 0 only); target seed 20261019, algorithm seed 20261019, 1 round, no warm-up
sessions, runs	`e3-c4` ECBS1h33f9cde203a7: 104 of 104 runs, all `verified`, 1.4 process-hours summed over runs; `e3-c5` ECBS1h12ea835a948e: 104 of 104 runs, all `verified`, 1.4 process-hours summed over runs; `e3-c6` ECBS1h478cd952402d: 104 of 104 runs, all `verified`, 1.5 process-hours summed over runs; `f4-c1-sem-chain-t2` ECBS1h305ebf1e98d2: 4 of 4 runs, all `verified`, 5.2 process-hours summed over runs; `f4-c1-sem-full-t2` ECBS1hbe41d11e8904: 4 of 4 runs, all `verified`, 4.7 process-hours summed over runs
not completed	the two `t = 3` F4 sessions: started with the seven, interrupted with the host session (D1), rerun, interrupted again (D2); each wrote only `rho-neg` records and none is in `e3b/sessions/`. No number of theirs is used
raw records	`e3b/sessions/<name>/records.jsonl`, `session.json`

Measured values, ladder (S = GAE/√r, mean of 8 targets, 90% bootstrap interval in the aggregate)

`S(w) = (G − C + w·(U + n_C))/√r`, `C = n_C = 0`. Per curve `rho-neg` is measured once. Aggregated by `examples/generator_effect_e3_summary.rs` into `e3b/summary.json` (derived).

curve	t	B	grid S, w = 0	grid S, w = 0.1	grid S, w = 1	known-log S, w = 0	known-log S, w = 0.1	known-log S, w = 1	rho-neg S, w = 0 / 0.1 / 1
e3-c4	4	6	80.4	5.86e+04	5.85e+05	107	117	213	0.831 / 0.903 / 1.55
e3-c4	5	13	12.2	5.88e+04	5.88e+05	14.9	16.3	29.2	0.831 / 0.903 / 1.55
e3-c4	6	29	3.41	1.08e+05	1.08e+06	8.2	8.93	15.5	0.831 / 0.903 / 1.55
e3-c4	7	68	1.15	1.51e+05	1.51e+06	3.67	3.79	4.87	0.831 / 0.903 / 1.55
e3-c4	8	128	1.02	3.49e+05	3.49e+06	7.01	7.04	7.29	0.831 / 0.903 / 1.55
e3-c4	9	263	1.41	1.48e+06	1.48e+07	24.5	24.5	24.5	0.831 / 0.903 / 1.55
e3-c5	4	9	40.4	2.95e+04	2.94e+05	112	123	223	1.01 / 1.1 / 1.92
e3-c5	5	19	8.02	3.78e+04	3.78e+05	28.1	30.8	55.6	1.01 / 1.1 / 1.92
e3-c5	6	35	2.55	7.93e+04	7.93e+05	9.31	10.2	17.7	1.01 / 1.1 / 1.92
e3-c5	7	69	1.1	1.7e+05	1.7e+06	3.26	3.38	4.4	1.01 / 1.1 / 1.92
e3-c5	8	134	0.895	3.67e+05	3.67e+06	6.43	6.47	6.78	1.01 / 1.1 / 1.92
e3-c5	9	276	1.25	1.35e+06	1.35e+07	22.4	22.4	22.5	1.01 / 1.1 / 1.92
e3-c6	4	10	32.5	2.37e+04	2.37e+05	79.3	87.2	158	1.14 / 1.24 / 2.18
e3-c6	5	18	9.8	4.7e+04	4.7e+05	18.3	20.1	36.1	1.14 / 1.24 / 2.18
e3-c6	6	30	3.56	1.18e+05	1.18e+06	5.56	6.04	10.3	1.14 / 1.24 / 2.18
e3-c6	7	61	1.22	2.1e+05	2.1e+06	3.65	3.84	5.51	1.14 / 1.24 / 2.18
e3-c6	8	129	0.893	4e+05	4e+06	6.19	6.24	6.68	1.14 / 1.24 / 2.18
e3-c6	9	253	1.17	1.4e+06	1.4e+07	19	19	19.1	1.14 / 1.24 / 2.18

Measured values, F4 full solves (`t = 2`, e3-c1)

From `e3b/f4check.json` (derived: measured record against E3′s grid record of the same target and E3′s capped means).

arm	session	target	trials	F4 calls	F4 mult-adds per call	measured / substituted U	wall per call (ms)
sem-chain-t2	ECBS1h305ebf1e98d2	0	444341	434258	3.9079e+05	1.000001	30.6
sem-chain-t2	ECBS1h305ebf1e98d2	1	841257	805655	3.9079e+05	1.000000	6.5
sem-full-t2	ECBS1hbe41d11e8904	0	444341	434258	2.2429e+05	0.999997	28.2
sem-full-t2	ECBS1hbe41d11e8904	1	841257	805655	2.2429e+05	0.999999	5.9

Missing data: no `t = 3` F4 record, no F4 record at `t ≥ 6` (not run), no wall-time comparison across arms (L0 host, not admitted).




Figure 1: E3b ladder

Figure 1. S against B at w = 0, 0.1 and 1 (top) and grid / known-log paired by target (bottom), from `e3b/summary.json`. Solid: E3b curves e3-c4/c5/c6 (markers o/s/^); faint: E3's curves, with F4 chain substituted, not run. Sessions ECBS1h33f9cde203a7, ECBS1h12ea835a948e, ECBS1h478cd952402d. 8 targets per point, 90% bootstrap intervals.