cold: recorded execution

Job 20261023-192132-twist-resume-p229-s1-681434. Outcome: done, recorded exit 0. Host class: c7i.2xlarge, lifecycle spot. Started 2026-10-23T19:22:37Z; last status update 2026-10-23T20:14:44Z.

Resume p=229 seed 1 using immutable original checkpoint; preserve complete units only.



Command, controls and evidence

Exact command SHA-256: cb2460085a66fa7822ce4a525fcfc55c975a7f5203713e8e46973e98598ec130. The command, native raw output, exit receipts, setup/build logs and host metadata are in runs/jobs/20261023-192132-twist-resume-p229-s1-681434/ after extracting the content-addressed archive. Job snapshots record the source revision; frozen cold source is bundled separately. The registry specifies all arms, fields and seeds through these commands; the panel protocol and its supplements define the controls and caps.

This job has 55 originating resource-admitted timed records. Copied checkpoints are not additional samples. A cold graph displays every originating admitted cold record, identified by the native JSON. A diagnostic count graph displays the recorded summary's signed relations and rank/columns, with each population labeled in the JSON; it establishes no wall-time advantage. Replayed summaries are deterministic checks rather than independent targets. Medians and paired ranges used for the final comparison are independently recomputed across complete whole rounds in results/summary.json; a per-record resource pass alone does not admit an incomplete round. The full-column phi-L0 arm is censored consumed cost, not a verified solution.

Recorded exit-count map: {"0": 85}. Recorded summary-status map: {}. Recorded independent audit-status map: {}.

Raw observations: results/job-observations/20261023-192132-twist-resume-p229-s1-681434.json. Partial JSON records, failed exits and refused isolation are retained in the raw archive. Missing isolation is missing, never an admitted time. No performance conclusion follows from a job's done/0 state alone. Build and test gate durations are not algorithm timings.

See protocol (../../PROTOCOL.md), cost boundary (../../BOUNDARY.md), final report (../../README.md) and raw reproduction (../../ARTIFACTS.md). The msolve job alone measures internal GB timers on 378 fixed systems; it does not run a complete external DLP solver. Other jobs with fewer than two comparable admitted timings use an execution diagram rather than an invented numerical plot.