Equal-original-height rational-lift control

Run `pari-20261022T0020Z-original-height`; source freeze `0145df8ff32a104d186c31eca2f04c9ee256b21d`. Host `a81fcf6dc864`, Debian 13 x86_64, managed four-CPU virtual host, L0. Workloads use public synthetic fixtures or public-parameter checks. No wall-clock or full-cost improvement is admitted.

Raw outputs: run directory. Commands, binary/input hashes, seeds, resource limits and statuses are in execution receipts and the versioned protocols in the study root. No independent-host replay is claimed.

Recorded observations

Metric	Count / recorded value
rank intervals unresolved	1
relations outside same base Fp census	0
same E reductions checked	42
searches with rational points	76
searches with three term relations	7
twist searches	254

Vector figures and editable data accompany this report on the following pages.

The same 254 twist parameters are searched at original x height 16 using enclosing standard-model height 16|d| and an exact original-height filter. This is a distinct height domain from V1. Every square-d reduction and projected triple is replayed in the ordinary group on the identical signed base. No row lies outside that same-base census. General target lifting, a complete Mordell-Weil certificate and a full-cost IC comparison remain open.

The chart has no statistical interval: census counts are exact on the stated finite sets; solver completion counts describe these bounded processes only. Missing or failed computations stay unresolved. Full original acceptance criteria and proof/measurement gaps remain in the requirement matrix.

Equal-original-height rational-lift control

Recorded counts; exact censuses or bounded run outcomes. No wall-time comparison.