Trace fibers, restrictions and relation censuses

Run `trace-20261021T2256Z`; source freeze `d86eb011034066532d3645369a783f44be158b1c`. Host `a81fcf6dc864`, Debian 13 x86_64, managed four-CPU virtual host, L0. Workloads use public synthetic fixtures or public-parameter checks. No wall-clock or full-cost improvement is admitted.

Raw outputs: run directory. Commands, binary/input hashes, seeds, resource limits and statuses are in execution receipts and the versioned protocols in the study root. No independent-host replay is claimed.

Recorded observations

Metric	Count / recorded value
divisor fixtures	2
exhaustive trace fixtures	9
quartic mismatches	0
quartic witness equivalence cells	30
relation census cells	1179

Vector figures and editable data accompany this report on the following pages.

E01 is an exhaustive Fp^2 census for nine fixtures. The rational quartic and extension-coordinate parameterizations give identical witness sets. E02/E04 full larger-field norm-y/power fibers and E05 unsplit degree-three/four divisors remain partial. E06 enumerates finite-base relations, not decomposition time; reused bases and unsupported sizes are retained.

The chart has no statistical interval: census counts are exact on the stated finite sets; solver completion counts describe these bounded processes only. Missing or failed computations stay unresolved. Full original acceptance criteria and proof/measurement gaps remain in the requirement matrix.

Trace fibers, restrictions and relation censuses

Recorded counts; exact censuses or bounded run outcomes. No wall-time comparison.