Pole-chart leading factors and actual anchor degree budget

14 November 2026; source `43b457291f5b99ae1c23c4057b34ad07bdb07b41`

Component results. The same completed orientation family has explicit polynomial leading factors at its retained negative-pole charts, with 2^u labels. Its actual diagonal degree also bounds the last retained anchor multiplicity by a Fibonacci factor. The pinned shared gate audits 59 declarations with zero extra trusted axioms. Import-inclusive fresh replay is running at this report snapshot; no completed exit is claimed. All records are unsigned [pcc:unverified].

Actual chart, every coefficient. Let $L = 2^a$, $i < u \le a$, $t = -2^i$, $\alpha = 2^{a+1}$, and

$$M_{xy} = \{j < u : \mathrm{bit}_j(x) = \mathrm{bit}_j(y)\}, \quad G_i = m_i - \sum_{j<u} (j-i)_+ m_j.$$

Use the original actual completed polynomial $W_{xy}(T)$ on actual ports $x, y < 2^a$, and equal-bit-i crossings. Let $P_{xy}(Z) = W_{xy}(t + \alpha Z)$, $J_{xy} = [Z]P_{xy}$, $c = J_{00} \neq 0$, and $w = v_2(c) = a + 1 - i + G_i$. No favorable scalar is supplied. Multiplicities are natural numbers; the matrix leading-factor statements additionally require $m_j > 0$ for every $j < u$. The finite rest product and actual anchor slopes construct a polynomial U_{xy} such that

$$P_{xy} = J_{xy} Z U_{xy}, \qquad U_{xy}(0) = 1, \qquad v_2([Z^n]U_{xy}) \ge n$$

with zero coefficients admitted. The full chart has content at least w, so J_{xy}/c is integral. Therefore

$$v_2([Z^{n+1}](P_{xy}/c)) \ge n, \qquad P_{xy}/c \equiv (J_{xy}/c)Z \pmod 2$$

coefficientwise. This is a universal symbolic statement at these specified negative poles, not a sample of coefficients [pcc:unverified].

Constructed matrix lift. Zero entries outside the crossings. The parent's actual first-jet factors A, B satisfy $R - AB \equiv 0 \pmod 2$, $R_{xy} = J_{xy}/c$. Set $\widetilde{A} = C(A)$ and $\widetilde{B} = C(B)Z$, with the same 2^u labels. Then

$$P/c - \widetilde{A}\widetilde{B} \equiv 0 \pmod 2.$$

Both factors are integral. Scaling the left by $C(c)$ gives row content w and actual residual content $w + 1$; the scaled left is integral if $w \ge 0$. This covers the lowest precision layer of the whole polynomial chart, not arbitrary precision or all active source nodes [pcc:unverified].

A necessary budget for the actual polynomial

This page uses $n = u + 1$ retained levels, with terminal level u; this is an index convention, not an extra retained level in the chart theorem. Construct the actual list $(m_0, \dots, m_u)$ from the finite range. The Lean bridge derives the abstract recurrence from the actual inequalities $G_i \geq 0$ for every $i < u + 1$. A caller does not supply a feasible list. For a list $\ell = (m_0, \dots, m_{n-1})$, its weighted suffix penalty is

$$\operatorname{penalty}(\ell) = \sum_{j<n} (j+1) m_j.$$

Prepending a multiplicity $m \geq P$ to an existing suffix of mass S and penalty P gives

$$S' = m + S \geq P + S, \qquad P' = m + P + S \geq 2P + S.$$

Starting from the actual terminal multiplicity $r = m_u$, the initial suffix has $S = P = r$. Fibonacci induction gives

$$F_{2u+1} m_u \leq \sum_{j<u+1} m_j, \qquad F_{2u+2} m_u \leq \operatorname{penalty}(m_0, \dots, m_u).$$

These are necessary inequalities for this explicit schedule, not a lower bound for arbitrary completion polynomials [pcc:unverified].

Exact degree, not reversal of an upper bound. For a finite source set $S \subset \mathbb{Q}$ with $0 \in S$, the actual normalizer is nonzero and the diagonal base has degree $|S| - 1$. Every selected factor is nonzero of degree one. At $x = y$ the actual mask selects all retained anchors. Degrees add over $\mathbb{Q}$, giving

$$\deg W_{xx} = |S| - 1 + \sum_{j<u+1} m_j.$$

For the actual signed grid $|S| = 2L$, an actual diagonal cap

$$\deg W_{xx} \leq 2L - 1 + KL \quad \Longrightarrow \quad F_{2u+1} m_u \leq KL.$$

The previous upper-degree estimate alone would not justify this direction. Nonzero selected factors and the actual normalizer are derived in the proof [pcc:unverified].

Proof map. Full statements, source bindings and all 54 new unsigned claim ids are in `../evidence/claim-pins.json`. Central declarations:

`actual_completed_chart_unit`	PCC-20261114-4e9529
`actual_normalized_coefficient_weight`	PCC-20261114-0be10e
`actual_chart_leading_factorization`	PCC-20261114-141d98
`actual_weighted_chart_leading_factorization`	PCC-20261114-dc6a99
`actual_schedule_feasible`	PCC-20261114-d08950
`completed_diagonal_degree`	PCC-20261114-b4a0e7
`actual_terminal_polynomial_budget`	PCC-20261114-2d4b00

All are unsigned/default not covered; the full Lean statement governs each claim's hypotheses [pcc:unverified].


Mode cost: the comparison that must still be made

The pinned primary proof D.4.3–D.4.7 has $D_i = L/2^i$, at most $3M/L$ packets, precision $p_t = O(MD_i/u)$, and at most $6M/D_i$ modes per weight. Its weighted tuple bound is $\exp(O(\sqrt{Mp_t/D_i}))$, yielding $\exp(O(M/\sqrt{u}))$. These are the reviewed primary proof's formulas, not a new measured or independently formalized runtime result [pcc:unverified].

For the separate actual first-jet moment construction, every residue class r mod 2^u and every retained moment b is charged. The corresponding *declared* per-weight inventories and bounds are:

	Original primary profile	Residue moment profile
labels per packet per moment	2^{i+1}	2^u
public row weight	$b+1$	$w+b$
packet-count upper budget	$6M/D_i$	$(3M/L)2^u$

The ratio of those declared upper budgets is 2^{u-i-1}. It is not an observed count ratio or a lower bound for the number of independent nonzero modes. Higher coefficient valuations, zero coefficients or a different basis could change the relevant inventory. A smaller symbolic factor count than row refinement does not settle the original comparison [pcc:unverified].



Next discriminating obligation. Construct and charge the actual weighted mode inventory, including coefficient construction and target/source locality. Combine it with the exact degree cap, required precision and recovery loss. The negative-pole lowest-layer statement cannot be substituted for all required charts or higher precision. A full prime-field ECDLP proof also needs the actual relation map, public finder, field/scalar extraction, retry bounds and complete expected bit cost.

Evidence, scope and reproducibility

Checks. The source contains 57 authored statements: 33 pole-chart and 24 budget statements. Three are copied historical budget lemmas; 54 are new source-bound declarations. The shared gate audits 59 declarations, including these generated declarations:

```
AnchorBudget.Feasible.brecOn
LocalCharts.localBase.eq_1
```

All three new tracked modules were built and audited. Local build and gate exit 0. Import-inclusive fresh replay is running at this snapshot:

```
leanchecker -fresh -verbose OrientationCompletion
```

No completed fresh exit is claimed [pcc:unverified].

Pinned dependencies. Lean 4.35.0, with:

CryptoLean `148f5dc389b341401e06d76abe7783c4ccf42f2e`
Mathlib `cfc55fc58714a59dc06e6e79edc6d1d95140d3c2`

Exact source, manifest, gate, audit and trust hashes are in `../evidence/source-freeze.json`. Gate data is PCC-20261114-67cb41. Local draft records 623aab, 92e0dc, b83c13, a4c256 and 73e030 preserve intermediate status. The axioms shown are only `propext`, `Classical.choice` and `Quot.sound` [pcc:unverified].

Failures retained. Chart 006 rewrite/visibility and 008 helper normalization failures; budget 001 path failure, 002 recurrence/normalization, 003 zero-add, 004 unused-tactic warnings and 007 factor-unfolding failure. All raw source/log/exit versions remain under the moment evidence directory. Rejected drafts' sorryAx diagnostics are failures, not accepted proof inputs. No warnings were suppressed; frozen parent source and report checkpoints were not changed. There was no native cryptographic, timing, scaling or paid/cloud experiment in this round.

Sources checked. KB unavailable: not loaded, wrapper has no executable; the journal records bounded GitHub fallback queries. Read the original AnchorBudget, actual OrientationAnchor/Leading/Jet and LocalCharts/Integral sources, pinned Mathlib list/degree/coefficient APIs, and the primary D.4.3–D.4.7 with source-triage, contraction-cost and contraction-precision reviews under

```
research/prime_one_shot_20261029/continuation/tensor-review/
```

Primary PDF SHA256, split for legibility: `5b1612dc2eebb2cad5b4cbe62d1fed2982`
`f01ab1908c26f70010a651487e8123`. Standard inverse moments, Fibonacci induction and polynomial degree laws are reused; there is no priority or fastest-method assertion.

Graph/evidence policy. This is a symbolic proof-component report, so the graphic is a dependency diagram, not an empirical plot. The literal parent ring-scaling certificate IDC1h57849461da3c8854 remains limited to its fixed 32+16 points and is not a certificate of these parameterized valuations, Fibonacci bounds or runtime. No new measurement supports changes to the IC scoreboard/timeline/leaderboard or historical parent figures; these stay unchanged. Editable DOT/SVG/PDF and this TeX/PDF are kept together.

Integration. PR4118's concurrent protected PCC ledger conflict remains unresolved. Both histories and all claim/evidence bytes are preserved. Auto-merge stays off pending a legitimate canonical-maintainer reconciliation contract and actual-head gates. This integration dependency is separate from the mathematical work.

Separate local draft: terminal gain relative to D

Status. This appendix describes a separate five-statement local Lean draft. It is *outside* the frozen 57-statement source, 59-declaration axiom audit and running fresh replay. Exact source/log hashes are in

`../evidence/cost-relative-elaboration-001.json`

Data claim PCC-20261114-9b0604. Local elaboration exits 0 without warnings and central printed foundations are standard only [pcc:unverified].

Finite scale inequality. Let the terminal level be $2k$, with $2k+1$ retained levels, all actual schedule inequalities nonnegative, and $2k \le a$. Assume the actual diagonal polynomial obeys

$$\deg W_{xx} \le (2L-1) + KL, \qquad L = 2^a.$$

The already frozen actual polynomial budget implies $F_{4k+1} m_{2k} \le KL$. Standard Fibonacci addition gives

$$F_{n+4} = 2F_n + 3F_{n+1} \ge 5F_n, \qquad F_{4k+1} \ge 5^k.$$

The exact power split and the actual budget therefore give

$$L = 4^k 2^{a-2k}, \qquad 5^k m_{2k} \le K 4^k 2^{a-2k}.$$

All denominators below are positive; rational division yields

$$\boxed{\frac{m_{2k}}{D_{2k}} \le K(4/5)^k}, \qquad D_{2k} = 2^{a-2k}.$$

The primary retained-node application also keeps its usual $2k+1 \le a$ and other source hypotheses [pcc:unverified].

Proof map. All five declarations are in namespace `OrientationBudgetScale`, file `../evidence/cost-draft-002.lean.txt`:

- `fibonacci_four_growth`;
- `fibonacci_geometric`;
- `actual_terminal_geometric`;
- `power_split`;
- `actual_terminal_relative_scale`.


This is a finite necessary bound on the terminal multiplicity under the specified schedule and actual degree cap. It bounds the multiplicity contribution, not the whole starting valuation w, which also contains $a + 1 - 2k$. It does not establish the actual nonzero-mode inventory, account for possible coefficient sparsity/correlations, or prove an asymptotic runtime or algorithm lower bound [pcc:unverified].

The failed first draft and raw compiler outputs remain archived. The repair normalizes product associativity and removes over-general tactics without changing hypotheses or suppressing a linter.

Prior experiment audit: additive factor-base test

Source-level finding. The tracked constructor scans an arithmetic progression but skips nonliftable x values. It returns at the requested size without enforcing constant gaps, then constructs the constraint from the filtered coordinates. Its matching report already acknowledges this caveat. This does not establish that the stated full falling-factorial constraint was tested [pcc:unverified].

The tracked $F_3(x_R, X_2, X_3)$ arm uses two base variables. Its pair-sum control tests $R - P_k = P_i + P_j$, using three base points. Sage's fixed random seed does not seed `secrets.randbelow`; arms draw separate scalar targets. The F_3 branch counts coordinate membership without a signed point equality check there. These are source observations, not a demonstrated false witness or timing bias [pcc:unverified].



Evidence boundary. Exact source/report snapshots, Git blobs and hashes are in

`../prior-review/source-review-001.json`

Literature data claim PCC-20261114-6d5330. The historical report lacks raw-run/source-version binding sufficient to identify the executed version uniquely. No old timing is remeasured and no CPU-contention explanation is asserted. A genuine AP can have step one; filtering, not that step value, is the issue [pcc:unverified].

Reason for a controlled retry. Require actual base coordinates with constant nonzero gaps and the intended polynomial identity before timing; match decomposition arity and public target list, check signed relations, charge construction and solver work, and retain all controls and failures. No solver/timing campaign is launched here. This audit does not close or certify the structured-base direction.