
Repaired volcano survey checkpoint

Run repaired-5533-20261018T1647Z. 5,533 audited vertices, 88,528 accepted attempts.

Repaired survey: all 51 stratum samples, projected size-64 MITM

Blue: equations/source trial. Orange: equations/actual oracle call. Native means and observed min–max; not confidence intervals.

Ordinal conductor axis; each point is a stratum/outcome group. n counts target attempts, not independent vertices.



Checkpoint repaired-5533-20261018T1647Z: 5533 / 24823 vertices. All strata sampled; full-vertex distributions incomplete.

Graph	Audited vertices	Planned vertices	Audited strata	Planned strata
mixed	1855	10070	28	28
three	1836	6561	9	9
two	1842	8192	14	14

Observed outcomes: 56,959 verified recoveries, 27,545 exhausted attempts, 4,024 timeouts. Native source trials 141,248,888; actual decomposition calls 134,616,948; equations 2,870,489.

These pooled counts span different subgroups/bases and are accounting totals, not a common success probability. Multiple outcomes and all missing/censored observations remain distinct. Stratum samples are not complete populations.

The environment returned without the previous worker. One in-flight attempt was preserved and marked interrupted by the unchanged driver's zero-job stop; it is excluded from accepted means. Exact termination cause was not observed. No sealed session, binary, queue or mathematical budget was changed.

The native inventory checks record seals, receipt/file hashes, ledger/queue identities and exact existing successful/exhausted replay coverage. This is receipt binding, not fresh or independent solver replay. The entire stopped campaign, including the unaccepted interruption, accompanies the inventory.

Stratum distributions: recorded size-64 MITM

Trial yield includes repeated queries skipped before the oracle; actual-call yield excludes them. Identity skips occur before trial increment. Zero or unknown denominators have no yield. Timeout final counters are unknown, not zero. GAE with unpriced work is a lower bound; exhaustion costs an attempt, not a successful DLP. Native summary/CSV retain all other arms, phases and present-value n. The tables below use only recorded size-64 MITM reports.

icv1-fp57-t536870914-6cabb0c9

Conductor	Outcome	n	GAE min	GAE mean	GAE max	Mean/trial	Mean/call
1	verified	2	19,530	19,970.0	20,410	0.119769	0.121079
2	verified	2	19,505	19,546.5	19,588	0.114059	0.114919
4	verified	4	19,466	20,048.5	20,714	0.121453	0.122819
8	verified	8	19,467	19,888.2	20,857	0.119064	0.120233
16	verified	16	19,210	19,796.4	20,524	0.126336	0.127545
32	verified	32	19,063	19,777.5	20,954	0.125379	0.126577
64	verified	64	18,937	19,903.8	21,779	0.122785	0.123939
128	verified	128	18,907	19,764.5	21,045	0.126269	0.127420
256	verified	256	18,833	19,875.1	21,476	0.124160	0.125334
512	verified	512	18,763	19,854.7	21,859	0.124704	0.125875
1024	verified	1024	18,691	19,864.5	22,854	0.124112	0.125262
2048	verified	1632	18,709	19,848.1	22,184	0.123935	0.125081
4096	verified	2	19,609	20,067.0	20,525	0.120562	0.121898
8192	verified	2	19,369	19,846.5	20,324	0.143079	0.144412

icv1-fp57-tm536870941-e6d0c766

Conductor	Outcome	n	GAE min	GAE mean	GAE max	Mean/trial	Mean/call
1	exhausted	2	20,239	20,252.0	20,265	0.000000	0.000000
3	exhausted	4	20,245	20,270.0	20,298	0.000000	0.000000
9	exhausted	12	20,240	20,273.7	20,327	0.000000	0.000000
27	exhausted	36	20,226	20,271.4	20,316	0.000000	0.000000
81	exhausted	108	20,232	20,278.6	20,340	0.000000	0.000000
243	exhausted	324	20,198	20,274.7	20,342	0.000000	0.000000
729	exhausted	972	20,205	20,275.2	20,337	0.000000	0.000000
2187	exhausted	2212	20,195	20,274.7	20,342	0.000000	0.000000
6561	exhausted	2	20,283	20,286.0	20,289	0.000000	0.000000

icv1-fp59-t1073741954-4dd0b1ef

Conductor	Outcome	n	GAE min	GAE mean	GAE max	Mean/trial	Mean/call
1	verified	2	20,463	20,467.5	20,472	0.840387	0.868095
2	verified	6	20,012	20,126.2	20,241	0.847810	0.863518
3	verified	8	20,024	20,270.8	20,595	0.846633	0.867332
4	verified	12	19,899	20,210.8	20,534	0.852565	0.872370
6	verified	24	19,899	20,142.7	20,550	0.835873	0.854372
8	verified	24	19,807	20,142.4	20,648	0.835348	0.854639
9	verified	24	19,842	20,207.2	20,878	0.847141	0.867336
12	verified	48	19,783	20,183.1	20,749	0.842426	0.861242
16	verified	48	19,796	20,210.0	20,727	0.834727	0.855684
18	verified	72	19,863	20,202.9	20,836	0.837101	0.859458
24	verified	96	19,835	20,193.0	21,445	0.846245	0.865569
27	verified	72	19,786	20,146.4	20,934	0.844967	0.864468
32	verified	96	19,832	20,191.3	20,771	0.846372	0.865296
36	verified	144	19,723	20,156.5	20,928	0.842766	0.860938
48	verified	192	19,734	20,208.9	21,208	0.843601	0.863686
54	verified	216	19,757	20,230.8	21,129	0.838622	0.858583
64	verified	184	19,803	20,185.8	21,106	0.843102	0.862787
72	verified	288	19,741	20,178.8	21,201	0.847042	0.866266
96	verified	368	19,776	20,208.7	21,028	0.842105	0.862645
108	verified	432	19,785	20,225.3	21,246	0.840016	0.861047
144	verified	550	19,782	20,206.1	21,130	0.844715	0.865085
192	verified	2	20,115	20,186.5	20,258	0.843428	0.864101
216	verified	792	19,774	20,208.3	21,529	0.842708	0.863648
288	verified	2	20,118	20,180.0	20,242	0.843369	0.861071
432	verified	2	19,933	20,043.0	20,153	0.838037	0.854658
576	verified	2	20,153	20,259.0	20,365	0.865327	0.885298
864	verified	2	19,900	19,942.0	19,984	0.861202	0.868679
1728	verified	2	20,215	20,372.5	20,530	0.847351	0.868859

Protocol: actual largest prime subgroups; two public targets/model, one alternating round, zero warmups, bases 16/64, raw-base control, MITM/subtraction, rho.negation, BSGS and rho A/A. 4,096 source trials, 3-second child watchdog. Cold setup/projection/verification charged; unpriced work remains explicit. The full eight-target/five-round/million-trial matrix remains unexecuted.

Frozen release runner 35d89073f4d666b094c213a1d31b0c819b63600123e067c111af3c947d7609a9. Source 2bf7700b7, unchanged queue and driver. Earlier dev99, stopped release70, control/pilot and original C finite-field diagnostic are separate datasets; repeated workloads and different binaries are never pooled here. No performance improvement follows from this checkpoint's larger sample count.

Wall observations are unqualified and descriptive. Every capsule retains its host/environment observation; any resumed runtime epoch must remain identifiable. No admitted runtime, external fastest-method, scaling or sub-rho claim is made. Exact representation registration, transported targets, composite PH, independent arithmetic replay, original A–E full graphs and large-extension finite-field backends remain open. Original C's r=7 k=1 diagnostic is separate. Complete graph topology is for the declared fields and finite prime degrees, not every other prime or infinitely many compositions.

Recovery and cohort boundaries, 18 October 2026

PID 97646 was absent when work resumed. The native ledger's final in-flight attempt (three-v1835, attempt 1) is retained and excluded; no termination cause is established. Earlier interruptions remain retained as well. The unchanged driver performed a zero-job stop before this snapshot. This is a receipt/seal inventory, not a fresh or independent arithmetic replay.

The previous Drive delivery remains a fixed 4,037-vertex snapshot. This report describes a separate later checkpoint of the same frozen campaign, with native counts and actual denominators. Earlier runtime epochs remain distinguishable in their capsules. All wall observations are unqualified; this larger checkpoint establishes neither an end-to-end speed improvement nor full-vertex coverage.

Original C's separately archived retained-prefix diagnostic solves every 2/3/7 prime-power component of each selected exact point order on its 1,869 models. Its largest prime is 7; it is not NFS or a large-embedding-degree backend. It is not pooled with this survey and does not complete the original full C class. Original A/C/D/E completion, the full requested benchmark matrix, graph-wide transported targets and independent arithmetic replay remain open.

Only operational delivery/resume metadata changes in this recovery. Solver, driver, queue, child budgets and mathematical protocol remain frozen. A later resume will have its own process/ledger receipt. Published downloads do not update themselves as the queue advances.