ic_autolab round 35 (generic track): report

Protocol: PROTOCOL.md, frozen 2026-11-04T16:09:43Z at git `85d509189196dfb17c1bd034088611f5dfae2e1c`; route `local`. Counted GAE only (deterministic, host independent); no wall-time claim; development loop, no validation-gate row. Loop home: `../`; ledger: `../ledger.json`.

Claim record: `PCC-20261104-d8bbec` (`python3 tools/pcc/pcc.py standing PCC-20261104-d8bbec`). Until a signed replay and recompute exist, this round's outcome is an unverified assertion [pcc:unverified].

Outcome

k	class	sel	sel / inc at w = 0 [95%]	w = 0.1	w = 1	band	S sel (w = 0 / 0.1 / 1)	S inc	S rho-neg	distance sel / rho
24	**no_challenger**	none (best candidate `wwalkGg-x08-sr-n2`, train S 2.209 / 2.255 / 2.669)	-	-	-	-	-	1.970 / 2.016 / 2.431	1.047 / 1.140 / 1.976	inc: 1.9x / 1.8x / 1.2x
28	**null**	wwalkGg-x08-sr-n2	0.986 [0.888, 1.094]	0.988 [0.887, 1.101]	1.009 [0.874, 1.165]	unresolved inside the band	1.913 / 1.956 / 2.343	1.941 / 1.979 / 2.322	1.028 / 1.124 / 1.991	1.9x / 1.7x / 1.2x
32	**null**	wwalkGg-x07-sr-n2	0.911 [0.790, 1.050]	0.885 [0.761, 1.030]	0.742 [0.595, 0.925]	sel < inc	1.816 / 1.869 / 2.354	1.994 / 2.112 / 3.174	0.905 / 0.994 / 1.793	2.0x / 1.9x / 1.3x

Classes follow the protocol's decision rule. Distance to rho is the distance remaining, not a gate. The reasons per size:

- k = 24: no_challenger
- k = 28: compare ops.status = ok, admissible = true; sel / inc = 0.9855 [0.888, 1.094] at w = 0; band: unresolved inside the band; A/A inc-aa / inc interval [1.000, 1.000] contains 1
- k = 32: compare ops.status = ok, admissible = true; sel / inc = 0.9106 [0.790, 1.050] at w = 0; band: sel < inc; A/A inc-aa / inc interval [1.000, 1.000] contains 1

Train (development screen, in sample)

k = 24: session `ECBS1h62d950d56202` (run exit 0, verify exit 0, receipt sha256 `37231219b83bcd9e1f37e097eb5b0b2b03a4ade83319ce020f9ae10edcb8c55e`)

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
`rho-neg`	rho	- -	`rho.negation`	32	32	1.047 / 1.140 / 1.976	matched reference
`inc`	wwalkGg-x09-sr	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.9,g=1,grow=2,seed=run`	32	32	1.970 / 2.016 / 2.431	incumbent
`wwalkG-x06-sr-n2`	wwalkG-x06-sr	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.6,g=1,grow=2,seed=run`	32	32	2.700 / 2.779 / 3.491	cross-size transfer: wwalkG-x06-sr-n2 is the k = 32 incumbent at N / N_a = 0.004
`wwalkG-x05-sr-n2`	wwalkG-x05-sr	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.5,g=1,grow=2,seed=run`	32	32	2.778 / 2.892 / 3.920	exploration: family wwalkG-x05-sr untried at k = 24, N = 0.0001 x N_a
`wwalkG-x07-sr-n2`	wwalkG-x07-sr	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.7,g=1,grow=2,seed=run`	32	32	2.975 / 3.088 / 4.108	exploration: family wwalkG-x07-sr untried at k = 24, N = 0.0001 x N_a
`wwalkG-x08-sr-n2`	wwalkG-x08-sr	2 `prime-projected-abscissa:size=2,scan_cap=32`	`wwalk:x=0.8,g=1,grow=2,seed=run`	32	32	2.892 / 2.981 / 3.782	exploration: family wwalkG-x08-sr untried at k = 24, N = 0.0001 x N_a

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
wwalkG-x10-sr-n2	wwalkG-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	2.856 / 2.923 / 3.530	exploration: family wwalkG-x10-sr untried at k = 24, N = 0.0001 x N_a
wwalkG-x12-sr-n2	wwalkG-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	2.946 / 3.008 / 3.568	exploration: family wwalkG-x12-sr untried at k = 24, N = 0.0001 x N_a
wwalkG-x15-sr-n2	wwalkG-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	2.867 / 2.916 / 3.356	exploration: family wwalkG-x15-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x05-sr-n2	wwalkGg-x05-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2,seed=run	32	32	2.284 / 2.364 / 3.082	exploration: family wwalkGg-x05-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x07-sr-n2	wwalkGg-x07-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.7,g=1,grow=2,seed=run	32	32	2.232 / 2.286 / 2.769	exploration: family wwalkGg-x07-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x08-sr-n2	wwalkGg-x08-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.8,g=1,grow=2,seed=run	32	32	2.209 / 2.255 / 2.669	exploration: family wwalkGg-x08-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x10-sr-n2	wwalkGg-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	2.256 / 2.299 / 2.688	exploration: family wwalkGg-x10-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x12-sr-n2	wwalkGg-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	2.221 / 2.249 / 2.500	exploration: family wwalkGg-x12-sr untried at k = 24, N = 0.0001 x N_a
wwalkGg-x15-sr-n2	wwalkGg-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	2.325 / 2.365 / 2.726	exploration: family wwalkGg-x15-sr untried at k = 24, N = 0.0001 x N_a

k = 28: session `ECBS1h15722093128b` (run exit 0, verify exit 0, receipt sha256 `fe7a9d6cd61633a5ee422ef9c519aa639d394fa794374e7adb96a33715f8e1e5`)


arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
rho-neg	rho	- -	rho.negation	32	32	0.999 / 1.092 / 1.933	matched reference
inc	wwalkGg-x09-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,g=1,grow=2,seed=run	32	32	1.917 / 1.951 / 2.258	incumbent
wwalkG-x06-sr-n2	wwalkG-x06-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,g=1,grow=2,seed=run	32	32	1.977 / 2.057 / 2.781	cross-size transfer: wwalkG-x06-sr-n2 is the k = 32 incumbent at N / N_a = 0.004
wwalkG-x05-sr-n2	wwalkG-x05-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2,seed=run	32	32	2.127 / 2.255 /	exploration: family

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
						3.409	wwalkG-x05-sr untried at k = 28, N = 0.0001 x N_a
wwalkG-x07-sr-n2	wwalkG-x07-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.7,g=1,grow=2,seed=run	32	32	2.249 / 2.335 / 3.110	exploration: family wwalkG-x07-sr untried at k = 28, N = 0.0001 x N_a
wwalkG-x08-sr-n2	wwalkG-x08-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.8,g=1,grow=2,seed=run	32	32	2.184 / 2.282 / 3.166	exploration: family wwalkG-x08-sr untried at k = 28, N = 0.0001 x N_a
wwalkG-x10-sr-n2	wwalkG-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	2.034 / 2.110 / 2.799	exploration: family wwalkG-x10-sr untried at k = 28, N = 0.0001 x N_a
wwalkG-x12-sr-n2	wwalkG-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	2.167 / 2.242 / 2.918	exploration: family wwalkG-x12-sr untried at k = 28, N = 0.0001 x N_a
wwalkG-x15-sr-n2	wwalkG-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	2.313 / 2.384 / 3.019	exploration: family wwalkG-x15-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x05-sr-n2	wwalkGg-x05-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2,seed=run	32	32	2.167 / 2.257 / 3.063	exploration: family wwalkGg-x05-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x07-sr-n2	wwalkGg-x07-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.7,g=1,grow=2,seed=run	32	32	2.019 / 2.060 / 2.429	exploration: family wwalkGg-x07-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x08-sr-n2	wwalkGg-x08-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.8,g=1,grow=2,seed=run	32	32	1.807 / 1.840 / 2.135	exploration: family wwalkGg-x08-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x10-sr-n2	wwalkGg-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	1.834 / 1.873 / 2.226	exploration: family wwalkGg-x10-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x12-sr-n2	wwalkGg-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	1.849 / 1.875 / 2.117	exploration: family wwalkGg-x12-sr untried at k = 28, N = 0.0001 x N_a
wwalkGg-x15-sr-n2	wwalkGg-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	2.064 / 2.095 / 2.377	exploration: family wwalkGg-x15-sr untried at k = 28, N = 0.0001 x N_a

k = 32: session `ECBS1h09b493dc1684` (run exit 0, verify exit 0, receipt sha256 `5d93614b9de76139d15dd50249bd792681d34317607f9386b3d5acd9bae7c482`)

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
rho-neg	rho	- -	rho.negation	32	32	0.869 / 0.954 / 1.721	matched reference
inc	wwalkG-x06-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.6,g=1,grow=2,seed=run	32	32	1.958 / 2.037 / 2.747	incumbent
wwalkGg-x09-sr-n2	wwalkGg-x09-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.9,g=1,grow=2,seed=run	32	32	1.815 / 1.853 / 2.191	cross-size transfer: wwalkGg-x09-sr is incumbent at 2 sizes; ln N fitted on log2 r (slope 0.000) and extrapolated
wwalkG-x05-sr-n2	wwalkG-x05-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2,seed=run	32	32	2.075 / 2.215 / 3.475	exploration: family wwalkG-x05-sr untried at k = 32, N = 0.0001 x N_a
wwalkG-x07-sr-n2	wwalkG-x07-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.7,g=1,grow=2,seed=run	32	32	1.837 / 1.921 / 2.677	exploration: family wwalkG-x07-sr untried at k = 32, N = 0.0001 x N_a
wwalkG-x08-sr-n2	wwalkG-x08-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.8,g=1,grow=2,seed=run	32	32	2.027 / 2.118 / 2.931	exploration: family wwalkG-x08-sr untried at k = 32, N = 0.0001 x N_a
wwalkG-x10-sr-n2	wwalkG-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	1.839 / 1.912 / 2.572	exploration: family wwalkG-x10-sr untried at k = 32, N = 0.0001 x N_a
wwalkG-x12-sr-n2	wwalkG-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	2.069 / 2.156 / 2.936	exploration: family wwalkG-x12-sr untried at k = 32, N = 0.0001 x N_a
wwalkG-x15-sr-n2	wwalkG-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	1.990 / 2.031 / 2.408	exploration: family wwalkG-x15-sr untried at k = 32, N = 0.0001 x N_a
wwalkGg-x05-sr-n2	wwalkGg-x05-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.5,g=1,grow=2,seed=run	32	32	1.838 / 1.890 / 2.363	exploration: family wwalkGg-x05-sr untried at k = 32, N = 0.0001 x N_a
wwalkGg-x07-sr-n2	wwalkGg-x07-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.7,g=1,grow=2,seed=run	32	32	1.761 / 1.802 / 2.167	exploration: family wwalkGg-x07-sr untried at k = 32, N = 0.0001 x N_a
wwalkGg-x08-sr-n2	wwalkGg-x08-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=0.8,g=1,grow=2,seed=run	32	32	1.829 / 1.861 / 2.145	exploration: family wwalkGg-x08-sr untried at k = 32, N = 0.0001 x N_a
wwalkGg-x10-sr-n2	wwalkGg-x10-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.0,g=1,grow=2,seed=run	32	32	1.954 / 2.008 / 2.497	exploration: family wwalkGg-x10-sr untried at k = 32, N = 0.0001 x N_a

arm	family	N factor base	oracle	runs	verified	S (w = 0 / 0.1 / 1)	reason proposed
wwalkGg-x12-sr-n2	wwalkGg-x12-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.2,g=1,grow=2,seed=run	32	32	2.088 / 2.139 / 2.603	exploration: family wwalkGg-x12-sr untried at k = 32, N = 0.0001 x N_a
wwalkGg-x15-sr-n2	wwalkGg-x15-sr	2 prime-projected-abscissa:size=2,scan_cap=32	wwalk:x=1.5,g=1,grow=2,seed=run	32	32	2.062 / 2.097 / 2.405	exploration: family wwalkGg-x15-sr untried at k = 32, N = 0.0001 x N_a



train screen

Selection


- k = 24: no_challenger (Pareto alternative at w = 1: `wwalkGg-x12-sr-n2`)
- k = 28: challenger `wwalkGg-x08-sr-n2` (Pareto alternative at w = 1: `wwalkGg-x12-sr-n2`)
- k = 32: challenger `wwalkGg-x07-sr-n2` (Pareto alternative at w = 1: `wwalkGg-x08-sr-n2`)

Holdout sessions

k	session	run exit	verify exit	receipt sha256	levels
28	ECBS1h96fcdf912133	0	0	d25d4553ba0d1501b96c791cc8513a0de1c0b7059746cbaa69cbd773f62dfde0	{“verified”:480}
32	ECBS1h054b87722fed	0	0	f6fa596398824a281594d5dbe43119edb9b1aa9f3887fb27ff6306a661fe7b72	{“verified”:480}

Ledger after this round

k	incumbent	since round	S (w = 0 / 0.1 / 1)	distance to rho
20	wsum2g-b15-n2 (prime-projected-abscissa:size=2,scan_cap=32 + wsum:coef=15,free=1)	28	2.575 / 2.691 / 3.741	1.8x / 1.7x / 1.5x
24	wwalkGg-x09-sr-n2 (prime-projected-abscissa:size=2,scan_cap=32 + wwalk:x=0.9,g=1,grow=2,seed=run)	33	2.105 / 2.148 / 2.531	1.9x / 1.8x / 1.2x
28	wwalkGg-x09-sr-n2 (prime-projected-abscissa:size=2,scan_cap=32 + wwalk:x=0.9,g=1,grow=2,seed=run)	33	1.883 / 1.926 / 2.309	1.8x / 1.7x / 1.1x
32	wwalkG-x06-sr-n2 (prime-projected-abscissa:size=2,scan_cap=32 + wwalk:x=0.6,g=1,grow=2,seed=run)	33	1.842 / 1.932 / 2.740	1.8x / 1.7x / 1.4x



ratchet

Evidence and deviations

- ecbench binary sha256: `294344544cac9f2701e796bdb298a316b737aec15801948a6489f579c2ae2ca4`; `--cpus auto`, allow_busy = true; `verify --replay 8` per session; audit receipts in `analysis/`; sessions in `sessions/` (records in the artifact store when large).
- Route: the local route is an explicitly requested development screen, not the Iso Lab EKS default; counts are deterministic and replayed, wall time is not claimed. No row of this round enters the IC leaderboard or `benchmarks/README.md` (validation gate).
- Train selection is in sample (disclosed); the holdout is fresh (new `target_seed`, excluded exposures). Failed, timed-out and regressing arms are retained above.