# Run report: ecbench session `ECBS1h1c8784cce030` (e-m15), 2026-10-19T16:11Z

Part E, `m = 15`. Spec `specs/SPEC-E-m15.json`. Binary sha256 `c143cf62…`, commit `e403626cb` (clean). Host: Xeon @ 2.10 GHz, 4 vCPU, one core per session (isolation level L1 or L0, recorded per run: wall time is descriptive only). The session completed: every planned run was recorded.

| arm | workload | $m$ | status | $S$ | GAE | trials | relations | wall (h) |
|---|---|---|---|---|---|---|---|---|
| rho-neg | `W588ac37c7439` | 15 | verified | 0.1677 | 1.273e+08 | – | – | 0.019 |
| ic-wied | `W588ac37c7439` | 15 | verified | 3.198 | 2.428e+09 | 1545102 | 8020 | 1.416 |
| rho-neg-aa | `W588ac37c7439` | 15 | verified | 0.1677 | 1.273e+08 | – | – | 0.019 |
| rho-neg | `W761fd6d9429f` | 15 | verified | 0.8562 | 6.501e+08 | – | – | 0.097 |
| ic-wied | `W761fd6d9429f` | 15 | verified | 3.253 | 2.47e+09 | 1572023 | 8004 | 1.437 |
| rho-neg-aa | `W761fd6d9429f` | 15 | verified | 0.8562 | 6.501e+08 | – | – | 0.099 |

All values are recorded fields (`S` = `cost.s`, GAE = `cost.total_gae`, trials and relations from `counters`, wall = `time.solve_wall_ns` ÷ $3.6{\cdot}10^{12}$); no run here is a replay. Records: `sessions/e-m15/records.jsonl`. Audit receipts: `audits/`.





Figure 1: Recorded `S` per run, session `ECBS1h1c8784cce030`.