Run report: session c28 (ECBS1haabb242baa49)

Protocol PROTOCOL.md (supplementary). **Spec** `specs/c28.json` (`ECS1h275d8f337a1f`), commit `05a0ebd92` (clean), binary `d0527101…7771`, env class `ECBENV2h2196cccd7a31`, `ecbench run --wait --cpus auto`. Started 2026-10-20T17:01:25Z, finished 2026-10-20T17:05:08Z.

Curve `find_prime_order_curve(28, 1)` (ecbench `prime_search`; unregistered, not named by slug). **Workloads** 8 targets (seed 20261021). **Rounds** 3 measured + 1 warm-up, alternate order. **Runs** 256 planned, 256 written, 256 verified. **Audit** OK, 12 exact replays (`sessions/c28.audit.json`). **Isolation** (measured runs) double-base: L1 3, L2 21; full-rank: L1 11, L2 13; half-base: L1 2, L2 22; plan: L1 7, L2 17; plan-aa: L1 1, L2 23; random-targets: L1 23, L2 1; rho-neg: L1 1, L2 23; rootfind: L1 24.

Mean S per arm at w = 0, 0.1, 1 (ecbench `band`)

arm	w = 0	w = 0.1	w = 1
double-base	31.231	32.578	44.7
full-rank	84.026	99.593	239.696
half-base	29.829	35.458	86.119
plan	20.23	23.032	48.25
plan-aa	20.23	23.032	48.25
random-targets	1093.936	1096.75	1122.071
rho-neg	0.926	1.016	1.826
rootfind	8351.384	9187.915	16716.691

Paired ratios against `plan`: `sessions/c28/comparisons/`, collected in `analysis/summary.json`. Records: `sessions/c28/records.jsonl`. Observations only; the interpretation is in the study README.