Complete homogeneous-source accounting

Prime-field native comparison instrument · 2026-11-03

The runner isolates scalar ratio-sign seeds versus homogeneous pairs. Six modules outside the source are byte-identical. Product hooks include denominator powers, squares and factors; source negations are also counted. One meter and allocator serve both arms.



Checked software

Both optimized binaries compile. One selected native method passes across eight complete recoveries, with 80 inherited methods filtered. Baseline source inversions equal recurrence steps; homogeneous query Source inversions are zero. Non-source arithmetic counters agree. All 14 reverse maps and 31 prebuild source/data hashes pass.

Six synthetic analysis methods pass. The parser retains complete-record, numeric, stage and A/A checks. New tests cover the product/inversion tradeoff and its exact weighted-model threshold. No comparative panel ran.

Decision scope

Pareto improvement requires both arithmetic counts nonincreasing and at least one strictly decreasing at every target. Regression is symmetric; other cases are tradeoff/mixed. The symbolic model is delta products plus w times delta inversions for constant w at least zero. No weight is selected; real inverse costs vary and other costs are excluded. This model is not elapsed-time evidence.

Protocol and continuation

A separate source/binary/analysis-bound draft validates with zero findings after correcting one copied factor name; failure log retained. Preflight, remaining budget and authoritative EKS admission remain before freeze/data. Previous panel identities and original 4563-case cohort are unchanged. See README.md, raw logs, source/analysis locks and both reversible maps.