# Point-driven pencil: one 28-bit target

Exploratory operation-count record


21 October 2026

**Scope.** Prime $p = 48{,}383$, target index 0 from the frozen 28-bit source cohort. This is one cold-priced target, not a 60-target curve or 1,260-target cohort result. Both the pencil scalar and same-process source-negation-rho scalar passed source multiplication. A second archive-input process matched every non-wall field and an independent native validator recomputed both source scalars, the five summary prices and bounds, and all 36 pencil/rho pricing cells.

The pencil collector recorded 23,639 verified three-point relations, 20,814,919,424 modular row updates, rank 23,638 and 9,658,483 stored nonzero coefficients. Its setup was charged in full to this target. The first-run and replay L0 wall diagnostics were 1,723.90 and 1,668.79 seconds; neither is used in the prices.

| Price: $M + 0.5S + 10I$, 0.1 GAE/native | Complete GAE | Pencil/rho |
|---|---|---|
| Pencil | 6,245,360,741.03 | 96,957.132823 |
| Matched rho | 64,413.63 | 1.000000 |

Across the 36 pricing cells, 0/36 pencil ratios are below rho. The minimum and maximum are 26.422722 and 113,636.290374, respectively. These are single-target prices and do not estimate a 28-bit curve slice.




Machine data: `results/pencil-pilot/`. The files share the prefix `f48383`.
The nine complete smaller-curve pilots and their 540 independent replays are in the nine-curve report.