Mixed degree-one plus degree-two dispatcher

Construction: three compiled field-level theorems combine cancellation, generic, positive-distinct and tripling branches in retained source order.

Under original normalized point/divisor validity and four nonzero weights, the dispatcher returns Some of a valid degree-one or degree-two payload with nonzero output weights. The explicit mismatch and both nested generic None paths are excluded. A separate corollary validates any payload returned under those inputs.

The model preserves branch tags and Option outcomes. It represents source DegreeOne/DegreeTwo by a sum type; dbl always constructs DegreeTwo, so its destructuring unreachable arm is constructor-excluded. There is no invented y-zero branch or Rust Err return.

Final main, ten fixed controls and three-theorem axiom readback pass. Controls invoke the aggregate theorem for all four successful branches, check their tags, zero-y cancellation precedence and invalid-input mismatch. Initial simplifier ordering, missing-module and ambiguous-name failures remain recorded.

Scope: source-order field values only. UInt64 dispatcher composition, counters, compiler refinement and divisor-class addition remain separate. Independent review pending; no scientific runs, root edits or cloud actions. Cost ratios are null.

Mixed 1+2: source-order field dispatcher

1. $K \neq 0$	Generic Some / common
2. $K = 0$; cancellation	Extracted point / cancellation
3. Cancellation false; mismatch	None — excluded by valid inputs
4. Positive; repeated support	Tripling Some / tripling
5. Positive; distinct support	Double + generic Some / positiveDistinct

Original valid inputs + four nonzero weights ⟶ valid Some payload; 10 fixed checks