Koblitz transfers — R40

Independent source jets, complete divisors and actual class arithmetic

Exact native observations, 2026-10-30. Four native runs and one Lean workflow accepted. No IC performance, recovery or independent replay claim.

All 60 degree-seven supports now have actual source jets through precision17. Five original equations, eight unit inverses, all seven coefficient conjugates and top-nu corruption controls pass. All 68 descended sections agree with both original T-orientation evaluations. The F32 regression reproduces all 588 R35 section/product rows through precision17.



jets40-01: exact ranks and all pivot recombinations; no statistical or timing claim

At each of 59 supports Ri distinct from the padding point R0, the divisor Di=20Q+3R0+Ri has degree128. The entire thick-support condition matrix has rank128. Its complete small/large kernels have dimensions68/196. Every kernel combination is checked and its full precision154 section vector reconstructed. The proper/local/RR interpretation uses the retained written bridge.

A fixed pair from two different collector diamond orbits gives unequal classes. The computed difference represents R*(o2,d0)-R*(o1,d1) and is nonprincipal. Self-equality, agreement with direct class inequality and inverse cancellation pass. Full-generator quotients and independent product arithmetic are used. This is an actual independently collected class beyond a forward-image-only control; modular-factor images remain untested.

Five Lean theorems prove universal adjugate/correction identities and zero kernel for a unit determinant. Compile and transitive audit pass with zero failing and zero trusted declarations. Arrays, Newton convergence, proper geometry, RR completeness and class algorithms are not formalized.

Next apply the signed diamond projector to a complete new collector orbit, then the crossed R39 operators. The chosen Koblitz map, precision615 source jets, larger section spaces, complete degree460/367 supports, saturation, polarization, theta and node187 remain open. The 59 degree128 divisors do not replace those larger obligations. No IC relation rank or speed follows.

Native4GiBvirtual/1200s; Lean4.34.1/mathlibd13f23b,-j1-M4096/1200s. Sources: Khuri-Makdisi math/0409209v3 RepresentationB; R33 function bases, R34 local bridge, R35 full spaces/jets, R36/R37 class engine, R39 supports. See REPORT.md, protocols, results.json and full retained certificates.