
Fresh fixture generation: 36 frozen cells

Run fixtures-20261023-01: 36 native commands, 32 public draws each, all exited zero. There are 1,152 frozen draws in nine parameter cells, each with prefix, geometric, trace-zero geometric and random bases. Original seed is 20261023; no draws are dropped when a class is absent.



P=prefix, G=geometric, T=trace-zero geometric, R=random. Values are native recorded counts, not sampled degree measurements or performance comparisons.

The exact algebraic chain counter uses a quadratic Artin–Schreier solve and meet-in-the-middle at m=3,4, forward dynamic programming for $m > 4$. Small-field controls agree with exhaustive roots and the legacy chain counter. Counts are not point decompositions or Gröbner results. The larger positive-count fixtures have not all received independent Boolean-witness replay; their closure/guess experiments remain open.

The first four zero-count and first three positive-count draws are frozen per cell/family in inputs/fresh/selection.json; missing classes remain explicit. Parameter cells include the actual upstream N=58 and N=60 continuations and an N=100 cell. Their generators do not certify a low solving degree. Limits were 12 GiB and 900 s per native command; L0.

Source: examples/ic_algebraic_followup.rs and exact.rs, built at d67f6085. Raw rows, commands, input/binary/source hashes and host receipts are in the fixtures-20261023-01 directory in the evidence archive. The committed input JSONL files retain field modulus, seed, basis, target, count and oracle name; their SHA-256 list is inputs/fresh/SHA256SUMS. Native histogram recomputation and visual values are in report-data.json. No timing or scaling conclusion follows from this generation run.