Collector built; test build failed

Job 20261023-025202-twist-s4-f4-prefix-9b3f7b. Native execution and evidence only; no admitted elapsed-time comparison.

Exact execution

Protocol commits: 509df89c5e, 3ff04c056, 40fbae5a7, e6fc49a7d, as applicable to each stage. The actual executed source snapshot is retained in this job's raw tree.

Host: c7i.large Spot. Started 2026-10-23T02:53:11Z. Terminal phase failed, exit 101. All launched instances terminated. Exact command: command.sh (command.sh), SHA-256 220b42e75d7a718da4f1f7ac0cee2309a1e4968a1341b721993b7a2d35c68263. Host, environment and rusage receipts are in the extracted raw job tree.

Recorded observations

The bundle omitted an include_str certificate fixture required by the existing tests. No collector ran. The corrected bundle retains the test and its input.



Execution diagram: fewer than two comparable numeric observations.
See the report for the precise successful or failed stage.

Scope and limits

Structural and collector processes have an 8 GiB address-space cap and 1,200 s watchdog where invoked by the recorded command. Fixed native source and exact raw inputs are retained. No seed or failed stage is dropped. Proof-wrapper setup and extraction do not use the theorem process's cap. Counts shown are recorded native values, with no estimated intervals or timing ratios. F4 row-reduction counters are not complete solver or index-calculus costs. The final prefix A/A checks deterministic output, not timing isolation. Full cost, five-round isolated timing, strongest matched rho calibration and msolve/Magma comparison remain separate uncompleted gates.

Round report (../../REPORT.md). PDF (report.pdf).