# Fresh root v4 cache snapshot

The single released snapshot recorded 2142 files totaling 2386041734 bytes. The current-cache manifest SHA256 is c6e7c61773d7dcbce42f11ecacf160026799d929e7b949247c1fed481c15edfc. The script checked file and directory inventory before and after hashing, and retained the exact immutable initial manifest binding.

Native elapsed time was 4.016078406 seconds; caller elapsed 4.313697150 seconds. Full 60-second reservation is charged, bringing campaign charges to 16440 seconds. No compiler or root-library test ran.

The caller captured invocation 0ccbeafd8115473d938ee363331e694d and native cgroup limits: one CPU, 1 GiB RAM, zero swap, 32 tasks. The unit reported success with MainPID 0. Cleanup stopped only the same captured invocation; subsequent readback was not-found and the captured cgroup was absent. No retry was performed.

The archive retains native result, current-cache and changes plus all caller release/command/owner/limits/terminal/log receipts. Archive hashes were checked before and after packing. It contains inventory evidence, not the 2.386 GB mutable cache contents. Changes are compared with the initial target-only inventory; additions in other mutable roots are not attributed solely to the failed compiler.

Fresh cache inventory

2142 files / 2386041734 bytes

4.016078406 s native / 60 s conservative charge

Owned unit terminal and cgroup cleanup confirmed
Compiler and tests: not invoked

Recorded snapshot inventory; no compiler or tests invoked.