E00 polynomial preflight: actual result

Date: 2026-10-21. Source/protocol freeze: 66f2d617cc60160b7fece7a38759ca2c61f0bae2.

Observed: five compiled polynomial identities passed exact integer-coefficient comparison and the repository evaluated-certificate checks. All five false right-side-plus-one variants were rejected by both arithmetic paths. The separate supporting certificate/hash suite passed 22 tests. This is a correctness preflight, not a curve, subgroup-transfer, solver or performance result.

Evidence

- Receipt, issuance output, fresh check output.
- Unit-test output, compiler, host, and stdout/stderr for every command are kept beside the receipt. All recorded commands exited 0.
- Frozen protocol and Rust source. The receipt hashes the source, protocol, lockfile, binary and imported repository modules.
- Correctness-only L0 run; no algorithm timing or performance cost was measured.

Statement	Degree	Expanded terms	Exact comparison	False variant
Trace quartic	4	5	passed	rejected
Chord division	4	9	passed	rejected
Complement A	4	3	passed	rejected
Complement B	6	5	passed	rejected
Model conversion	9	31	passed	rejected

Evaluated certificates (32 issuer points plus 32 additional checker points each):

- Trace quartic: IDC1h4275fa8068385ce3.
- Chord division: IDC1h57c015780fe88055.
- Complement A: IDC1h30c6f3a4043fe787.
- Complement B: IDC1hdf7545f3ee4dca7c.
- Model conversion: IDC1h9293014287b4205c.

The term counts describe symbolic expressions, not algorithm operation counts or useful relations. The 32 additional points use the checker’s domain-separated stream. They are not an independent-host replay, and the certificates have proof=null. Published records were also checked to have 32 issuer points, seed 20261021 and proof=null.

What this changes

The concrete trace-quartic and cover-complement designs have reproducible arithmetic preconditions. E01–E17 now have specific questions, families, controls, falsifiers and dependencies in the experiment program. No point census, restricted-base relation experiment, Groebner comparison, cover search, Jacobian transfer, pipeline ablation or NIST-size execution has been performed here.

Remaining obligations

Formal Lean proofs were not compiled: lake/Lean are unavailable in this environment. Exact coefficient matching is an implementation check, not a replacement for the group’s geometric hypotheses, rational-map exceptional charts or formal bridge. Independent-host replay remains pending. The original three route cards remain blocked on their actual point/solver/transfer implementations and admitted fixture/cost protocols.



Figure 1: Experiment dependencies; E01–E17 are planned, not results

Visual and canonical views

The editable diagram and SVG describe dependencies. There are no comparable performance values to graph. This result adds no IC/rho ratio, curve registration, method/session or measured leaderboard row; the scoreboard, progress timeline, leaderboard and browser therefore receive no new value from it.

Individual certificate/receipt paths are linked directly and stay as loose immutable artifacts; they are not repacked. Later checks use fresh output directories.