Independent arbitrary-divisor arithmetic replay

E24; 2026-10-23; local bounded evidence, L0.

All 5,855 divisor classes are replayed: the whole 3,551-class smallest Jacobian and nine original 256-class samples. Generic native norms match both original specialized maps.

Independent PARI checks field/tower conversion, Cantor validity, inverses, deterministic addition partners and both norms for every class. All ten replay adjudications pass. The first field emitter omitted an implicit monic term; the failed attempt and corrected replay are both preserved.

Source	Classes	Scope
p=59	3551	exhaustive
p=827	256	original fixed sample
p=211	256	original fixed sample
p=251	256	original fixed sample
p=647	256	original fixed sample
p=751	256	original fixed sample
p=2903	256	original fixed sample
p=2879	256	original fixed sample
p=8501	256	original fixed sample
p=10111	256	original fixed sample



Figure 1: E24: independent arithmetic checks cover the complete original class population.

Balanced two-infinity base-field arithmetic, full formal field/chart bridges, independent-host replay and complete cost measurements remain open.

Verified locally; complete raw publication awaits artifact-store access. No calibrated speedup, novelty, independent-host replay or NIST DLP is established.

Native assessment: ../../execution-v2/assessment-20261023-v3/ASSESSMENT.json. Raw members: runs/jacobian-independent-20261023-v1 and -v2; individual GP/adjudication attempts. Source/input/binary hashes and exact argv: E24-receipts.json and ../../execution-v2/receipts/.

All phase receipts, including errors and timeouts: E24-receipts.json. The complete execution ledger and original protocols retain actual limits and missing measurements.