Eight exact root-set comparisons

Job 20261023-023821-twist-s4-f4-roots-c91c59. Native execution and evidence only; no admitted elapsed-time comparison.

Exact execution

Protocol commits: 509df89c5e, 3ff04c056, 40fbae5a7, e6fc49a7d, as applicable to each stage. The actual executed source snapshot is retained in this job's raw tree.

Host: c7i.large Spot. Started 2026-10-23T02:39:29Z. Terminal phase done, exit 0. All launched instances terminated. Exact command: command.sh (command.sh), SHA-256 75ed57283dd2f32c7bc4abbfba4e8dc99c9271fb48483336f6d5b0889f872ae1. Host, environment and rusage receipts are in the extracted raw job tree.

Recorded observations

All eight F4 field-root sets match complete Fp^3 enumeration and signed curve checks. Both missed relations are recovered. A coefficient mutation fails the frozen input hash before solving. 48 tests passed.



Scope and limits

Structural and collector processes have an 8 GiB address-space cap and 1,200 s watchdog where invoked by the recorded command. Fixed native source and exact raw inputs are retained. No seed or failed stage is dropped. Proof-wrapper setup and extraction do not use the theorem process's cap. Counts shown are recorded native values, with no estimated intervals or timing ratios. F4 row-reduction counters are not complete solver or index-calculus costs. The final prefix A/A checks deterministic output, not timing isolation. Full cost, five-round isolated timing, strongest matched rho calibration and msolve/Magma comparison remain separate uncompleted gates.

Round report (../../REPORT.md). PDF (report.pdf).