Extension helpers match their rational projections

E23; 2026-10-23; local bounded evidence, L0.

The corrected panel evaluates 336 profiles and 5376 labeled target/profile attempts, on 155 distinct fixture/point pairs. Fresh source-group replay checks 20976 unique arm witnesses, including every raw and eliminated equation and each recovered scalar.

Zero-helper and pure-twist arms have identical rows and recovery outcomes. General extension helpers and matched rational helpers also agree exactly. Adding rational helper projections can improve recovery within these toy panels; representing them as extension points adds no independent row information.

V1 witness filenames omitted arity and allowed cross-profile overwrites. All v1 outputs remain incomplete evidence. V2 uses the full profile hash and has a clean replay. Two earlier assessment attempts retain the caught checksum defect and a memory-cap failure; the final checker streams witnesses under the same cap.

Arm	Verified recovery attempts	Attempt population
zero-helper	618	5376
pure-twist	618	5376
general-extension	5035	5376
direct-rational	5035	5376



Figure 1: E23: paired arms have equal rows and recovery outcomes; repeated targets/profiles are explicit.

Complete helper construction/index/projection/elimination costs and a calibrated one-target comparison remain missing. Equal projected rows alone do not prove every extension representation has equal computational cost.

Verified locally; complete raw publication awaits artifact-store access. No calibrated speedup, novelty, independent-host replay or NIST DLP is established.

Native assessment: ../../execution-v2/assessment-20261023-v3/ASSESSMENT.json. Raw members: runs/partial-20261023-v1 and -v2; assessment-20261023-v1, -v2, -v3. Source/input/binary hashes and exact argv: E23-receipts.json and ../../execution-v2/receipts/.

All phase receipts, including errors and timeouts: E23-receipts.json. The complete execution ledger and original protocols retain actual limits and missing measurements.