

# ISO Geodetic Registry

Item class	GeodeticCRS		
Name	SIRGAS-CON SIR10P01 - LatLon		
Item status	VALID		
Identifier	456		
Alias	SIRGAS		
Alias	SIRGAS-CON		
Alias	SIRGAS Multi-Year Solution 2010		
Alias	Geocentric Reference System for the Americas		
Alias	SIR10P01		
Alias	Sistema de Referencia Geocentrico para las Americas		
Information source	Title	The position and velocity solution SIR10P01 of the IGS Regional Network Associate Analysis Centre for SIRGAS (IGS RNAAC SIR)	
	Author	W. Seemueller, L. Sanchez, M. Seitz, H. Drewes	
	Publisher	Deutsches Geodaetisches Forschungsinstitut, Munich, Germany	
	Publication date	2010	
	Series/Journal name	DGFI Report	
	Issue identification	No. 86	
Information source	Title	Sistema de Referencia Geocentrico para las Americas (SIRGAS)	
	Author	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)	
	Publisher	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)	
	Publication date	2018	
	Other citation details	Website	
Information source	Title	The 2009 Horizontal Velocity Field for South America and the Caribbean	
	Author	H. Drewes, O. Heidbach	
	Publisher	Springer Berlin Heidelberg	
	Publication date	2012	
	Series/Journal name	International Association of Geodesy Symposia	
	Issue identification	136.0	
	Page	657-664	
	Other citation details	In Kenyon S., Pacino M., Marti U. (eds) Geodesy for Planet Earth. International Association of Geodesy Symposia, Vol 136. Springer, Berlin, Heidelberg	
Data source	ISO Geodetic Registry		
Scope	Spatial referencing		
Datum	SIRGAS Continuously Operating Network SIR10P01		
Coordinate System	Ellipsoidal 2D CS. Axes: latitude, longitude. Orientations: north, east. UoM: degree		

## Extent

<i>Description</i>	<b>South America - onshore and offshore. Central America - onshore and offshore. Mexico - onshore and offshore.</b>	
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-122.19
	<i>North-bound latitude</i>	32.72

<i>East-bound longitude</i>
<i>South-bound latitude</i>

-25.28
-59.87

# ISO Geodetic Registry

Item class	GeodeticDatum	
Name	SIRGAS Continuously Operating Network SIR10P01	
Item status	VALID	
Identifier	151	
Alias	SIRGAS	
Alias	SIRGAS-CON	
Alias	SIRGAS Multi-Year Solution 2010	
Alias	Geocentric Reference System for the Americas	
Alias	SIR10P01	
Alias	Sistema de Referencia Geocentrico para las Americas	
Information source	Title	The position and velocity solution SIR10P01 of the IGS Regional Network Associate Analysis Centre for SIRGAS (IGS RNAAC SIR)
	Author	W. Seemueller, L. Sanchez, M. Seitz, H. Drewes
	Publisher	Deutsches Geodaetisches Forschungsinstitut, Munich, Germany
	Publication date	2010
	Series/Journal name	DGFI Report
	Issue identification	No. 86
Information source	Title	Sistema de Referencia Geocentrico para las Americas (SIRGAS)
	Author	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)
	Publisher	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)
	Publication date	2018
	Other citation details	Website
	Information source	Title
Author		H. Drewes, O. Heidbach
Publisher		Springer Berlin Heidelberg
Publication date		2012
Series/Journal name		International Association of Geodesy Symposia
Issue identification		136.0
Page		657-664
Other citation details		In Kenyon S., Pacino M., Marti U. (eds) Geodesy for Planet Earth. International Association of Geodesy Symposia, Vol 136. Springer, Berlin, Heidelberg
Data source	ISO Geodetic Registry	
Remarks	Replaces SIR09P01. Replaced by SIR11P01.	
Anchor definition	Realized by a frame of 183 continuously operating stations using GPS observations from January 2000 to June 2010 and aligned to ITRF2008 at epoch 2005.0. GPS data from January 2000 to November 2006 reprocessed using the first reprocessing campaign products (IG1) of the International GNSS Service and absolute phase centre calibrations referring to the IGS05/IGb05 reference frame. Velocity model VEMOS2009 used to propagate coordinates from an arbitrary epoch to the 2005.0 reference epoch.	
Release date	2010	
Coordinate Reference Epoch	2005.0	
Scope	Spatial referencing	

<i>Ellipsoid</i>	GRS 1980
<i>Prime Meridian</i>	Greenwich

## Extent

<i>Description</i>	<b>South America - onshore and offshore. Central America - onshore and offshore. Mexico - onshore and offshore.</b>		
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-122.19	
	<i>North-bound latitude</i>	32.72	
	<i>East-bound longitude</i>	-25.28	
	<i>South-bound latitude</i>	-59.87	

# ISO Geodetic Registry

<i>Item class</i>	Ellipsoid														
<i>Name</i>	<b>GRS 1980</b>														
<i>Item status</i>	VALID														
<i>Identifier</i>	27														
<i>Alias</i>	Geodetic Reference System 1980														
<i>Alias</i>	GRS1980														
<i>Alias</i>	IAG GRS80														
<i>Alias</i>	International 1979														
<i>Alias</i>	GRS80														
<i>Information source</i>	<table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>Springer International Publishing</td></tr> <tr> <td><i>Publication date</i></td><td>2003-03</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Journal of Geodesy</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 74, No. 1</td></tr> <tr> <td><i>Page</i></td><td>128–162</td></tr> </table>	<i>Title</i>	Geodetic Reference System 1980	<i>Author</i>	H. Moritz	<i>Publisher</i>	Springer International Publishing	<i>Publication date</i>	2003-03	<i>Series/Journal name</i>	Journal of Geodesy	<i>Issue identification</i>	Volume 74, No. 1	<i>Page</i>	128–162
<i>Title</i>	Geodetic Reference System 1980														
<i>Author</i>	H. Moritz														
<i>Publisher</i>	Springer International Publishing														
<i>Publication date</i>	2003-03														
<i>Series/Journal name</i>	Journal of Geodesy														
<i>Issue identification</i>	Volume 74, No. 1														
<i>Page</i>	128–162														
<i>Information source</i>	<table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>International Association of Geodesy</td></tr> <tr> <td><i>Publication date</i></td><td>1984</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Bulletin Geodesique</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 58, No. 3</td></tr> <tr> <td><i>Page</i></td><td>395-405</td></tr> </table>	<i>Title</i>	Geodetic Reference System 1980	<i>Author</i>	H. Moritz	<i>Publisher</i>	International Association of Geodesy	<i>Publication date</i>	1984	<i>Series/Journal name</i>	Bulletin Geodesique	<i>Issue identification</i>	Volume 58, No. 3	<i>Page</i>	395-405
<i>Title</i>	Geodetic Reference System 1980														
<i>Author</i>	H. Moritz														
<i>Publisher</i>	International Association of Geodesy														
<i>Publication date</i>	1984														
<i>Series/Journal name</i>	Bulletin Geodesique														
<i>Issue identification</i>	Volume 58, No. 3														
<i>Page</i>	395-405														
<i>Data source</i>	ISO Geodetic Registry														
<i>Remarks</i>	Adopted by IUGG 1979 Canberra. Inverse flattening is derived from geocentric gravitational constant $GM = 3986005e8 \text{ m}^3/\text{s}^2$ , dynamic form factor $J_2 = 108263e-8$ and Earth's angular velocity = $7292115e-11 \text{ rad/s}$ .														
<i>Semi-major axis</i>	6378137.0 m														
<i>Inverse flattening</i>	298.257222101 m														

# ISO Geodetic Registry

<i>Item class</i>	PrimeMeridian
<i>Name</i>	<b>Greenwich</b>
<i>Item status</i>	VALID
<i>Identifier</i>	25
<i>Alias</i>	Zero meridian
<i>Information source</i>	<p><i>Title</i> Why the Greenwich meridian moved</p> <p><i>Author</i> S. Malys, J.H. Seago, N.K. Pavlis, P.K. Seidelmann, G.H. Kaplan</p> <p><i>Publisher</i> Springer International Publishing</p> <p><i>Publication date</i> 2015-12</p> <p><i>Series/Journal name</i> Journal of Geodesy</p> <p><i>Issue identification</i> Volume 89, No. 12</p> <p><i>Page</i> 1263–1272</p>
<i>Information source</i>	<p><i>Title</i> IERS Conventions (2010)</p> <p><i>Author</i> G. Petit, B.J. Luzum (eds)</p> <p><i>Publisher</i> Verlag des Bundesamts fur Kartographie und Geodasie</p> <p><i>Publication date</i> 2010</p> <p><i>Edition date</i></p> <p><i>Series/Journal name</i> IERS Technical Notes</p> <p><i>Issue identification</i> 36.0</p> <p><i>Other citation details</i> ISSN: 1019-4568</p>
<i>Data source</i>	ISO Geodetic Registry
<i>Greenwich longitude</i>	0.0 °

# ISO Geodetic Registry

<i>Item class</i>	EllipsoidalCS	
<i>Name</i>	<b>Ellipsoidal 2D CS. Axes: latitude, longitude. Orientations: north, east. UoM: degree</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	43	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D coordinate reference systems. Coordinates referenced to this CS are in degrees. Any degree representation (e.g. DMSH, decimal, etc.) may be used but that used must be declared for the user by the supplier of data.	

## Axes

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic latitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	38	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lat	
<i>Direction</i>	north	
<i>Unit</i>	degree (supplier to define representation)	

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic longitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	34	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)

	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lon	
<i>Direction</i>	east	
<i>Unit</i>	degree (supplier to define representation)	