

# ISO Geodetic Registry

<i>Item class</i>	GeodeticCRS	
<i>Name</i>	<b>NAD27(CGQ77) - LatLon</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	304	
<i>Alias</i>	NAD27(CGQ77)	
<i>Alias</i>	North American Datum 1927	
<i>Alias</i>	NAD27	
<i>Information source</i>	<i>Title</i>	RE: GSD file
	<i>Author</i>	Y. Theriault
	<i>Publisher</i>	Service de la geodesie et des leves geospaciaux, Direction de la reference geographique, Direction generale de l'information geospaciale, Ministere de l'Energie et des Ressources naturelles, Gouvernement du Quebec
	<i>Publication date</i>	2017-03-01
	<i>Other citation details</i>	Personal email communication.
<i>Data source</i>	ISO Geodetic Registry	
<i>Scope</i>	Spatial referencing	
<i>Datum</i>	North American Datum of 1927 (CGQ77)	
<i>Coordinate System</i>	Ellipsoidal 2D CS. Axes: latitude, longitude. Orientations: north, east. UoM: degree	

## Extent

<i>Description</i>	<b>Canada - onshore and offshore - Quebec.</b>	
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-79.85
	<i>North-bound latitude</i>	62.62
	<i>East-bound longitude</i>	-57.1
	<i>South-bound latitude</i>	44.99

# ISO Geodetic Registry

<i>Item class</i>	GeodeticDatum	
<i>Name</i>	<b>North American Datum of 1927 (CGQ77)</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	164	
<i>Alias</i>	NAD27(CGQ77)	
<i>Alias</i>	NAD27	
<i>Information source</i>	<i>Title</i>	RE: GSD file
	<i>Author</i>	Y. Theriault
	<i>Publisher</i>	Service de la geodesie et des leves geospaciaux, Direction de la reference geographique, Direction generale de l'information geospatiale, Ministere de l'Energie et des Ressources naturelles, Gouvernement du Quebec
	<i>Publication date</i>	2017-03-01
	<i>Other citation details</i>	Personal email communication.
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in Quebec for all maps at scale 1/20 000 and larger; generally for maps issued by the Quebec cartography office whose reference system is CGQ77. Replaced by NAD83(Original).	
<i>Anchor definition</i>	Fundamental point: Meade's Ranch. Latitude: 39°13'26.686"N, longitude: 98°32'30.506"W (of Greenwich).	
<i>Release date</i>	1977-05-01	
<i>Scope</i>	Spatial referencing	
<i>Ellipsoid</i>	Clarke 1866	
<i>Prime Meridian</i>	Greenwich	

## Extent

<i>Description</i>	<b>Canada - onshore and offshore - Quebec.</b>	
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-79.85
	<i>North-bound latitude</i>	62.62
	<i>East-bound longitude</i>	-57.1
	<i>South-bound latitude</i>	44.99

# ISO Geodetic Registry

<i>Item class</i>	Ellipsoid	
<i>Name</i>	<b>Clarke 1866</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	28	
<i>Information source</i>	<i>Title</i>	Annual Report of the Superintendent of the Coast and Geodetic Survey for fiscal year ended June 30, 1927
	<i>Author</i>	Coast and Geodetic Survey
	<i>Publisher</i>	Coast and Geodetic Survey
	<i>Publication date</i>	1927
<i>Information source</i>	<i>Title</i>	Universal Transverse Mercator Grid Tables For Latitudes 0°-80° Clarke 1866 Spheroid (Meters) Volume II
	<i>Author</i>	U.S. Army Map Service
	<i>Publisher</i>	U.S. Army Map Service
	<i>Publication date</i>	1958-07
<i>Information source</i>	<i>Series/Journal name</i>	Technical Manual
	<i>Issue identification</i>	TM 5-241-4/2
	<i>Title</i>	Transformation of grid coordinates
	<i>Author</i>	U.S. Army Map Service
<i>Information source</i>	<i>Publisher</i>	U.S. Army Map Service
	<i>Publication date</i>	1944
	<i>Series/Journal name</i>	Army Map Services Bulletin
	<i>Issue identification</i>	7.0
<i>Information source</i>	<i>Title</i>	Annual Report of the Director, United States Coast and Geodetic Survey to the Secretary of Commerce for the Fiscal Year Ended June 30, 1930
	<i>Author</i>	US Government
	<i>Publisher</i>	Government Printing Office
	<i>Publication date</i>	1930-06-30
<i>Information source</i>	<i>Edition date</i>	1930-06-30
	<i>Page</i>	33.0
	<i>Other citation details</i>	NGVD29
	<i>Title</i>	Grids and Grid References
<i>Information source</i>	<i>Author</i>	Department of the Army
	<i>Publisher</i>	Headquarters, Department of the Army, Washington, DC
	<i>Publication date</i>	1967-06-07
	<i>Series/Journal name</i>	Department of the Army Technical Manual
<i>Information source</i>	<i>Issue identification</i>	TM 5-241-1
	<i>Title</i>	Universal transverse mercator grid tables. Clarke 1866 (Technical Manual nos. 7, 21, 37), Clarke 1880 (nos. 9, 48), Everest (nos. 11, 49), Bessel (nos. 8, 39), International (no. 6) spheroids
	<i>Author</i>	U.S. Army Map Service
	<i>Publisher</i>	U.S. Army Map Service
<i>Data source</i>	<i>Publication date</i>	1951
	ISO Geodetic Registry	
<i>Remarks</i>	Original definition a=20926062 and b=20855121 (British) feet. Uses Clarke's 1865 inch-metre ratio of 39.370432 to obtain metres. Metric value then converted to US survey feet for use in the US and international feet for use in Cayman Islands.	
<i>Semi-major axis</i>	6378206.4 m	
<i>Semi-minor axis</i>	6356583.8 m	

# ISO Geodetic Registry

<i>Item class</i>	PrimeMeridian	
<i>Name</i>	<b>Greenwich</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	25	
<i>Alias</i>	Zero meridian	
<i>Information source</i>	<i>Title</i>	Why the Greenwich meridian moved
	<i>Author</i>	S. Malys, J.H. Seago, N.K. Pavlis, P.K. Seidelmann, G.H. Kaplan
	<i>Publisher</i>	Springer International Publishing
	<i>Publication date</i>	2015-12
	<i>Series/Journal name</i>	Journal of Geodesy
	<i>Issue identification</i>	Volume 89, No. 12
	<i>Page</i>	1263–1272
<i>Information source</i>	<i>Title</i>	IERS Conventions (2010)
	<i>Author</i>	G. Petit, B.J. Luzum (eds)
	<i>Publisher</i>	Verlag des Bundesamts fur Kartographie und Geodasie
	<i>Publication date</i>	2010
	<i>Edition date</i>	
	<i>Series/Journal name</i>	IERS Technical Notes
	<i>Issue identification</i>	36.0
<i>Data source</i>	<i>Other citation details</i>	ISSN: 1019-4568
	ISO Geodetic Registry	
<i>Greenwich longitude</i>	0.0 °	

# ISO Geodetic Registry

<i>Item class</i>	EllipsoidalCS	
<i>Name</i>	<b>Ellipsoidal 2D CS. Axes: latitude, longitude. Orientations: north, east. UoM: degree</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	43	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D coordinate reference systems. Coordinates referenced to this CS are in degrees. Any degree representation (e.g. DMSH, decimal, etc.) may be used but that used must be declared for the user by the supplier of data.	

## Axes

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic latitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	38	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lat	
<i>Direction</i>	north	
<i>Unit</i>	degree (supplier to define representation)	

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic longitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	34	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)

	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lon	
<i>Direction</i>	east	
<i>Unit</i>	degree (supplier to define representation)	