

ISO Geodetic Registry

| | | |
|---------------------------|--|--|
| <i>Item class</i> | GeodeticCRS | |
| <i>Name</i> | NAD83(CSR96) v1 - XYZ | |
| <i>Item status</i> | VALID | |
| <i>Identifier</i> | 447 | |
| <i>Alias</i> | NAD83(CSR96)v1 | |
| <i>Alias</i> | CSR96 | |
| <i>Alias</i> | NAD83 | |
| <i>Alias</i> | NAD83(CSR96) | |
| <i>Alias</i> | Canadian Spatial Reference System 1996 | |
| <i>Alias</i> | North American Datum 1983 v1 | |
| <i>Alias</i> | NAD83(CSR96) | |
| <i>Alias</i> | Canadian Spatial Reference System | |
| <i>Alias</i> | CSR96 | |
| <i>Alias</i> | NAD83v1 | |
| <i>Information source</i> | <i>Title</i> | The Canadian Spatial Reference System (CSR96) |
| | <i>Author</i> | Canadian Geodetic Survey |
| | <i>Publisher</i> | Canadian Geodetic Survey, Surveyor General Branch, Earth Sciences Sector, Natural Resources Canada, Government of Canada |
| | <i>Publication date</i> | 2016-08-30 |
| <i>Information source</i> | <i>Title</i> | Modern Geodetic Reference Frames for Precise Satellite Positioning and Navigation |
| | <i>Author</i> | J. Kouba, J. Popelar |
| | <i>Publication date</i> | 1994-09-02 |
| | <i>Series/Journal name</i> | Proceedings on the International Symposium on Kinematic Systems in Geodesy, Geomatics and Navigation, Banff, Canada, August 30 - September 2, 1994 |
| <i>Data source</i> | <i>Page</i> | 79-86 |
| | <i>ISO Geodetic Registry</i> | |
| <i>Scope</i> | Spatial referencing | |
| <i>Datum</i> | North American Datum of 1983 (CSR96) version 1 | |
| <i>Coordinate System</i> | Geocentric 3D right-handed Cartesian CS. Axes: Geocentric X,Y,Z. Orientation: Z to North Pole, [X and Y in the equatorial plane, X at Prime Meridian X in the equatorial plane at the Prime Meridian]. UoM: m. | |

Extent

| | | |
|--------------------------------|--|---------|
| <i>Description</i> | Canada - onshore and offshore - Alberta, British Columbia, Manitoba, New Brunswick, Newfoundland and Labrador, Northwest Territories, Nova Scotia, Nunavut, Ontario, Prince Edward Island, Quebec, Saskatchewan, Yukon. | |
| <i>Geographic Bounding Box</i> | <i>West-bound longitude</i> | -141.01 |
| | <i>North-bound latitude</i> | 90.0 |
| | <i>East-bound longitude</i> | -47.74 |
| | <i>South-bound latitude</i> | 40.04 |

ISO Geodetic Registry

| | | |
|---------------------------|--|--|
| <i>Item class</i> | GeodeticDatum | |
| <i>Name</i> | North American Datum of 1983 (CSRS96) version 1 | |
| <i>Item status</i> | VALID | |
| <i>Identifier</i> | 148 | |
| <i>Alias</i> | NAD83(CSRS)v1 | |
| <i>Alias</i> | CSRS96 | |
| <i>Alias</i> | NAD83 | |
| <i>Alias</i> | Canadian Spatial Reference System 1996 | |
| <i>Alias</i> | North American Datum 1983 v1 | |
| <i>Alias</i> | NAD83(CSRS96) | |
| <i>Alias</i> | Canadian Spatial Reference System | |
| <i>Alias</i> | CSRS | |
| <i>Alias</i> | NAD83v1 | |
| <i>Information source</i> | <i>Title</i> | The Evolution of NAD83 in Canada |
| | <i>Author</i> | M. Craymer |
| | <i>Publisher</i> | Canadian Institute of Geomatics |
| | <i>Publication date</i> | 2006 |
| | <i>Series/Journal name</i> | Geomatica |
| | <i>Issue identification</i> | Volume 60, No. 2 |
| | <i>Page</i> | 151-164 |
| <i>Information source</i> | <i>Title</i> | Modern Geodetic Reference Frames for Precise Satellite Positioning and Navigation |
| | <i>Author</i> | J. Kouba, J. Popelar |
| | <i>Publication date</i> | 1994-09-02 |
| | <i>Series/Journal name</i> | Proceedings on the International Symposium on Kinematic Systems in Geodesy, Geomatics and Navigation, Banff, Canada, August 30 - September 2, 1994 |
| | <i>Page</i> | 79-86 |
| <i>Information source</i> | <i>Title</i> | The Canadian Spatial Reference System (CSRS) |
| | <i>Author</i> | Canadian Geodetic Survey |
| | <i>Publisher</i> | Canadian Geodetic Survey, Surveyor General Branch, Earth Sciences Sector, Natural Resources Canada, Government of Canada |
| | <i>Publication date</i> | 2016-08-30 |
| <i>Information source</i> | <i>Title</i> | The Evolution of NAD83 in Canada: Addendum |
| | <i>Author</i> | M. Craymer |
| | <i>Publisher</i> | Canadian Institute of Geomatics |
| | <i>Publication date</i> | 2006 |
| | <i>Series/Journal name</i> | Geomatica |
| | <i>Issue identification</i> | Volume 60, No. 4 |
| | <i>Page</i> | 433.0 |
| <i>Data source</i> | ISO Geodetic Registry | |
| <i>Remarks</i> | Adopted by the Canadian federal government for use in Canada. Replaces NAD83(Original). Replaced by NAD83(CSRS) v2. | |
| <i>Anchor definition</i> | Realization of the North American Datum of 1983 and the first version of the Canadian Spatial Reference System, referred to as CSRS96. The frame is defined by a seven parameter transformation of ITRF92 3D geocentric Cartesian coordinates for Canadian stations at reference epoch 1988.0. This solution is associated with only a diagonal covariance matrix for the defining coordinates. The origin, scale and orientation of the frame are nominally defined to be that for the BIH Terrestrial System 1984 (BTS84). | |

| | |
|-----------------------|---------------------|
| <i>Release date</i> | 1996-01-01 |
| <i>Scope</i> | Spatial referencing |
| <i>Ellipsoid</i> | GRS 1980 |
| <i>Prime Meridian</i> | Greenwich |

Extent

| | | | |
|--------------------------------|--|---------|--|
| <i>Description</i> | Canada - onshore and offshore - Alberta, British Columbia, Manitoba, New Brunswick, Newfoundland and Labrador, Northwest Territories, Nova Scotia, Nunavut, Ontario, Prince Edward Island, Quebec, Saskatchewan, Yukon. | | |
| <i>Geographic Bounding Box</i> | <i>West-bound longitude</i> | -141.01 | |
| | <i>North-bound latitude</i> | 90.0 | |
| | <i>East-bound longitude</i> | -47.74 | |
| | <i>South-bound latitude</i> | 40.04 | |

ISO Geodetic Registry

| | | | | | | | | | | | | | | | |
|-----------------------------|--|--------------|--------------------------------|---------------|-----------|------------------|--------------------------------------|-------------------------|---------|----------------------------|---------------------|-----------------------------|------------------|-------------|---------|
| <i>Item class</i> | Ellipsoid | | | | | | | | | | | | | | |
| <i>Name</i> | GRS 1980 | | | | | | | | | | | | | | |
| <i>Item status</i> | VALID | | | | | | | | | | | | | | |
| <i>Identifier</i> | 27 | | | | | | | | | | | | | | |
| <i>Alias</i> | Geodetic Reference System 1980 | | | | | | | | | | | | | | |
| <i>Alias</i> | GRS1980 | | | | | | | | | | | | | | |
| <i>Alias</i> | IAG GRS80 | | | | | | | | | | | | | | |
| <i>Alias</i> | International 1979 | | | | | | | | | | | | | | |
| <i>Alias</i> | GRS80 | | | | | | | | | | | | | | |
| <i>Information source</i> | <table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>Springer International Publishing</td></tr> <tr> <td><i>Publication date</i></td><td>2003-03</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Journal of Geodesy</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 74, No. 1</td></tr> <tr> <td><i>Page</i></td><td>128–162</td></tr> </table> | <i>Title</i> | Geodetic Reference System 1980 | <i>Author</i> | H. Moritz | <i>Publisher</i> | Springer International Publishing | <i>Publication date</i> | 2003-03 | <i>Series/Journal name</i> | Journal of Geodesy | <i>Issue identification</i> | Volume 74, No. 1 | <i>Page</i> | 128–162 |
| <i>Title</i> | Geodetic Reference System 1980 | | | | | | | | | | | | | | |
| <i>Author</i> | H. Moritz | | | | | | | | | | | | | | |
| <i>Publisher</i> | Springer International Publishing | | | | | | | | | | | | | | |
| <i>Publication date</i> | 2003-03 | | | | | | | | | | | | | | |
| <i>Series/Journal name</i> | Journal of Geodesy | | | | | | | | | | | | | | |
| <i>Issue identification</i> | Volume 74, No. 1 | | | | | | | | | | | | | | |
| <i>Page</i> | 128–162 | | | | | | | | | | | | | | |
| <i>Information source</i> | <table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>International Association of Geodesy</td></tr> <tr> <td><i>Publication date</i></td><td>1984</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Bulletin Geodesique</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 58, No. 3</td></tr> <tr> <td><i>Page</i></td><td>395-405</td></tr> </table> | <i>Title</i> | Geodetic Reference System 1980 | <i>Author</i> | H. Moritz | <i>Publisher</i> | International Association of Geodesy | <i>Publication date</i> | 1984 | <i>Series/Journal name</i> | Bulletin Geodesique | <i>Issue identification</i> | Volume 58, No. 3 | <i>Page</i> | 395-405 |
| <i>Title</i> | Geodetic Reference System 1980 | | | | | | | | | | | | | | |
| <i>Author</i> | H. Moritz | | | | | | | | | | | | | | |
| <i>Publisher</i> | International Association of Geodesy | | | | | | | | | | | | | | |
| <i>Publication date</i> | 1984 | | | | | | | | | | | | | | |
| <i>Series/Journal name</i> | Bulletin Geodesique | | | | | | | | | | | | | | |
| <i>Issue identification</i> | Volume 58, No. 3 | | | | | | | | | | | | | | |
| <i>Page</i> | 395-405 | | | | | | | | | | | | | | |
| <i>Data source</i> | ISO Geodetic Registry | | | | | | | | | | | | | | |
| <i>Remarks</i> | Adopted by IUGG 1979 Canberra. Inverse flattening is derived from geocentric gravitational constant $GM = 3986005e8 \text{ m}^3/\text{s}^2$, dynamic form factor $J_2 = 108263e-8$ and Earth's angular velocity = $7292115e-11 \text{ rad/s}$. | | | | | | | | | | | | | | |
| <i>Semi-major axis</i> | 6378137.0 m | | | | | | | | | | | | | | |
| <i>Inverse flattening</i> | 298.257222101 m | | | | | | | | | | | | | | |

ISO Geodetic Registry

| | | |
|----------------------------|-------------------------------|---|
| <i>Item class</i> | PrimeMeridian | |
| <i>Name</i> | Greenwich | |
| <i>Item status</i> | VALID | |
| <i>Identifier</i> | 25 | |
| <i>Alias</i> | Zero meridian | |
| <i>Information source</i> | <i>Title</i> | Why the Greenwich meridian moved |
| | <i>Author</i> | S. Malys, J.H. Seago, N.K. Pavlis, P.K. Seidelmann, G.H. Kaplan |
| | <i>Publisher</i> | Springer International Publishing |
| | <i>Publication date</i> | 2015-12 |
| | <i>Series/Journal name</i> | Journal of Geodesy |
| | <i>Issue identification</i> | Volume 89, No. 12 |
| | <i>Page</i> | 1263–1272 |
| <i>Information source</i> | <i>Title</i> | IERS Conventions (2010) |
| | <i>Author</i> | G. Petit, B.J. Luzum (eds) |
| | <i>Publisher</i> | Verlag des Bundesamts fur Kartographie und Geodasie |
| | <i>Publication date</i> | 2010 |
| | <i>Edition date</i> | |
| | <i>Series/Journal name</i> | IERS Technical Notes |
| | <i>Issue identification</i> | 36.0 |
| <i>Data source</i> | <i>Other citation details</i> | ISSN: 1019-4568 |
| | ISO Geodetic Registry | |
| <i>Greenwich longitude</i> | 0.0 ° | |

ISO Geodetic Registry

| | | |
|--------------------|---|---|
| Item class | CartesianCS | |
| Name | Geocentric 3D right-handed Cartesian CS. Axes: Geocentric X,Y,Z. Orientation: Z to North Pole, [X and Y in the equatorial plane, X at Prime Meridian X in the equatorial plane at the Prime Meridian]. UoM: m. | |
| Item status | VALID | |
| Identifier | 45 | |
| Alias | Earth centred, earth fixed, right-handed 3D coordinate system, consisting of 3 orthogonal axes with X and Y axes in the equatorial plane, positive Z-axis parallel to mean earth rotation axis and pointing towards North Pole. UoM: m. | |
| Alias | ECEF | |
| Information source | Title | ISO 19111 Geographical information - Spatial referencing by coordinates |
| | Author | International Organization for Standardization (ISO) |
| | Publisher | International Organization for Standardization (ISO) |
| | Publication date | 2007-07-01 |
| | Edition | Second Edition |
| | Series/Journal name | International Standard |
| | Issue identification | ISO 19111:2007 |
| Data source | ISO Geodetic Registry | |
| Remarks | Used in geocentric coordinate reference systems. | |

Axes

| | | |
|--------------------|-------------------------|---|
| Item class | CoordinateSystemAxis | |
| Name | Geocentric X | |
| Item status | VALID | |
| Identifier | 33 | |
| Information source | Title | ISO 19111 Geographical information - Spatial referencing by coordinates |
| | Author | International Organization for Standardization (ISO) |
| | Publisher | International Organization for Standardization (ISO) |
| | Publication date | 2007-07-01 |
| | Edition | Second Edition |
| | Series/Journal name | International Standard |
| | Issue identification | ISO 19111:2007 |
| Data source | ISO Geodetic Registry | |
| Abbreviation | X | |
| Direction | Geocentre > equator/0°E | |
| Unit | metre | |

| | | |
|-------------|----------------------|--|
| Item class | CoordinateSystemAxis | |
| Name | Geocentric Y | |
| Item status | VALID | |
| Identifier | 37 | |

| | | |
|---------------------------|-----------------------------|---|
| <i>Information source</i> | <i>Title</i> | ISO 19111 Geographical information - Spatial referencing by coordinates |
| | <i>Author</i> | International Organization for Standardization (ISO) |
| | <i>Publisher</i> | International Organization for Standardization (ISO) |
| | <i>Publication date</i> | 2007-07-01 |
| | <i>Edition</i> | Second Edition |
| | <i>Series/Journal name</i> | International Standard |
| | <i>Issue identification</i> | ISO 19111:2007 |
| <i>Data source</i> | ISO Geodetic Registry | |
| <i>Abbreviation</i> | Y | |
| <i>Direction</i> | Geocentre > equator/90°E | |
| <i>Unit</i> | metre | |

| | | |
|---------------------------|-----------------------------|---|
| <i>Item class</i> | CoordinateSystemAxis | |
| <i>Name</i> | Geocentric Z | |
| <i>Item status</i> | VALID | |
| <i>Identifier</i> | 39 | |
| <i>Information source</i> | <i>Title</i> | ISO 19111 Geographical information - Spatial referencing by coordinates |
| | <i>Author</i> | International Organization for Standardization (ISO) |
| | <i>Publisher</i> | International Organization for Standardization (ISO) |
| | <i>Publication date</i> | 2007-07-01 |
| | <i>Edition</i> | Second Edition |
| | <i>Series/Journal name</i> | International Standard |
| | <i>Issue identification</i> | ISO 19111:2007 |
| <i>Data source</i> | ISO Geodetic Registry | |
| <i>Abbreviation</i> | Z | |
| <i>Direction</i> | Geocentre > north pole | |
| <i>Unit</i> | metre | |