ISO Geodetic Registry

Item class GeodeticDatum

Name International Terrestrial Reference Frame 2014

Item statusVALIDIdentifier175

Alias ITRF2014

Alias IERS Terrestrial Reference Frame 2014

Information source Title Analysis and results of ITRF2014

Author Z. Altamimi, P. Rebischung, L. Metivier, X.

Collilieux

Publisher International Earth Rotation and Reference

Systems Service Central Bureau, Verlag des Bundesamts fur Kartographie und Geodasie,

Frankfurt am Main, Germany

Publication date 2017

Edition date

Series/Journal name IERS Technical Notes

Issue identification 38.0

Information source Title ITRF2014 is available on line

Author IERS
Publication date 2016-01-22

Edition date

Series/Journal name IERS Message

Issue identification 289.0

Information source Title ITRF2014: A new release of the International

Terrestrial Reference Frame modeling nonlinear

station motions

Author Z. Altamimi, P. Rebischung, L. Metivier, X.

Collilieux

Publisher American Geophysical Union

Publication date 2016-08-04

Edition date

Series/Journal name Journal of Geophysical Research Solid Earth

Issue identification Volume 121, Issue 8

Data source ISO Geodetic Registry

Remarks Replaces ITRF2008. This is a purely Cartesian reference frame with no

ellipsoid defined. GRS80 is the ellipsoid recommended by the IAG and

IERS.

Anchor definition Realisation of the IERS Terrestrial Reference System (ITRS) at

reference epoch 2010.0. Origin is defined such that there are zero translation parameters at epoch 2010.0 and zero translation rates between the ITRF2014 and the ILRS SLR long-term solution obtained by tacking the ILRS time series. Scale is defined such that there are zero scale and scale rate between ITRF2014 and the average of VLBI and SLR scales/rates. Orientation is defined such that there are zero rotation parameters at epoch 2010.0 and zero rotation rates between the ITRF2014 and ITRF2008. Datum defined by a set of 3 dimensional Cartesian station coordinates, velocities, annual and semi-annual terms, and post-seismic deformation models given by the citations.

Release date 2016-01-22

Coordinate Reference Epoch 2010.0

Scope Spatial referencing

Ellipsoid GRS 1980
Prime Meridian Greenwich

Extent

Description	World.	
Geographic Bounding Box	West-bound longitude	-180.0
	North-bound latitude	90.0
	East-bound longitude	180.0
	South-bound latitude	-90.0

ISO Geodetic Registry

Item class Ellipsoid

Name GRS 1980

Item status VALID
Identifier 27

Alias Geodetic Reference System 1980

Alias GRS1980
Alias IAG GRS80

Alias International 1979

Alias GRS80

Information source Title Geodetic Reference System 1980

Author H. Moritz

Publisher Springer International Publishing

Publication date 2003-03

Series/Journal name Journal of Geodesy Issue identification Volume 74, No. 1

Page 128–162

Information source Title Geodetic Reference System 1980

Author H. Moritz

Publisher International Association of Geodesy

Publication date 1984

Series/Journal name Bulletin Geodesique Issue identification Volume 58, No. 3

Page 395-405

Data source ISO Geodetic Registry

Remarks Adopted by IUGG 1979 Canberra. Inverse flattening is derived from

geocentric gravitational constant GM = 3986005e8 m*m*m/s/s, dynamic form factor J2 = 108263e-8 and Earth's angular velocity =

7292115e-11 rad/s.

Semi-major axis 6378137.0 m
Inverse flattening 298.257222101 m

ISO Geodetic Registry

Item class PrimeMeridian

Name Greenwich

Item status VALID
Identifier 25

Alias Zero meridian

Information source Title Why the Greenwich meridian moved

Author S. Malys, J.H. Seago, N.K. Pavlis, P.K.

Seidelmann, G.H. Kaplan

Publisher Springer International Publishing

Publication date 2015-12

Series/Journal name Journal of Geodesy Issue identification Volume 89, No. 12

Page 1263–1272

Information source Title IERS Conventions (2010)

Author G. Petit, B.J. Luzum (eds)

Publisher Verlag des Bundesamts fur Kartographie und

Geodasie

Publication date 2010

Edition date

Series/Journal name IERS Technical Notes

Issue identification 36.0

Other citation details ISSN: 1019-4568

Data source ISO Geodetic Registry

Greenwich longitude 0.0 °