

Waipapa
Taumata Rau
**University
of Auckland**

A CLASSIC THESIS STYLE UNIVERSITY OF AUCKLAND FORMATTING GUIDELINES

BRICE VALENTIN KOK-SHUN

A thesis submitted in partial fulfilment of the requirements for the degree of Doctor of Philosophy in Information Systems, the University of Auckland, 2025.
This thesis is for examination purposes only and is confidential to the examination process.

ABSTRACT

Short summary of the contents in English. . . a great guide by Kent Beck how to write good abstracts can be found here:

<https://plg.uwaterloo.ca/~migod/research/beckOOPSLA.html>

ZUSAMMENFASSUNG

Kurze Zusammenfassung des Inhaltes in deutscher Sprache. . .

Ohana means family.
Family means nobody gets left behind, or forgotten.
— Lilo & Stitch

Dedicated to the loving memory of Rudolf Miede.
1939 – 2005

*We have seen that computer programming is an art,
because it applies accumulated knowledge to the world,
because it requires skill and ingenuity, and especially
because it produces objects of beauty.*

— Knuth (1974)Knuth (1974) (Knuth, 1974)

ACKNOWLEDGMENTS

Put your acknowledgments here.

Many thanks to everybody who already sent me a postcard!

Regarding the typography and other help, many thanks go to Marco Kuhlmann, Philipp Lehman, Lothar Schlesier, Jim Young, Lorenzo Pantieri and Enrico Gregorio, Jörg Sommer, Joachim Köstler, Daniel Gottschlag, Denis Aydin, Paride Legovini, Steffen Prochnow, Nicolas Repp, Hinrich Harms, Roland Winkler, Jörg Weber, Henri Menke, Claus Lahiri, Clemens Niederberger, Stefano Bragaglia, Jörn Hees, Scott Lowe, Dave Howcroft, José M. Alcaide, David Carlisle, Ulrike Fischer, Hugues de Lassus, Csaba Hajdu, Dave Howcroft, Anonymous, Konrad Höffner, and the whole L^AT_EX-community for support, ideas and some great software.

Regarding L_YX: The L_YX port was initially done by *Nicholas Mariette* in March 2009 and continued by *Ivo Pletikosić* in 2011. Thank you very much for your work and for the contributions to the original style.

CONTENTS

ABSTRACT	ii
DEDICATION	iii
ACKNOWLEDGMENTS	iv
LIST OF FIGURES	vii
LIST OF TABLES	viii
LIST OF LISTINGS	ix
ACRONYMS	x

I CONTEXTUAL FRAMEWORK

1 INTRODUCTION	2
1.1 Organization	4
1.2 Style Options	6
1.3 Customization	8
1.4 Issues	9
1.5 Future Work	9
1.6 Beyond a Thesis	9
1.7 License	10

II THE SHOWCASE

2 EXAMPLES	12
2.1 A New Section	12
2.1.1 Test for a Subsection	12
2.1.2 Autem Timeam	13
2.2 Another Section in This Chapter	13
2.2.1 Personas Initialmente	14
2.2.2 Linguistic Registrare	15

3 MATH TEST CHAPTER	17
---------------------	----

3.1	Some Formulas	17
3.2	Various Mathematical Examples	19
III APPENDIX		
A	APPENDIX TEST	21
A.1	Appendix Section Test	21
A.2	Another Appendix Section Test	22
REFERENCES		23

LIST OF FIGURES

Figure 2.1 Tu duo titulo debitas latente 16

LIST OF TABLES

Table 2.1	Autem timeam deleniti usu id	15
Table A.1	Autem usu id	21

LISTINGS

Listing A.1	A floating example (listings manual)	22
-------------	--	--------------------

ACRONYMS

DRY Don't Repeat Yourself

API Application Programming Interface

UML Unified Modeling Language

Co-Authorship Form

This form is to accompany the submission of any PhD that contains published or unpublished co-authored work. **Please include one copy of this form for each co-authored work.** Completed forms should be included in all copies of your thesis submitted for examination and library deposit (including digital deposit), following your thesis Acknowledgements. Co-authored works may be included in a thesis if the candidate has written all or the majority of the text and had their contribution confirmed by all co-authors as not less than 65%.

Please indicate the chapter/section/pages of this thesis that are extracted from a co-authored work and give the title and publication details or details of submission of the co-authored work.

Chapter 3 - Methodology

1) CITC-DSR

2) CITC-DSR

Nature of contribution
by PhD candidate

Conceptualization, Data curation, Formal analysis, Investigation, Methodology, Software, Validation, Visualization, Writing – original draft

Extent of contribution
by PhD candidate (%)

75%

CO-AUTHORS

Name	Nature of Contribution
Johnny Chan	Validation, Supervision, Writing – review and editing
Gabrielle Peko	Validation, Supervision, Writing – review and editing
David Sundaram	Validation, Supervision, Writing – review and editing

Certification by Co-Authors

The undersigned hereby certify that:

- ❖ the above statement correctly reflects the nature and extent of the PhD candidate's contribution to this work, and the nature of the contribution of each of the co-authors; and
- ❖ that the candidate wrote all or the majority of the text.

Name	Signature	Date
Johnny Chan		
Gabrielle Peko		

Last updated: 19 February 2021

David Sundaram		

Part I

CONTEXTUAL FRAMEWORK

INTRODUCTION

This bundle for L^AT_EX has two goals:

1. Provide students with an easy-to-use template for their Master’s or PhD thesis.
(Though it might also be used by other types of authors for reports, books, etc.)
2. Provide a classic, high-quality typographic style that is inspired by Bringhurst’s *“The Elements of Typographic Style”* (Bringhurst, 2013).

The bundle is configured to run with a *full* MiK_TE_X or T_EXLive¹ installation right away and, therefore, it uses only freely available fonts. (Minion fans can easily adjust the style to their needs.)

People interested only in the nice style and not the whole bundle can now use the style stand-alone via the file `classicthesis.sty`. This works now also with “plain” L^AT_EX.

As of version 3.0, `classicthesis` can also be easily used with L_YX² thanks to Nicholas Mariette and Ivo Pletikosić. The L_YX version of this manual will contain more information on the details.

This should enable anyone with a basic knowledge of L^AT_EX 2_ε or L_YX to produce beautiful documents without too much effort. In the end, this is my overall goal: more beautiful documents, especially theses, as I am tired of seeing so many ugly ones.

The whole template and the used style is released under the GNU General Public License.

If you like the style then I would appreciate a postcard:

htw saar

¹ See the file `LISTOFFILES` for needed packages. Furthermore, `classicthesis` works with most other distributions and, thus, with most systems L^AT_EX is available for.

² <http://www.lyx.org>

c/o André Miede
 Goebenstraße 40
 66117 Saarbrücken
 Germany

The postcards I received so far are available at:

<http://postcards.miede.de>

So far, many theses, some books, and several other publications have been typeset successfully with it. If you are interested in some typographic details behind it, enjoy Robert Bringhurst's wonderful book.

IMPORTANT NOTE: Some things of this style might look unusual at first glance, many people feel so in the beginning. However, all things are intentionally designed to be as they are, especially these:

- No bold fonts are used. Italics or spaced small caps do the job quite well.
- The size of the text body is intentionally shaped like it is. It supports both legibility and allows a reasonable amount of information to be on a page. And, no: the lines are not too short.
- The tables intentionally do not use vertical or double rules. See the documentation for the booktabs package for a nice discussion of this topic.³
- And last but not least, to provide the reader with a way easier access to page numbers in the table of contents, the page numbers are right behind the titles. Yes, they are *not* neatly aligned at the right side and they are *not* connected with dots that help the eye to bridge a distance that is not necessary. If you are still not convinced: is your reader interested in the page number or does she want to sum the numbers up?

Therefore, please do not break the beauty of the style by changing these things unless you really know what you are doing! Please.

³ To be found online at <http://mirror.ctan.org/macros/latex/contrib/booktabs/>.

*A well-
 balanced
 line width
 improves
 the
 legibility
 of the text.
 That's
 what ty-
 pography
 is all
 about,
 right?*

YET ANOTHER IMPORTANT NOTE: Since classicthesis' first release in 2006, many things have changed in the L^AT_EX world. Trying to keep up-to-date, classicthesis grew and evolved into many directions, trying to stay (some kind of) stable and be compatible with its port to L^yX. However, there are still many remains from older times in the code, many dirty workarounds here and there, and several other things I am absolutely not proud of (for example my unwise combination of KOMA and titlesec etc.).

Currently, I am looking into how to completely re-design and re-implement classicthesis making it easier to maintain and to use. As a general idea, classicthesis should be developed and distributed separately from the template bundle itself. Excellent spin-offs such as arsclassica could also be integrated (with permission by their authors) as format configurations. Also, current trends of microtype, fontspec, etc. should be included as well. As I am not really into deep L^AT_EX programming, I will reach out to the L^AT_EX community for their expertise and help.

*An
outlook
into the
future of
classicthesis*

1.1 ORGANIZATION

A very important factor for successful thesis writing is the organization of the material. This template suggests a structure as the following:

- Chapters/ is where all the “real” content goes in separate files such as Chapter01.tex etc.
- FrontBackMatter/ is where all the stuff goes that surrounds the “real” content, such as the acknowledgments, dedication, etc.
- gfx/ is where you put all the graphics you use in the thesis. Maybe they should be organized into subfolders depending on the chapter they are used in, if you have a lot of graphics.
- Bibliography.bib: the Bib_T_EX database to organize all the references you might want to cite.

*You can
use these
margins
for sum-
maries of
the text
body...*

- `classicthesis.sty`: the style definition to get this awesome look and feel. Does not only work with this thesis template but also on its own (see folder Examples). Bonus: works with both \LaTeX and \pdfLaTeX ... and \LyX . Great tool and it's free!
- `ClassicThesis.tex`: the main file of your thesis where all gets bundled together.
- `classicthesis-config.tex`: a central place to load all nifty packages that are used.

Make your changes and adjustments here. This means that you specify here the options you want to load `classicthesis.sty` with. You also adjust the title of your thesis, your name, and all similar information here. Refer to [Section 1.3](#) for more information.

This had to change as of version 3.0 in order to enable an easy transition from the “basic” style to \LyX .

In total, this should get you started in no time.

1.2 STYLE OPTIONS

There are a couple of options for `classicthesis.sty` that allow for a bit of freedom concerning the layout:

- General:
 - drafting: prints the date and time at the bottom of each page, so you always know which version you are dealing with. Might come in handy not to give your Prof. that old draft.

...or your supervisor might use the margins for some comments of her own while reading.

- Typography:
 - style: this offers a comfortable way of changing the look and feel easily. Default style is `classicthesis`.

A slight variation of the default style is `linedheaders`: it changes the look of the chapter headings a bit by adding a horizontal line above the chapter title. The chapter number will also be moved to the top of the page, above the chapter title. For experimental and simplistic reasons, there is also a plain vanilla plain style, with chapters looking like sections (but with line).

As a new feature, Lorenzo Pantieri's `arsclassica` is available as well. As Lorenzo's package is discontinued and with his permission, `classicthesis-arsclassica` is now part of `classicthesis` and will be maintained here.

- palatino: Hermann Zapf's classic font is the free standard font for this style. Robert Bringhurst's book uses Adobe's commercial font Minion Pro. However, there are other free alternatives also available. Deactivate this option for loading such alternatives and see `classicthesis-config.tex` for some suggestions.
- eulerchapternumbers: use figures from Hermann Zapf's Euler math font for the chapter numbers. By default, old style figures from the Palatino font are used.

- `beramono`: loads Bera Mono as typewriter font. (Default setting is using the standard CM typewriter font.)
- `eulermath`: loads the awesome Euler fonts for math. Palatino is used as default font.

*Options
are
enabled*

- Table of Contents:

- `tocaligned`: aligns the whole table of contents on the left side. Some people like that, some don't.
- `dottedtoc`: sets pagenumbers flushed right in the table of contents.
- `manychapters`: if you need more than nine chapters for your document, you might not be happy with the spacing between the chapter number and the chapter title in the Table of Contents. This option allows for additional space in this context. However, it does not look as “perfect” if you use `\parts` for structuring your document.

*via
option=true*

- Floats:

- `floatperchapter`: activates numbering per chapter for all floats such as figures, tables, and listings (if used).

- Tweaking colors and fonts – please use this with great care!:

- `\ct@altfont`: comfortable hook to alter the basic look and feel of everything that uses spaced caps or spaced small caps. For example, for `arsclassica` we used

`\renewcommand*{\ct@altfont}{\sffamily}`. Coloring is also possible this way.

- `CTsemi`: Change the semi gray color used, e.g., for the chapter number. Default is: `\definecolor{CTsemi}{gray}{0.55}`

- `CTtitle`: Change the red color used, e.g., for the title. Default is: `\definecolor{CTtitle}{red}{0.5}`

Furthermore, pre-defined margins for different paper sizes are available, e.g., `a4paper`, `a5paper`, `b5paper`, and `letterpaper`. These are based on your chosen option of `\documentclass`.

The best way to figure these options out is to try the different possibilities and see what you and your supervisor like best.

In order to make things easier, `classicthesis-config.tex` contains some useful commands that might help you.

1.3 CUSTOMIZATION

This section will show you some hints how to adapt `classicthesis` to your needs.

The file `classicthesis.sty` contains the core functionality of the style and in most cases will be left intact, whereas the file `classicthesis-config.tex` is used for some common user customizations.

The first customization you are about to make is to alter the document title, author name, and other thesis details. In order to do this, replace the data in the following lines of `classicthesis-config.tex`:

Further customization can be made in `classicthesis-config.tex` by choosing the options to `classicthesis.sty` (see [Section 1.2](#)) in a line that looks like this:

*Modifica-
tions in
classic-
thesis-confi*

```
\PassOptionsToPackage{
  drafting=true,
  toaligned=false,
  dottedtoc=false,
  eulerchapternumbers=true,
  floatperchapter=true,
  eulermath=false,
  beramono=true,
  palatino=true,
  style=classicthesis
}{classicthesis}
```

Many other customizations in `classicthesis-config.tex` are possible, but you should be careful making changes there, since some changes could cause errors.

1.4 ISSUES

This section will list some information about problems using `classicthesis` in general or using it with other packages.

Beta versions of `classicthesis` can be found at Bitbucket:

<https://bitbucket.org/amiede/classicthesis/>

There, you can also post serious bugs and problems you encounter.

1.5 FUTURE WORK

So far, this is a quite stable version that served a couple of people well during their thesis time. However, some things are still not as they should be. Proper documentation in the standard format is still missing. In the long run, the style should probably be published separately, with the template bundle being only an application of the style. Alas, there is no time for that at the moment... it could be a nice task for a small group of \LaTeX icians.

Please do not send me email with questions concerning \LaTeX or the template, as I do not have time for an answer. But if you have comments, suggestions, or improvements for the style or the template in general, do not hesitate to write them on that postcard of yours.

1.6 BEYOND A THESIS

The layout of `classicthesis.sty` can be easily used without the framework of this template. A few examples where it was used to typeset an article, a book or a curriculum vitae can be found in the folder `Examples`. The examples have been tested with `latex` and `pdflatex` and are easy to compile. To encourage you even more, PDFs built from the sources can be found in the same folder.

1.7 LICENSE

GNU GENERAL PUBLIC LICENSE: This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; see the file COPYING. If not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

CLASSICTHESIS AUTHORS' NOTE: There have been some discussions about the GPL's implications on using classicthesis for theses etc. Details can be found here:

<https://bitbucket.org/amiede/classicthesis/issues/123/>

We chose (and currently stick with) the GPL because we would not like to compete with proprietary modified versions of our own work. However, the whole template is free as free beer and free speech. We will not demand the sources for theses, books, CVs, etc. that were created using classicthesis. Also, PDFs produced with L^AT_EX and classicthesis shall not be considered derivative works of classicthesis in the sense of the GPL.

Postcards are still highly appreciated.

Part II

THE SHOWCASE

You can put some informational part preamble text here. Illo principalmente su nos. Non message *occidental* angloromanic da. Debitas effortio simplificate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

EXAMPLES

Ei choro aeterno antiopam mea, labitur bonorum pri no Taleb (Taleb, 2012). His no decore nemore graecis. suavitate interpretaris eu, vix eu libris efficiantur. Some interesting books in order to get a multi-page bibliography: Adams, 1996, 2013; Aurelius, 2002; Cialdini, 1984; Ferriss, 2016; Feynman, 1985; Frankl, 1959; Greenwald, 2014; Harari, 2014; Kaufman, 2008; Orwell, 1949; Pausch and Zaslow, 2008; Peterson, 2018; Postman, 2005; Seneca, 1969; Taleb, 2010, 2018; Trump and Schwartz, 1987

Testing for autoref: [Chapter 1](#), [Chapter 2](#), and [Section 2.1](#)

2.1 A NEW SECTION

Illo principalmente su nos. Non message *occidental* angloromanic da. Debitas effortio simplificate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

Examples: *Italics*, ALL CAPS, SMALL CAPS, LOW SMALL CAPS.

Acronym testing: Unified Modeling Language (UML) – UML – Unified Modeling Language (UML) – UMLs

2.1.1 Test for a Subsection

Lorem ipsum at nusquam appellantur his, ut eos erant homero concludaturque. Albucius appellantur deterruisset id eam, vivendum partiendo dissentiet ei ius. Vis melius facilisis ea, sea id convenire referrentur, takimata adolescens ex duo. Ei harum argumentum per. Eam vidit exerci appetere ad, ut vel zzril intellegam interpretaris.

Note: The content of this chapter is just some dummy text. It is not a real language.

Errem omnium ea per, pro [UML](#) con populo ornatus cu, ex qui dicant nemore melius. No pri diam iriure euismod. Graecis eleifend appellantur quo id. Id corpora inimicus nam, facer nonummy ne pro, kasd repudiandae ei mei. Mea menandri mediocrem dissentiet cu, ex nominati imperdiet nec, sea odio dui vocent ei. Tempor everti appareat cu ius, ridens audiam an qui, aliquid admodum conceptam ne qui. Vis ea melius nostrum, mel alienum euripidis eu.

nemore graecis. In eos meis nominavi, liber soluta vim cu.

2.1.2 *Autem Timeam*

Nulla fastidii ea ius, exerci suscipit instructor te nam, in ullum postulant quo. Congue quaestio philosophia his at, sea odio autem vulputate ex. Cu usu mucius iisque voluptua. Sit maiorum propriae at, ea cum Application Programming Interface ([API](#)) primis intellegat. Hinc cotidieque reprehendunt eu nec. Autem timeam deleniti usu id, in nec nibh altera.

2.2 ANOTHER SECTION IN THIS CHAPTER

Non vices medical da. Se qui peano distinguer demonstrate, personas internet in nos. Con ma presenta instruction initialmente, non le toto gymnasios, clave effortio primarimente su del.¹

Sia ma sine svedese americas. Asia Bentley (Bentley, [1999](#)) representantes un nos, un altere membros qui.² Medical representantes al uso, con lo unic vocabulos, tu peano essentialmente qui. Lo malo laborava anteriormente uso.

DESCRIPTION-LABEL TEST: Illo secundo continentes sia il, sia russo distinguer se.

Contos resultado preparation que se, uno national historiettas lo, ma sed etiam parolas latente. Ma unic quales sia. Pan in patre altere summario, le pro latino resultado.

¹ Uno il nomine integre, lo tote tempore anglo-romanico per, ma sed practico philologos historiettas.

² De web nostre historia angloromano.

BASATE AMERICANO SIA: Lo vista ample programma pro, uno europees addresses ma, abstracte intention al pan. Nos duce infra publicava le. Es que historia encyclopedia, sed terra celos avantiate in. Su pro effortio appellate, o.

Tu uno veni americano sanctificate. Pan e union linguistic Cormen et al. (Cormen et al., 2009) simplificate, traducite linguistic del le, del un apprende denomination.

2.2.1 *Personas Initialmente*

Uno pote summario methodicamente al, uso debe nomina hereditage ma. Iala rapide ha del, ma nos esser parlar. Maximo dictionario sed al.

2.2.1.1 *A Subsubsection*

Deler utilitate methodicamente con se. Technic scribe uso in, via appellate instruite sanctificate da, sed le texto inter encyclopedia. Ha iste americas que, qui ma tempore capital. Dueck (Dueck, 2013)

- A. Enumeration with small caps (alpha)
- B. Second item

A PARAGRAPH EXAMPLE Uno de membros summario preparation, es inter disuso qualcunque que. Del hodie philologos occidental al, como publicate litteratura in web. Veni americano Knuth (Knuth, 1976) es con, non internet millennios secundarimente ha. Titulo utilitate tentation duo ha, il via tres secundarimente, uso americano initialmente ma. De duo deler personas initialmente. Se duce facite westeuropees web, Table 2.1 nos clave articulos ha.

Medio integre lo per, non Sommerville (Sommerville, 2015) es linguas integre. Al web altere integre periodicos, in nos hodie basate. Uno es rapide tentation, usos human synonymo con ma, parola extrahite greco-latin ma web. Veni signo rapide nos da.

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructor	titulo	personas
quaestio philosophia	facto	demonstrated Knuth

Table 2.1: Autem timeam deleniti usu id. Knuth

2.2.2 *Linguistic Registrate*

Veni introduction es pro, qui finalmente demonstrate il. E tamben anglese programma uno. Sed le debitas demonstrate. Non russo existe o, facite linguistic registrate se nos. Gymnasios, e. g., sanctificate sia le, publicate [Figure 2.1](#) methodicamente e qui.


Lo sed apprende instruite. Que altere responder su, pan ma, i. e., signo studio. [Figure 2.1b](#) Instruite preparation le duo, asia altere tentation web su. Via unic facto rapide de, iste questiones methodicamente o uno, nos al.



(a) Asia personas duo.



(b) Pan ma signo.



(c) Methodicamente o uno.



(d) Titulo debitas.

Figure 2.1: Tu duo titulo debitas latente. Don't Repeat Yourself ([DRY](#))

Ei choro aeterno antiopam mea, labitur bonorum pri no. His no decore nemore graecis. In eos meis nominavi, liber soluta vim cu. Sea commune suavitate interpretaris eu, vix eu libris efficiantur.

3.1 SOME FORMULAS

Due to the statistical nature of ionisation energy loss, large fluctuations can occur in the amount of energy deposited by a particle traversing an absorber element¹. Continuous processes such as multiple scattering and energy loss play a relevant role in the longitudinal and lateral development of electromagnetic and hadronic showers, and in the case of sampling calorimeters the measured resolution can be significantly affected by such fluctuations in their active layers. The description of ionisation fluctuations is characterised by the significance parameter κ , which is proportional to the ratio of mean energy loss to the maximum allowed energy transfer in a single collision with an atomic electron:

$$\kappa = \frac{\xi}{E_{\max}} \quad (3.1)$$

E_{\max} is the maximum transferable energy in a single collision with an atomic electron.

$$E_{\max} = \frac{2m_e\beta^2\gamma^2}{1 + 2\gamma m_e/m_x + (m_e/m_x)^2} ,$$

You might get unexpected results using math in chapter or section heads. Consider the pdfspacing option.

¹ Examples taken from Walter Schmidt's great gallery:

<http://home.vrweb.de/~was/mathfonts.html>

where $\gamma = E/m_x$, E is energy and m_x the mass of the incident particle, $\beta^2 = 1 - 1/\gamma^2$ and m_e is the electron mass. ξ comes from the Rutherford scattering cross section and is defined as:

$$\xi = \frac{2\pi z^2 e^4 N_{Av} Z \rho \delta x}{m_e \beta^2 c^2 A} = 153.4 \frac{z^2}{\beta^2} \frac{Z}{A} \rho \delta x \quad \text{keV},$$

where

z charge of the incident particle

N_{Av} Avogadro's number

Z atomic number of the material

A atomic weight of the material

ρ density

δx thickness of the material

κ measures the contribution of the collisions with energy transfer close to E_{\max} .

For a given absorber, κ tends towards large values if δx is large and/or if β is small.

Likewise, κ tends towards zero if δx is small and/or if β approaches 1.

The value of κ distinguishes two regimes which occur in the description of ionisation fluctuations:

1. A large number of collisions involving the loss of all or most of the incident particle energy during the traversal of an absorber.

As the total energy transfer is composed of a multitude of small energy losses, we can apply the central limit theorem and describe the fluctuations by a Gaussian distribution. This case is applicable to non-relativistic particles and is described by the inequality $\kappa > 10$ (i.e., when the mean energy loss in the absorber is greater than the maximum energy transfer in a single collision).

2. Particles traversing thin counters and incident electrons under any conditions.

The relevant inequalities and distributions are $0.01 < \kappa < 10$, Vavilov distribution, and $\kappa < 0.01$, Landau distribution.

3.2 VARIOUS MATHEMATICAL EXAMPLES

If $n > 2$, the identity

$$t[u_1, \dots, u_n] = t[t[u_1, \dots, u_{n-1}], t[u_n, \dots, u_n]]$$

defines $t[u_1, \dots, u_n]$ recursively, and it can be shown that the alternative definition

$$t[u_1, \dots, u_n] = t[t[u_1, u_2], \dots, t[u_{n-1}, u_n]]$$

gives the same result.

Part III

APPENDIX



APPENDIX TEST

Lorem ipsum at nusquam appellantur his, ut eos erant homero concludaturque. Albucius appellantur deterruisset id eam, vivendum partiendo dissentiet ei ius. Vis melius facilis ea, sea id convenire referrentur, takimata adolescens ex duo. Ei harum argumentum per. Eam vidit exerci appetere ad, ut vel zzril intellegam interpretaris.

More
dummy
text.

A.1 APPENDIX SECTION TEST

Test: [Table A.1](#) (This reference should have a lowercase, small caps A if the option floatperchapter is activated, just as in the table itself → however, this does not work at the moment.)

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructor	titulo	personas
quaestio philosophia	facto	demonstrated

Table A.1: Autem usu id.

Blondel et al. (2008), Farivar et al. (2024), Gjerstad et al. (2021), Juma’h and Alnsour (2018), Kari (2024), Kumar et al. (2024), Zhao et al. (2024), and Zhou et al. (2024)

A.2 ANOTHER APPENDIX SECTION TEST

Equidem detraxit cu nam, vix eu delenit periculis. Eos ut vero constituto, no vidit propriae complectitur sea. Diceret nonummy in has, no qui eligendi recteque consetetur. Mel eu dictas suscipiantur, et sed placerat oporteat. At ipsum electram mei, ad aequae atomorum mea. There is also a useless Pascal listing below: [Listing A.1](#).

Listing A.1: A floating example (listings manual)

```
for i:=maxint downto 0 do
begin
{ do nothing }
end;
```

REFERENCES

- Adams, S. (1996). *The dilbert principle*. Harper Business.
- Adams, S. (2013). *How to fail at almost everything and still win big: Kind of the story of my life*. Portfolio Penguin.
- Aurelius, M. (2002). *Meditations (a new translation)*. Modern Library.
- Bentley, J. (1999). *Programming Pearls* (2nd ed.). Addison–Wesley.
- Blondel, V. D., Guillaume, J.-L., Lambiotte, R., & Lefebvre, E. (2008). Fast unfolding of communities in large networks. *Journal of Statistical Mechanics: Theory and Experiment*, 2008(10), P10008. <https://doi.org/10.1088/1742-5468/2008/10/P10008>
- Bringhurst, R. (2013). *The Elements of Typographic Style*. Hartley & Marks Publishers.
- Cialdini, R. B. (1984). *Influence: The psychology of persuasion*. Harper Business.
- Cormen, T. H., Leiserson, C. E., Rivest, R. L., & Stein, C. (2009). *Introduction to Algorithms* (3rd ed.). The MIT Press.
- Dueck, G. (2013). *Dueck's Trilogie 2.1: Omnisophie – Supramanie – Topothesie*. Springer.
- Farivar, S., Wang, F., & Turel, O. (2024). Do You See Harm in Your Social Media Influencer Engagement? The Mechanism of Perceived Threat. *Hawaii International Conference on System Sciences 2024 (HICSS-57)*. <https://aisel.aisnet.org/hicss-57/dsm/influencers/2>
- Ferriss, T. (2016). *Tools of titans: The tactics, routines, and habits of billionaires, icons, and world-class performers*. Houghton Mifflin Harcourt.
- Feynman, R. P. (1985). *Surely You're Joking, Mr. Feynman: Adventures of a Curious Character*. W. W. Norton.
- Frankl, V. E. (1959). *Man's search for meaning*. Beacon Press.

- Gjerstad, P., Meyn, P. F., Molnár, P., & Næss, T. D. (2021). Do President Trump's tweets affect financial markets? *Decision Support Systems*, 147, 113577. <https://doi.org/10.1016/j.dss.2021.113577>
- Greenwald, G. (2014). *No Place to Hide: Edward Snowden, the NSA, and the Surveillance State*. Metropolitan Books.
- Harari, Y. N. (2014). *Sapiens: A brief history of humankind*. Random House.
- Juma'h, A. H., & Alnsour, Y. (2018). Using social media analytics: The effect of President Trump's tweets on companies' performance. *Journal of Accounting and Management Information Systems*, 17(1), 100–121. <https://doi.org/10.24818/jamis.2018.01005>
- Kari, H. K. (2024). Sentimental Analysis of Movie Tweet Reviews Using Machine Learning Algorithms. *Hawaii International Conference on System Sciences 2024 (HICSS-57)*. <https://aisel.aisnet.org/hicss-57/ks/architecture/4>
- Kaufman, P. D. (Ed.). (2008). *Poor charlie's almanack: The wit and wisdom of charles t. munger* (3rd ed.). Donning Company.
- Knuth, D. E. (1974). Computer Programming as an Art. *Communications of the ACM*, 17(12), 667–673.
- Knuth, D. E. (1976). Big Omicron and Big Omega and Big Theta. *SIGACT News*, 8(2), 18–24.
- Kumar, S. S., Mumthaz Beegum, M., & Aji, S. (2024). Sentiment Knowledge Graph: Explore and Evaluate the Social Media Content [Series Title: Data-Intensive Research]. In D. Mishra, X. S. Yang, A. Unal, & D. S. Jat (Eds.), *Data Science and Big Data Analytics* (pp. 421–432). Springer Nature Singapore. https://doi.org/10.1007/978-981-99-9179-2_33
- Orwell, G. (1949). *Nineteen eighty-four*. Secker & Warburg.
- Pausch, R., & Zaslow, J. (2008). *The last lecture*. Hodder & Stoughton.
- Peterson, J. B. (2018). *12 rules for life: An antidote to chaos*. Random House Canada.
- Postman, N. (2005). *Amusing ourselves to death: Public discourse in the age of show business* (20th anniversary edition). Penguin Books.
- Seneca, L. (1969). *Letters from a stoic: Epistulae morales ad lucilium*. Penguin.

- Sommerville, I. (2015). *Software Engineering* (10th ed.). Addison-Wesley.
- Taleb, N. N. (2010). *The black swan: The impact of the highly improbable*. Random House.
- Taleb, N. N. (2012). *Antifragile: Things That Gain from Disorder*. Random House.
- Taleb, N. N. (2018). *Skin in the game: Hidden asymmetries in daily life*. Random House.
- Trump, D. J., & Schwartz, T. (1987). *Trump: The art of the deal*. Random House.
- Zhao, H., Zha, X., & Zhang, Z. (2024). EmoTransKG: An Innovative Emotion Knowledge Graph to Reveal Emotion Transformation. *Findings of the Association for Computational Linguistics ACL 2024*, 12098–12110. <https://doi.org/10.18653/v1/2024.findings-acl.720>
- Zhou, L., Wang, K., & Tao, J. (2024). Beyond the Social Media Contents: The Role of Social Interactions in Stance Detection. *Hawaii International Conference on System Sciences 2024 (HICSS-57)*. https://aisel.aisnet.org/hicss-57/cl/online_communities/5