ENR 3 ATS ルート

ENR 3.1 LOWER ATS ROUTES

ENR 3 ATS ROUTES

ENR 3.1 LOWER ATS ROUTES

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
The basic letter of a designator	Voice comm.							
A	Alfa							
B	Bravo							
G	Golf							
R	Romeo							
V	Victor							
W	Whiskey							
			Example: A1(name) Alfa one (voice comm.) *COP at mid-point between VOR are not listed.					
A1 ▲ KUSHIMOTO VORTAC(KEC)								
332651.87N/1354740.18E △ ALBAT	262 ---- 080	18		8000	(1)8 (2)The airspaces bounded by the following lines A. (a) Lines extending on 258°34'T and 248°34'T FM KEC. (b) Lines extending on 68°34'T and 78°34'T FM SUC. B. (a) Lines extending on 247°37'T and 237°37'T FM SUC. (b) Lines extending on 57°37'T and 67°37'T FM HKC. C. (a) Lines extending on 237°09'T and 227°09'T FM HKC. (b) Lines extending on 322°09'T and 142°09'T FM RUSAR. D. (a) Lines extending on 202°09'T and 262°09'T FM 3018N 12829E. (b) Lines extending on 322°09'T and 142°09'T FM RUSAR.			
332152.21N/1352629.45E △ HALON		24						
331455.57N/1345950.00E △ JAKAL		40						
330343.30N/1341403.39E △ GREEN		35						
325355.23N/1333359.40E ▲ SHIMIZU VORTAC(SUC)		30						
324521.49N/1325947.93E △ FENIX	251 ---- 069	80		9000				
320830.42N/1313529.33E △ JINGU		31						
315409.81N/1310255.20E ▲ KAGOSHIMA VORTAC(HKC)		27						
314150.00N/1303458.59E (Cont'd)	240 ---- 060	31		8000				

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A1 (Cont'd) △ KAZAN	240 ---- 060	31		8000				
312306.13N/1300640.56E △ KOSHI	240 ---- 060	9						
311718.61N/1295752.97E △ JEDAI		50		FL150				
304628.72N/1291204.16E ▲ RUSAR		89		FL180				
295154.10N/1275013.71E △ AKVAS	234 ---- 054	26		FL60	50			
293513.19N/1272752.85E △ URUMA		59						
285812.24N/1263445.48E △ SAPET		31						
283813.49N/1260753.34E △ IGMON		96						
273719.66N/1244313.87E ▲ BULAN(FIR Boundary)		50						FUKUOKA FIR
270530.00N/1240000.00E								TAIPEI FIR
A204 ▲ AKSUN(FIR Boundary)								KHABAROVSK FIR
454507.47N/1405416.05E △ ORISU	169 ---- 349	19		8000	8			FUKUOKA FIR
452757.54N/1410350.48E △ RISHIRI VOR/DME(RSE)		14						
451444.38N/1411112.36E △ LEDAX	129 ---- 309	19						
450542.75N/1413406.08E △ YOROI		10						
450031.10N/1414708.08E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A337 ▲ DAGDA								See ENR3.5.3.8.3
334858.14N/1422051.70E ▲ NOGAK	175 ---- 354	232		FL60				
300014.16N/1430954.12E ▲ SAGOP	172 ---- 350	306						
250016.00N/1442024.34E ▲ TEGOD(FIR Boundary)	170 ---- 349	245						FUKUOKA FIR
210000.00N/1451148.00E								OAKLAND FIR
A339 ▲ YOSHI								
331014.59N/1385726.94E △ MAPDO	212 ---- 032	37		FL60	100			
323648.78N/1383843.10E △ BOLED	212 ---- 031	109						
305746.93N/1374448.20E ▲ TAXON	211 ---- 030	63						
300013.67N/1371419.81E ▲ MAKDA	209 ---- 028	180						
271614.58N/1355102.47E ▲ SABGU	208 ---- 027	116						
252951.17N/1345920.86E ▲ KEITH(FIR Boundary)	184 ---- 003	270						FUKUOKA FIR
210000.00N/1345648.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A582 ▲ APELA(FIR Boundary)								INCHEON FIR
344323.19N/1291359.84E △ ZAKRO	163 ---- 343	49		7000	(1)8 (2)The airspaces bounded by the following lines (a) Lines extending on 47°42'T and 227°42'T FM APELA. (b) Lines extending on 340°15'T and 330°15'T FM IKE.			FUKUOKA FIR
335830.34N/1293904.60E △ IKI VOR/DME(IKE)		15						
334451.04N/1294636.67E △ OLSUB	169 ---- 349	33	25 ---- 104	9000	(1)8 (2)The airspaces bounded by the following lines (a)Lines extending on 141°25'T and 182°01'T FM IKE. (b)Lines extending on 346°43'T and 336°43'T FM HKC.			
331326.85N/1295910.47E △ KAZSA		40						
323510.18N/1301410.77E △ TEMIP		29						
320706.86N/1302513.08E ▲ KAGOSHIMA VORTAC(HKC)		27						
314150.00N/1303458.59E △ ISKID	209 ---- 026	6	150 ---- 124	6000	(1)8 (2)The airspaces bounded by the following lines (a) Lines extending on 206°01'T and 196°01'T FM HKC. (b) Lines extending on 15°02'T and 27°00'T FM ONC.			NAV GAP VOR unusable BTN 11DME and 17DME FM HKC ON HKC - ONC
313547.39N/1303213.88E △ MAKRA		21						
311621.67N/1302341.91E △ SAZMA		13						
310430.76N/1301807.83E △ ENPAD		32						
303437.21N/1300414.14E (HKC 80DME)		8		6000 (7000 for using TACAN only)				
△ OLSER		7		12000				
302036.50N/1295755.70E ▲ BOMAP		22						
300013.16N/1294928.07E △ LEMEG		43		FL160 (FL200 for using TACAN only)				
292018.21N/1293109.40E △ ANOXA		22		FL160				
285919.53N/1292237.29E (Cont'd)		35		12000				

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A582 (Cont'd)								
△ MEKAX		35						
282654.72N/1290826.40E								
△ HACHA	209 ---- 026	18		12000				
280923.83N/1290051.46E								
△ BINID		16						
275407.56N/1285352.96E								
▲ ERABU VORTAC(ONC)		30						
272558.38N/1284156.27E					(1)8 (2)The airspaces bounded by the following lines A. (a) Lines extending on 222°50'T and 212°50'T FM ONC. (b)Lines extending on 32°21'T and 42°21'T FM NHC. B. (a) Lines extending on 197°29'T and 207°29'T FM NHC. (b)Lines extending on 112°29'T and 292°29'T FM SAKON. C. (a) Lines extending on 172°29'T and 232°29'T FM *2447N12700E*. (b)Lines extending on 112°29'T and 292°29'T FM SAKON.			
△ LEXUS		33						
270010.11N/1281928.39E	223 ---- 042	25		5000				
△ OKUMA								
264016.98N/1280219.13E		35						
▲ NAHA VORTAC(NHC)								
261230.71N/1273834.32E		50		FL150				
△ MAMIK								
252610.20N/1271722.40E	207 ---- 027	30						
△ ESPEK								
245820.69N/1270446.62E		55		FL210				
▲ SAKON*								*MJC MRA 13000
240715.23N/1264153.42E		79		FL60	50			
△ NIMOX	206 ---- 026							
225440.37N/1260825.62E		125						
▲ BISIG(FIR Boundary)								FUKUOKA FIR
210000.00N/1251600.00E								MANILA FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A586 ▲ RUGMA(FIR Boundary)								INCHEON FIR
323011.98N/1265752.79E △ POTET	168 ---- 348	14		FL70	50			FUKUOKA FIR
321648.08N/1270222.79E △ BIGIT		15						
320220.94N/1270714.17E △ ESBIS		49						
311512.51N/1272252.76E △ LESKA		62						
301557.15N/1274224.95E ▲ RUSAR		25						
295154.10N/1275013.71E △ MELEN		21		FL60				
293134.10N/1275757.29E △ GUPTI	168 ---- 347	32						
290124.45N/1280918.67E △ POLAM	169 ---- 349	52		9000	(1)8 (2)The airspaces bounded by the following lines A. (a) Lines extending on 313°22'T and 013°22'T FM *2820N12824E*. (b)Lines extending on 253°22'T and 73°22'T FM GUPTI. B. (a) Lines extending on 338°22'T and 348°22'T FM ONC. (b)Lines extending on 253°22'T and 73°22'T FM GUPTI.			
281153.91N/1282622.07E △ LASOD		27						
274541.76N/1283516.80E ▲ ERABU VORTAC(ONC)		21		4000				
272558.38N/1284156.27E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A590 ▲ PASRO(FIR Boundary)								ANCHORAGE FIR
481644.39N/1604052.73E ▲ PUGAL	239 ---- 056	330		FL180				FUKUOKA FIR
445127.76N/1542500.04E ▲ POXED	234 ---- 051	330						
410504.52N/1485632.61E ▲ PUTER	232 ---- 049	229						
381956.57N/1453107.25E △ DOVIX	225 ---- 044	98						
370206.88N/1441527.48E △ POROT	224 ---- 044	83						
355547.04N/1431341.45E ▲ KAGIS	266 ---- 085	33		FL60				
354912.89N/1423348.50E △ ONASU	240 ---- 060	98		FL290	(1) 8 (2) The airspaces bounded by the following lines A. (a) Lines extending on 058°45'T and 048°45'T FM MOE. (b) Lines extending on 143°45'T and 323°45'T FM KAGIS. B. (a) Lines extending on 214°21'T and 204°21'T FM MOE. (b) Lines extending on 299°21'T and 119°21'T FM YOSHI.			
345253.46N/1405514.19E ▲ OYAMA VOR/DME(MOE)		83		FL200				
340415.75N/1393340.64E ▲ YOSHI	216 ---- 036	62		FL220				
331014.59N/1385726.94E △ AKUBI	235 ---- 055	20		FL60	50			
325701.71N/1383928.33E ▲ BUBDO	235 ---- 054	137						
312555.07N/1363913.83E (Cont'd)	227 ---- 046	103						

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A590 (Cont'd) ▲ OLDUP	227 ---- 046	103		FL60	50			
300731.48N/1352032.36E ▲ DOVAG	226 ---- 045	122						
283501.96N/1334850.96E ▲ BIXAK	225 ---- 044	55						
275250.18N/1330815.22E ▲ MINAMIDAITO VOR/DME(MDE)	224 ---- 044	158		FL200	(1)8 (2)The airspaces bounded by the following lines A. (a) Lines extending on 34°06'T and 44°06'T FM MDE. (b) Lines extending on 309°06'T and 129°06'T FM *2707N/13226E.* B. (a) Lines extending on 219°52'T and 209°52'T FM MDE. (b) Lines extending on 304°52'T and 124°52'T FM AVLAS. C. (a) Lines extending on 244°52'T and 184°52'T FM *2457N/13034E*. (b)Lines extending on 304°52T and 124°52'T FM AVLAS.			
255116.14N/1311549.64E ▲ AVLAS	220 ---- 040	109						
242120.31N/1300715.37E ▲ TUNTO	219 ---- 038	99		FL60	50			
230015.74N/1290452.76E ▲ GURAG(FIR Boundary)	221 ---- 040	152						FUKUOKA FIR
210000.00N/1272500.00E								MANILA FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A593 △ FUKUE VOR/DME(FUE)								
324006.98N/1284936.25E △ GOMAR	264 ---- 084	51		FL210	(1)8 (2)Area enclosed by lines extending on 261°05'T and 251°05'T FM FUE and lines extending FM AZUKI on 346°05'T and 166°05'T.			
322744.70N/1275128.78E △ AZUKI		14		FL240				
322406.90N/1273451.60E △ POTET	262 ---- 081	28						
321648.08N/1270222.79E ▲ ONIKU(FIR Boundary)	262 ---- 082	20						FUKUOKA FIR
321142.09N/1263916.92E								INCHEON FIR
A595 ▲ FUKUOKA VORTAC(DGC)								
334034.35N/1302322.66E △ IKI VOR/DME(IKE)	286 ---- 106	31		4000	(1)8 (2)The airspaces bounded by the following lines. Line extending on 267°20'T and 257°20'T FM IKE and a line connecting *334140N / 1282403E, and 332724N / 1281309E*.			
334451.04N/1294636.67E △ GOURA	271 ---- 091	25		11000				
334138.64N/1291652.47E ▲ SAMDO(FIR Boundary)		49		FL210				FUKUOKA FIR
333502.61N/1281857.26E								INCHEON FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
A597 ▲ KUSHIMOTO VORTAC(KEC)								
332651.87N/1354740.18E △ OTOWA	167 ---- 347	13		6000	(1)8 (2)The airspaces bounded by the following lines. (a)Lines extending on 155°12'T and 165°12'T FM KEC. (b)Lines extending on 250°12'T and 070°12'T FM *3242N/13607E*			
331454.70N/1355252.75E △ MAYON		35						
324226.74N/1360654.14E ▲ TAPOP		24		FL60	8 - 100			
322017.30N/1361621.89E ▲ *BUBDO		58						*KEC MRA FL250
312555.07N/1363913.83E ▲ TAXON	166 ---- 346	91						KEC MRA FL280 at KEC 190DME
300013.67N/1371419.81E ▲ ASEDA		317						
250015.62N/1390931.73E ▲ MONPI(FIR Boundary)	166 ---- 344	252						FUKUOKA FIR
210000.00N/1403600.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	lateral limits (nm)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
B223 ▲ LUMIN(FIR Boundary)								KHABAROVSK FIR
454500.00N/1415018.00E ▲ WAKKANAI VOR/DME(WKE)	194 ---- 014	21		8000	8			FUKUOKA FIR
452426.49N/1414820.33E								
B332 ▲ IGRAS(FIR Boundary)								INCHEON FIR
*371845.35N/1324410.38E**	185 ---- 005	114		FL260	(1) 8 (2)The airspaces bounded by the following lines. Lines extending on 351°15'T and 001°15'T FM XZE and a line connecting *372804N/1325650E* and *371122N/1323305E*.			FUKUOKA FIR
△ IZUMO VOR/DME(XZE) *352502.06N/1325332.54E*								
B337 ▲ ANIMO(FIR Boundary)								KHABAROVSK FIR
451155.93N/1434045.30E	219 ---- 039	106		FL180	(1) 8 (2)The airspace bounded by the following lines.Lines extending on 24°15'T and 34°15'T FM AWE and a line connecting *4545N/14200E* and *4430N/14540E.*			FUKUOKA FIR
△ ASAHIKAWA VOR/DME(AWE) *434002.15N/1422724.65E*								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	lateral limits (nm)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
B451								
▲ IGROD(FIR Boundary)								KHABAROVSK FIR
413900.00N/1364700.00E								FUKUOKA FIR
△ HOKKE	172 ---- 351	103		FL60	50			
400009.62N/1372630.42E		48						
▲ KADBO								
391409.98N/1374448.45E								
B452								
▲ TONIK								
320013.70N/1455947.09E	164 ---- 343	128		FL60	50			
▲ UPDOB								
300014.51N/1465105.14E	163 ---- 342	318						
▲ NITOT								
250016.37N/1485029.22E	162 ---- 341	253						
▲ ATIGO(FIR Boundary)								FUKUOKA FIR
210000.00N/1501900.00E								OAKLAND FIR
B462								
▲ MIYAKOJIMA VORTAC(MJC)								
244638.61N/1251736.27E	219 ---- 039	104		10000	(1)8 (2)The airspace bounded by the following lines. (a) Lines extending on 219°41'T and 209°41'T FM MJC. (b) Lines extending on 304°41'T and 124°41'T FM SADEK.			
△ KAZIK								
232105.84N/1241317.77E		25		FL150				
▲ SADEK								
230015.53N/1235754.31E	216 ---- 036	15		FL60				
△ MAGMA								
224751.19N/1234900.55E		129						
▲ MEVIN(FIR Boundary)								FUKUOKA FIR
210000.00N/1223300.00E								MANILA FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	lateral limits (nm)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
B576 ▲ ATOTI(FIR Boundary)								INCHEON FIR
300012.90N/1251153.55E △ BOLUT	206 ---- 025	78		FL60	50			FUKUOKA FIR
284622.00N/1244212.00E ▲ SALMI(FIR Boundary)	239 ---- 059	46						FUKUOKA FIR
281854.00N/1240000.00E								TAIPEI FIR
B586 ▲ OSHIMA VORTAC(XAC)								
344244.11N/1392450.46E △ NURLI	179 ---- 359	31		5000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 167°26'T and 177°26'T FM XAC. b. Lines extending on 082°26'T and 262°26'T FM SABRI.			
341151.14N/1392947.90E △ SABRI		86		10000				
324612.80N/1394313.91E △ IPRET	180 ---- 360	20		FL60	100			
322620.11N/1394616.68E △ CADDY	180 ---- 359	87						
310000.18N/1395913.45E ▲ UKATA	168 ---- 348	63						
300003.09N/1402046.24E △ TOMOL	158 ---- 338	114						
281858.56N/1411949.03E ▲ VASKO	173 ---- 352	202						
250015.82N/1420212.95E △ KAGUN	171 ---- 351	14						
244652.70N/1420529.14E ▲ OMLET(FIR Boundary)	171 ---- 350	232						FUKUOKA FIR
210000.00N/1425924.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	lateral limits (nm)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
B597 ▲ SHIMIZU VORTAC(SUC)								
324521.49N/1325947.93E △ MADOG	226 ---- 045	49		4000	(1)8 (2)The airspaces bounded by the following lines A. a. Lines extending on 223°55'T and 213°55'T FM SUC. b. Lines extending on32°52'T and 42°52'T FM TGE. B. a. Lines extending on 212°31'T and 202°31'T FM TGE. b. Lines extending on 21°53'T and 31°53'T FM AME.			
320730.69N/1322346.46E △ HIROS		15						
315530.20N/1321230.51E △ JACKY		28						
313316.78N/1315147.21E △ QUEEN*		25						*HKC MRA 8000
311334.62N/1313336.57E △ JOKER		9						
310658.63N/1312733.19E △ TEPPO		27						
304536.42N/1310803.50E ▲ NAKATANE VOR/DME(TGE)		12						
303607.76N/1305929.52E △ ANREM	214 ---- 033	18						
302032.56N/1305004.61E ▲ SEPIA		23						
300032.33N/1303804.84E △ RURIK		48		5000				
291758.83N/1301252.40E △ TUMGI		38		4000				
284357.05N/1295300.74E △ KASARI VOR/DME(AME)		20		3000				
282604.98N/1294241.07E △ YUWAN	228 ---- 047	20		4000	8			
281109.84N/1292733.32E △ PINNE		29		6000				
274918.96N/1290526.46E ▲ ERABU VORTAC(ONC)		31		5000				
272558.38N/1284156.27E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	lateral limits (nm)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
B932 ▲ ODERI(FIR Boundary)								KHABAROVSK FIR
443900.00N/1451520.00E △ UBRAS	234 ---- 054	33		12000	(1) 8 (2)The airspace bounded by the following lines. Lines extending on 40°10'T AND 50°10'T FM TBE and a line connecting *4545N14200E* and *4430N14540E*			FUKUOKA FIR
441607.29N/1444226.39E ▲ MEMANBETSU VOR/DME(TBE)		33						
435305.67N/1440958.26E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
G223								
▲ *ADKAK								*XAC MRA FL230
335412.60N/1420947.90E								
▲ DAGDA	125 ---- 305	10						
334858.14N/1422051.70E								
△ BEGAD		52						
332312.91N/1431447.66E	125 ---- 306	162						
▲ TONIK								
320013.70N/1455947.09E	149 ---- 328	147		FL60	10 − 100			
▲ KAKNI								
300014.59N/1473746.94E	148 ---- 327	361						
▲ SEGRO								
250016.59N/1512310.62E		184						
▲ BEEBO	147 ---- 326							
222428.00N/1531126.00E		100						
△ RISBA(FIR Boundary)								FUKUOKA FIR
210000.00N/1540812.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
G339 ▲ INVOK(FIR Boundary)								INCHEON FIR
344719.17N/1291922.81E △ BEETL	149 ---- 329	40		10000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 136°35'T and 146°35'T FM PSN. b. Lines extending on 326°35'T and 316°35'T FM DGC c. Lines extending on 182°43'T and 167°56'T FM DGC. d. Lines extending on 350°20'T and 0°20'T FM HKC.			FUKUOKA FIR
341544.87N/1294945.29E ▲ FUKUOKA VORTAC(DGC)		45						
334034.35N/1302322.66E △ OGORI	183 ---- 003	24	48 ----- 71	6000				
331639.96N/1302544.64E △ MIZMA		2		8000				
331433.97N/1302556.52E △ OSTEP		6						
330831.81N/1302632.06E △ OMUTA		5						
330332.20N/1302701.41E △ TAIME*		12		9000				*HKC MRA 7000
325147.11N/1302815.66E △ FUGEN*		12						*HKC & KUE MRA 6000
323919.48N/1302925.48E △ HINAG		16						
322342.27N/1303053.71E △ SASIK		6		8000				
321759.30N/1303115.73E △ SAPIS		8						
321003.36N/1303215.38E (Cont'd)		28						

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
G339 (Cont'd) ▲ KAGOSHIMA VORTAC(HKC)	183 / 003	28		8000				
314150.00N/1303458.59E △ KINKO	169 / 349	23	28 / 41	6000	8			
311958.21N/1304312.03E △ TOZAK		14						
310633.03N/1304812.92E △ ISMAD		12						
305457.03N/1305231.66E △ KAGYA		8		5000				
304735.17N/1305515.40E ▲ NAKATANE VOR/DME(TGE)		12						
303607.76N/1305929.52E △ LUKRA	154 / 334	10		4000	(1) 8 (2) The airspaces bounded by the following lines. a. Lines extending on 141°55'T and 151°55'T FM TGE. b. Lines extending on 57°18'T and 237°18'T FM MIMOD.			
302755.56N/1310541.55E △ KALGU		18		6000				
301223.99N/1311722.39E △ AGIKA		15		7000				
300013.26N/1312627.87E ▲ MIMOD*		29		FL140				*TGE MRA FL140
293522.53N/1314453.86E △ OLSAK	150 / 330	16		FL60	13 - 100			
292239.98N/1315525.83E △ HIDEK		75						
282150.97N/1324502.30E ▲ BIXAK		36						
275250.18N/1330815.22E (Cont'd)		84						

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
G339 (Cont'd) ▲ CANAI *264401.21N/1340227.33E*	150 ---- 330	84		FL60	13 - 100			
▲ SABGU *252951.17N/1345920.86E*		90						
▲ PAKDO(FIR Boundary) *210000.00N/1374918.00E*	154 ---- 333	312						FUKUOKA FIR OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
G581 ▲ MIYAKOJIMA VORTAC(MJC)								
244638.61N/1251736.27E ▲ IGURU(FIR Boundary)	239 ---- 059	86		12000	(1)8 (2)The airspaces bounded by the following lines Lines extending on 240°11'T and 230°11'T FM MJC.			FUKUOKA FIR
235700.00N/1240000.00E								TAIPEI FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
G583 ▲ BISIV(FIR Boundary)								KHABAROVSK FIR
445931.32N/1441658.34E ▲ MONBETSU VOR/DME(MVE)	232 ---- 052	56		12000	(1)8 (2)The airspace bounded by the following lines. Lines extending on 37°18'T and 47°18'T FM MVE. and a line connecting *4545N / 14200E* and *4430N / 14540E*			FUKUOKA FIR
441818.96N/1432342.33E								
G585 △ IZUMO VOR/DME(XZE)								
352502.06N/1325332.54E ▲ SAPRA(FIR Boundary)	292 ---- 112	109		FL220	(1)8 (2)The airspace bounded by the following lines. Lines extending on 278°37'T and 288°37'T FM XZE and a line connecting *355724N / 1305105E* and *354119N / 1302934E.*			FUKUOKA FIR
354925.83N/1304325.23E								INCHEON FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
G597 △ TRIKE								
344751.23N/1371705.45E ▲ NAGOYA VORTAC(KCC)	335 ---- 155	34		4000	8			
351554.96N/1365453.73E △ OGAKI	287 ---- 105	14		13000				
351807.28N/1363736.54E ▲ MIYAZU VOR/DME(YME)		74						
352850.49N/1350813.28E △ KANNA	281 ---- 101	22		7000				
353011.27N/1344121.95E △ TOTTORI VOR/DME(TRE)		26						
353138.28N/1340953.59E △ DAIEI	275 ---- 095	23		6000				
353038.29N/1334210.40E △ YONAGO VOR/DME(YGE)*	277 ---- 097	22		7000				
353004.96N/1331525.94E △ IZUMO VOR/DME(XZE)	263 ---- 082	19		4000				*YGE MCA 4400 Eastbound
352502.06N/1325332.54E △ DANJU	318 ---- 138	20		8000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 304°18'T and 314°18'T FM XZE. b. Lines extending on 218°11'T and 038°10'T FM LANAT.			
353733.90N/1323440.85E ▲ LANAT(FIR Boundary)		72		FL240				FUKUOKA FIR
362223.65N/1312541.94E								INCHEON FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
R211 ▲ AVGOK(FIR Boundary)								KHABAROVSK FIR
433608.13N/1381447.47E △ NISIN	195 ---- 013	217		FL60	50			FUKUOKA FIR
400009.66N/1374954.29E ▲ KADBO		46						
391409.98N/1374448.45E △ TAVIS	149 ---- 329	22		9000	(1) 8 (2) The airspace bounded by the following lines. (a) Lines extending on 325°05'T and 315°05'T FM GTC. (b) Lines extending on 230°05'T and 50°05'T FM KADBO.			
385715.14N/1380315.55E △ CAYAH		22						
384030.06N/1382120.30E (GTC 40 DME) △ BASIN		16						
		27		5000				
380715.60N/1385631.32E ▲ NIIGATA VORTAC(GTC)		13						
375729.86N/1390653.59E ▲ IWAKI VOR/DME(IXE)	127 ---- 307	101		FL180	(1) 8 (2) The airspace bounded by the following lines. (a) Lines extending on 113°11'T and 123°11'T FM GTC. (b) Lines extending on 294°19'T and 304°19'T FM IXE.			
370855.91N/1405832.47E △ GLAXY	211 ---- 031	41		FL140	(1) 8 (2) The airspace bounded by the following lines. (a) Lines extending on 198°05'T and 208°05'T FM IXE. (b) Lines extending on 113°05'T and 293°05'T FM SWAMP.			
363059.70N/1403857.51E △ SWAMP		13		↑ FL140 11000 ↓				
361914.44N/1403217.02E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
R217 △ NODAN*								
402510.29N/1445945.93E ▲ ASTER	245 ---- 065	134		FL290	(1)8 (2)The airspaces bounded by the following lines A) Area enclosed by the lines extending on 27°52'T and 87°52'T FM *3939N/14324E* and West side of a lines extending on 327°52'T and 147°52'T FM NODAN. B) Area enclosed by East side of lines extending on 324°26'T and 144°26'T FM ASTER and line extending on 52°52'T FM *3921N/14226E* and line extending on 62°52'T FM *3907N/14239E* and west side of a lines extending on 327°52'T and 147°52'T FM NODAN (Exc Above A). C) Area enclosed by the lines extending on 44°00'T and 54°00'T FM SDE and lines extending on 324°26'T and 144°26'T FM ASTER. D) Lines extending on 269°08'T and 256°30'T FM SDE and lines extending on 77°49'T and 87°49' FM GTC.			*MQE MRA FL290 (MQE R-083/144 DME)
391352.49N/1423158.92E ▲ SENDAI VOR(SDE)*	236 ---- 056	100		FL210				*SDE MCA 5600 West bound
380818.86N/1405517.34E △ FINCH	271 ---- 091	15	38 ---- 48	8000				NAV GAP BTN 20DME and 22DME FM SDE ON SDE-GTC
380633.00N/1403622.01E △ YONEX		15		9000				
380434.29N/1401745.80E △ ELDAK		25		10000				
380133.87N/1394540.35E (GTC 15 DME) ▲ NIIGATA VORTAC(GTC)		16 15		7000				
375729.86N/1390653.59E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
R220 ▲ NIPPI (FIR Boundary)								ANCHORAGE FIR
494236.00N/1592048.00E ▲ NOGAL	238 ---- 055	330		FL180				FUKUOKA FIR
461300.00N/1530012.01E ▲ NUBDA	235 ---- 052	330						
422327.78N/1472832.74E △ NANNO	231 ---- 051	40						
415457.90N/1465133.04E △ NODAN*	231 ---- 050	123						*MQE MRA FL290
402510.29N/1445945.93E ▲ NANAC	230 ---- 049	122						
385422.71N/1431340.77E △ NIKON	232 ---- 052	50		FL200	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 50°30'T and 40°30'T FM IXE. b. Lines extending on 315°30'T and 135°30'T FM NANAC.			
381913.86N/1422812.11E △ BEKEN		27		FL150				
380021.13N/1420341.96E ▲ IWAKI VOR/DME(IXE)		73						IXE MCA FL150
370855.91N/1405832.47E								(IXE → BEKEN)

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
R580 ▲ OMOTO(FIR Boundary)								ANCHORAGE FIR
485942.00N/1600042.00E ▲ OPULO	237 ---- 055	330		FL180				FUKUOKA FIR
453151.37N/1534312.02E ▲ ONEMU	234 ---- 051	330						
414422.15N/1481302.67E ▲ MAKMU	232 ---- 050	250						
384115.37N/1443042.14E ▲ OATIS	229 ---- 049	70						
374859.19N/1433222.87E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
R584 ▲ AVLAS								
242120.31N/1300715.37E ▲ SALVA	162 ---- 342	128		FL60				
222244.39N/1305939.86E ▲ KEITH(FIR Boundary)	113 ---- 294	236						FUKUOKA FIR
210000.00N/1345648.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
R591 ▲ ADNAP								
371150.88N/1453958.72E ▲ ADGOR	049 ---- 231	269		FL180				
402528.88N/1493902.56E								
R595 ▲ SEDKU(FIR Boundary)								TAIPEI FIR
245600.00N/1240000.00E △ LILRA	102 ---- 282	48		10000	(1)8 (2)The airspaces bounded by the following lines A. Lines extending on 282°50'T and 272°50'T FM MJC. B. (a)Lines extending on 111°53'T and 121°53'T FM MJC. (b)Lines extending on 26°53T and 206°53'T FM SAKON. C. (a)Lines extending on 86°53'T and 146°53'T FM *2427N/12600E.* (b)Lines extending on 26°53T and 206°53'T FM SAKON.			FUKUOKA FIR
244946.52N/1245215.49E ▲ MIYAKOJIMA VORTAC(MJC)		23						
244638.61N/1251736.27E ▲ SAKON*	121 ---- 301	86		13000				*MJC MRA 13000
240715.23N/1264153.42E ▲ TUNTO	120 ---- 301	147		FL60				
230015.74N/1290452.76E ▲ SALVA	113 ---- 293	112						
222244.39N/1305939.86E ▲ KEITH(FIR Boundary)	113 ---- 294	236						FUKUOKA FIR
210000.00N/1345648.00E								OAKLAND FIR

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V1 ▲ WAKKANAI VOR(WKE)								
452426.49N/1414820.33E △ DASSY	192 ---- 011	7		3000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 186°49'T and 176°49'T FM WKE. b. Lines extending on 356°49'T and 6°49'T FM CHE.			
451703.92N/1414757.93E △ KABTO		5		4000				
451226.73N/1414747.16E △ YOROI		12						
450031.10N/1414708.08E (WKE 30DME) △ RUMOI		6						
		73		9000				
434157.61N/1414344.51E △ SUIKA		19		7000				
432235.38N/1414303.96E △ BEEBA		2						
432106.67N/1414259.79E △ KURIS		12						
430918.82N/1414221.62E ▲ CHITOSE VOR(CHE)		27		5000				
424159.65N/1414110.20E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V2 △ NAKASHIBETSU VOR(NSE)								
433438.50N/1445701.81E △ MASHU	260 ---- 080	19		5000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 340°38'T and 299°03'T FM MASHU. b. A north parallel line at a distance of 4NM from a line extending on 250°38'T FM NSE. c. A north parallel line at a distance of 4NM from a line extending on 29°18'T FM TCE. d. Lines extending on 279°41'T and 269°41'T FM TCE. e. Lines extending on 87°49'T and 97°49'T FM SPE.			
432815.18N/1443214.49E ▲ KUSHIRO VOR(TCE)	218 ---- 038	30						
430209.78N/1441202.72E ▲ RUGMO	284 ---- 104	31						
430433.64N/1432949.09E △ IBOSA		8		9000				
430506.57N/1431926.77E △ NODUK		14						
430605.53N/1430004.44E △ ONUMI		11		10000				
430648.54N/1424512.29E △ TOMAM*	282 ---- 102	32		9000				*TOMAM MCA 7000 Eastbound
430820.50N/1420204.10E △ KURIS		14		5000				
430918.82N/1414221.62E ▲ SAPPORO VOR(SPE)		18						
431028.71N/1411808.58E △ MOIWA	203 ---- 023	15		7000	8			
425555.18N/1411312.60E (SPE 39DME) △ TEKKO		24		11000				
423007.08N/1410431.00E (HWE 35DME) (HWE 25DME) △ UPLOK		3		12000				
		10						
		10		11000				
		10		8000				
420119.14N/1405451.71E (HWE 8DME) ▲ HAKODATE VOR(HWE)		7						
		8		7000				
414626.51N/1404955.98E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V3 ▲ WAKKANAI VOR(WKE)								
452426.49N/1414820.33E △ SAKIN	142 ---- 323	30	76 ---- 60	4000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 137°12'T and 127°12'T FM WKE. b. Lines extending on 318°37'T and 305°49'T FM TBE.			
450425.81N/1421941.47E (TBE 30 DME)		76		12000				
▲ MEMANBETSU VOR(TBE)		30		4000				
435305.67N/1440958.26E (TBE 10 DME)	188 ---- 008	10		5000				
▲ KUSHIRO VOR(TCE)		41		7000				
430209.78N/1441202.72E								
V4 ▲ MEMANBETSU VOR(TBE)								
435305.67N/1440958.26E △ GINGA	221 ---- 040	18		5000	8			
433738.73N/1435710.93E (TBE 30 DME)		12						
▲ RUGMO		27		6000				
430433.64N/1432949.09E △ OSROB		10		5000				
425537.19N/1432233.77E ▲ OBIHIRO VOR(OBE)		13						
424402.27N/1431313.63E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V5 ▲ KUSHIRO VOR(TCE)								
430209.78N/1441202.72E △ RUNPA	269 ---- 089	20		6000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 265°02'T and 255°02'T FM TCE. b. Lines extending on 74°18'T and 84°18'T FM CHE.			
425838.20N/1434501.78E △ OSROB		17						
425537.19N/1432233.77E △ BISEI*		20		8000				*BISEI MCA 11000ft (BISEI → CHE)
425154.66N/1425543.63E △ BOKSO	268 ---- 088	21		12000				
424818.74N/1422754.65E ▲ CHITOSE VOR(CHE)*		35						*CHE MCA 9000ft (CHE → TCE)
424159.65N/1414110.20E								
V6 △ KABRU								
424511.26N/1440744.53E ▲ OBIHIRO VOR(OBE)	277 ---- 097	40		5000	8			NAV GAP VOR unusable BTN 16DME and 22DME FM OBE ON OBE-CHE
424402.27N/1431313.63E △ RAKNO	278 ---- 097	33	30 ----- 38	9000				
424312.13N/1422837.78E ▲ CHITOSE VOR(CHE)		35						
424159.65N/1414110.20E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V7 ▲ MEMANBETSU VOR(TBE)								
435305.67N/1440958.26E △ TSUKA	270 ---- 089	18	52 ---- 23	5000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 265°01'T and 255°01'T FM TBE. b. Lines extending on 68°47'T and 91°15'T FM AWE.			NAV GAP BTN 16 DME and 18 DME of AWE on section AWE-TBE
434958.12N/1434523.20E (TBE 20 DME) △ ASAHIKAWA VOR(AWE)*		2						
		55		10000				*AWE MCA 7700 Eastbound
434002.15N/1422724.65E (AWE 5 DME) △ ASIBE	220 ---- 039	5		5000				
		10		7000				
432703.98N/1421700.93E △ TOMAM		22		8000				
430820.50N/1420204.10E ▲ CHITOSE VOR(CHE)		30		7000				
424159.65N/1414110.20E								
V8 ▲ MONBETSU VOR(MVE)								
441818.96N/1432342.33E △ SAROM	236 ---- 056	19		↑ 5000 8000 ↓	8			
440516.01N/1430426.84E △ LUBEK		6		8000				
440108.77N/1425822.82E △ ASAHIKAWA VOR(AWE)		31						
434002.15N/1422724.65E △ BEEBA	250 ---- 069	37	20 ---- 38	6000				
432106.67N/1414259.79E ▲ SAPPORO VOR(SPE)		21						
431028.71N/1411808.58E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V9 △ OKUSHIRI VOR/DME(ORE)								
420413.09N/1392636.25E △ IKORU	115 ---- 295	11		4000	8			
420113.08N/1394047.42E △ MAIKA		14						
415719.68N/1395856.92E △ ESASI		10		5000				
415448.28N/1401124.45E △ PATRA		15						
415041.06N/1403046.85E ▲ HAKODATE VOR/DME(HWE)		15						
414626.51N/1404955.98E								
V10 ▲ NIIGATA VORTAC(GTC)								
375729.86N/1390653.59E △ WAPPA*	040 ---- 221	125	108 ----- 88	FL170	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 27°34'T and 37°34'T FM GTC. b. Lines extending on 218°40'T and 206°28'T FM MIS.			*YTE MRA FL200
394204.07N/1403305.58E ▲ SAMBO		34		13000				
401115.92N/1405701.37E △ MISAWA VORTAC(MIS)		37		8000				
*404213.76N/1412251.99E**								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V13 ▲ CHITOSE VOR(CHE)								
424159.65N/1414110.20E △ SIRAO	210 ---- 029	47		6000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 205°28'T and 195°28'T FM CHE. b. Lines extending on 15°28'T and 25°28'T FM MRE.			
415757.98N/1411856.38E △ KAMDO		7						
415148.28N/1411535.61E △ TIKYU		11						
414102.54N/1411021.49E △ OHMAR		24						
411833.99N/1405915.62E ▲ AOMORI VOR(MRE)		37						NAV GAP VOR unusable BTN 30nm and 31nm FM MRE ON MRE-CHE
404419.65N/1404219.20E △ YACHI	196 ---- 015	15	56 ---- 86	6000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 194°02'T and 179°00'T FM MRE. b. Lines extending on 1°31'T and 11°31'T FM YTE.			
402925.44N/1404004.97E (MRE 21 DME) △ HINAI		6		7000				
		6		9000				
401730.07N/1403817.94E (MRE 32 DME) (MRE 51 DME) △ WAPPA*		5		10000				
		19		FL150				
		12		FL200				*YTE MRA FL200
394204.07N/1403305.58E △ MONAI		34						
390800.77N/1402756.17E ▲ YAMAGATA VOR(YTE)		45		8000				
382319.04N/1402128.63E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V15 ▲ NIIGATA VORTAC(GTC)								
375729.86N/1390653.59E (GTC 15 DME) △ KALON	172 ---- 351	15		11000 ↓ ↑ 6000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 168°27'T and 158°27'T FM GTC. b. Lines extending on 338°27'T and 348°27'T FM SYE.			NAV GAP BTN 49 DME and 52 DME FM SYE ON SYE-GTC
		77		11000				
362923.79N/1393946.44E △ AKAGI		6		7000				
362328.33N/1394156.28E ▲ SEKIYADO VOR(SYE)		24						
360039.33N/1395021.02E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V17 ▲ OSHIMA VORTAC(XAC)								
344244.11N/1392450.46E △ ITTOH	282 ---- 102	20		6000	8			
344429.57N/1390040.10E ▲ SHIZUOKA VOR/DME(SZE)		40		7000				
344748.63N/1381135.51E △ MIKKA	276 ---- 096	36		7000				
344629.03N/1372758.30E △ TRIKE	286 ---- 106	9						
344751.23N/1371705.45E △ CHUBU VOR/DME(CBE)		24		4000				
345128.82N/1364811.41E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V18 ▲ OSHIMA VORTAC(XAC)								
344244.11N/1392450.46E △ NIVIL	176 ---- 356	31		7000	8			
341150.69N/1393156.86E ▲ OYAMA VOR/DME(MOE)		8						
340415.75N/1393340.64E △ GYOGN	165 ---- 345	35		5000				
333148.92N/1394844.58E △ SANGO	190 ---- 010	9						
332250.44N/1394814.02E ▲ HACHIJOJIMA VOR/DME(HCE)		16						
330651.66N/1394718.54E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V22 ▲ CHITOSE VOR(CHE)								
424159.65N/1414110.20E △ TOBBY	185 ---- 005	47		7000	(1) 8 (2) The airspaces bounded by the following lines a. Lines extending on 180°59'T and 170°59'T FM CHE. b. Lines extending on 350°59'T and 0°59'T FM MQE. c. Lines extending on 209°51'T and 199°51'T FM MQE. d. Lines extending on 19°51'T and 29°51'T FM SDE.			
415507.29N/1414535.87E ▲ OBCHI		63		10000				
405226.72N/1415127.82E △ CAVES		37		7000				
401550.87N/1415454.67E ▲ MIYAKO VOR(MQE)		24						
395156.30N/1415703.84E ▲ SENDAI VOR(SDE)	214 ---- 032	114		13000				
380818.86N/1405517.34E △ HERON	211 ---- 031	40		6000				
373155.90N/1403555.59E △ FUKUSHIMA VOR/DME(FKE)		20						
371327.50N/1402613.51E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V28 ▲ NAGOYA VORTAC(KCC)								
351554.96N/1365453.73E △ RITTO	262 ---- 082	22		7000	(1)8 (2)The airspaces bounded by the following lines. a.Lines extending on 259°44'T and 249°44'T FM KCC. b.Lines extending on 047°20'T and 069°57'T FM ITE.			
351001.60N/1362900.52E △ BIWWA		12		12000				
350657.59N/1361521.61E △ ADGUN		12		FL170				
350344.73N/1360117.03E △ MIDER*		10						*KCC MRA FL170
350101.37N/1354933.61E △ ITAMI VOR/DME(ITE)	246 ---- 066	24		9000				
344819.74N/1352413.18E △ ARIMA	266 ---- 086	15		8000	(1)8 (2)The airspaces bounded by the following lines. a.Lines extending on 279°27'T and 239°02'T FM ITE. b.Lines extending on 084°19'T and 094°19'T FM OYE.			
344522.68N/1350621.41E △ BUMER	277 ---- 097	6		9000				
344522.72N/1345947.31E △ OMBIP		21		8000				
344519.54N/1343417.39E △ OLIVE		6		6000				
344517.65N/1342700.24E △ KIBI VOR/DME(OYE)		30		5000				
344501.38N/1335006.20E △ WASYU	241 ---- 061	28			8			
342817.50N/1332301.14E △ HONGO VOR/DME(HGE)	272 ---- 092	23						
342601.59N/1325526.29E (Cont'd)								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V28 (Cont'd)								
△ MASKU	249 ---- 069	37						
340808.50N/1321609.94E △ MARCO		7						
340446.04N/1320850.17E △ KATTA	266 ---- 086	23						
340013.04N/1314112.84E △ UBE VOR/DME(UBE)		21		5000	8			
335608.26N/1311700.71E △ SUOH VOR/DME(SWE)	257 ---- 077	14						
335123.82N/1310145.84E △ ONGHA	259 ---- 079	13						
334719.34N/1304712.88E ▲ FUKUOKA VORTAC(DGC)		21						
334034.35N/1302322.66E △ FUKUE VOR/DME(FUE)	240 ---- 060	99		10000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 237°50'T and 227°50'T FM DGC. b. Lines extending on 46°58'T and 56°58'T FM FUE.			
324006.98N/1284936.25E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V29 △ OKI VOR/DME(OIE)								
361036.27N/1331922.16E △ DOZEN	213 ---- 033	9	30 ---- 20	4000	8			
360205.78N/1331430.44E △ IZUMO VOR/DME(XZE)		41						
352502.06N/1325332.54E △ KYOKA	194 ---- 014	14		7000				
351046.37N/1325153.70E △ MIYOS		17		9000				
345336.99N/1324955.39E △ HONGO VOR/DME(HGE)	179 ---- 359	28		7000				
342601.59N/1325526.29E								
V30 ▲ CHITOSE VOR(CHE)								
424159.65N/1414110.20E △ ESANN	224 ---- 043	47		6000	(1)8 (2)The airspaces bounded by the following lines. A. (a). Lines extending on 204°03'T and 194°03'T FM HWE. (b). Lines extending on 14°03'T and 24°03'T FM GTC. B. (a). Lines extending on 239°08'T and 229°08'T FM GTC. (b). Lines extending on 49°07'T and 59°07'T FM KMC.			NAV GAP DME unusable BTN 3DME and 7DME FM HWE ON HWE-CHE
420321.67N/1410527.55E ▲ HAKODATE VOR(HWE)		20						
414626.51N/1404955.98E △ TSURU	208 ---- 027	54		↑ 6000 FL230 ↓				
405545.68N/1402636.82E △ OBAKO		54		FL230				
400422.34N/1400316.11E △ ATUMI		91						
383813.44N/1392421.51E △ BUDOH		15		FL160				
382358.50N/1391831.08E △ INAHO		15		5000				
380947.11N/1391217.05E ▲ NIIGATA VORTAC(GTC)		13						
375729.86N/1390653.59E (Cont'd)								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V30 (Cont'd) △ TERAD	244 ---- 061	37		5000				
373613.22N/1382849.19E △ HAKBA		35		10000 (13000 for using TACAN only)				
371535.83N/1375304.71E △ GORYU		7		11000 (FL140 for using TACAN only)				
371154.55N/1374610.35E (KMC 75 DME) △ IKUJI		7 10						
370217.50N/1372932.53E △ URUSI		22		11000				
364909.15N/1370753.52E △ IMIZU		8						
364422.39N/1365925.55E △ OYABE		14		8000				
363618.35N/1364512.98E ▲ KOMATSU VORTAC(KMC)		21						
362347.29N/1362415.31E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE-OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V31 ▲ HAKODATE VOR/DME(HWE)								
414626.51N/1404955.98E △ TAXIR	194 ---- 014	20		6000	8			*MRE MCA 6500 South-bound
412632.43N/1404728.04E △ HIBAR		20						
410638.30N/1404501.60E △ BYOBU		6						
410009.54N/1404414.25E ▲ AOMORI VOR/DME(MRE)*		16						
404419.65N/1404219.20E △ MAGGY	209 ---- 028	52	45 ---- 26	7000				
395456.61N/1401926.80E ▲ YUWA VOR/DME(UWE)		19						
393701.66N/1401112.97E △ YAYOI	215 ---- 035	20		↑ 5000 9000 ↓	(1)8 (2)The airspaces bounded by the following lines. A. a. Lines extending on 212°04'T and 202°04'T FM UWE. b. Lines extending on 21°24'T and 31°24'T FM GTC. B. a. Lines extending on 218°15'T and 208°15'T FM GTC. b. Lines extending on 26°12'T and 40°19'T FM KCC.			
391910.08N/1395933.76E △ SEBGA		17		9000				
390408.91N/1394935.99E △ KENSI		25						
384155.70N/1393512.06E △ AWASI		20						
382419.80N/1392354.30E ▲ NIIGATA VORTAC(GTC)		30		↑ 9000 5000 ↓				
375729.86N/1390653.59E △ MAGNA	223 ---- 040	40	113 ---- 80	↑ 5000 FL200 ↓				
372400.10N/1383916.78E △ NAEBA		10		FL200				
371514.90N/1383208.58E △ AZUMI		56		FL200 (FL260 for using TACAN only)				
362850.15N/1375432.88E (KCC 75 DME)		13						
(KCC 55 DME)		20		FL200				
△ OWARI		49		13000				
352106.20N1365857.86E ▲ NAGOYA VORTAC(KCC)		6						
351554.96N/1365453.73E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V32 ▲ YUWA VOR/DME(UWE)								
393701.66N/1401112.97E △ CHOKA	182 ---- 002	20		7000	8			
391709.51N/1401401.06E △ MIKUM		17						
390004.28N/1401624.49E △ MAMRO		10						
385000.59N/1401748.16E ▲ YAMAGATA VOR/DME(YTE)		27						
382319.04N/1402128.63E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V33 △ MISAWA VORTAC(MIS)								
*404213.76N/1412251.99E** (HPE 15 DME) ▲ HANAMAKI VOR/DME(HPE)	197 ---- 017	62	15 ---- 62	10000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 208°24'T and 168°34'T FM MIS. b. Lines extending on 3°29'T and 13°29'T FM HPE.			
		15		6000				
392600.09N/1410800.60E ▲ SENDAI VOR(SDE)	196 ---- 015	78		7000				
380818.86N/1405517.34E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V34 ▲ MIYAKO VOR/DME(MQE)								
395156.30N/1415703.84E △ MORIO	244 ---- 064	27		9000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 234°48'T and 218°58'T FM HPE. b. Lines extending on 41°53'T and 51°53'T FM GTC.			
393645.20N/1412818.24E (HPE 10 DME) ▲ HANAMAKI VOR/DME(HPE)		9						
		10		↑ 9000 6000 ↓				
392600.09N/1410800.60E (HPE 12 DME) △ HANKA	236 ---- 055	12	50 ---- 80	7000				*MAMRO MCA 12000 East bound
		24		11000				
390105.96N/1403340.77E △ MAMRO*		17		12000				
385000.59N/1401748.16E (GTC 20 DME) ▲ NIIGATA VORTAC(GTC)		57		10000 (11000 for using TACAN only)				
		20		5000				
375729.86N/1390653.59E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V35 ▲ KUSHIRO VOR(TCE)								
430209.78N/1441202.72E △ CRANE	200 ---- 020	13		5000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 195°35'T and 185°35'T FM TCE. b. Lines extending on 47°21'T and 62°09'T FM MQE.			
424916.84N/1440846.59E △ KABRU		4						
424511.26N/1440744.53E △ SAPEM		12		10000				
423313.55N/1440443.89E △ AREPO		65						
412937.10N/1434900.38E △ OLNAS		45		FL180				
404509.40N/1433817.05E △ PALVA	243 ---- 063	23						
403208.21N/1431301.53E ▲ MIYAKO VOR(MQE)		71						
395156.30N/1415703.84E								
V36 ▲ HANAMAKI VOR/DME(HPE)								
392600.09N/1410800.60E (HPE 12 DME)	219 ---- 038	12		7000	8			
△ RUNID		18		9000				
390009.75N/1404838.10E △ LAVOT		10		11000				
385134.68N/1404215.54E (YTE 15 DME)		18						
▲ YAMAGATA VOR/DME(YTE)		15		7000				
382319.04N/1402128.63E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V37 ▲ KUSHIMOTO VORTAC(KEC)								
332651.87N/1354740.18E △ KISEI	281 ---- 099	23	61 --- 45	6000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 278°04'T and 268°04'T FM KEC. b. Lines extending on 86°18'T and 99°50'T FM KRE.			
332804.16N/1351944.01E △ PADOC		17		8000				
332858.38N/1345950.00E △ TOSAR		20						
333002.09N/1343555.24E △ RYOMA		11		10000				
333037.07N/1342234.31E (KRE 25 DME)		10		7000				
▲ KOCHI VOR/DME(KRE)		25		6000				
333230.42N/1334048.57E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V38 ▲ KOMATSU VORTAC(KMC)								
362347.29N/1362415.31E ▲ MIYAZU VOR/DME(YME)	237 ---- 055	83		8000	8			
352850.49N/1350813.28E △ OLIVE	225 ---- 045	55		11000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 222°57'T and 212°57'T FM YME. b. Lines extending on 25°50'T and 39°58'T FM KTE.			
344517.65N/1342700.24E ▲ KAGAWA VOR/DME(KTE)	220 ---- 040	39		5000				
341244.99N/1340121.33E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V40 ▲ KAGAWA VOR/DME(KTE)								
341244.99N/1340121.33E △ KOMPI	257 ---- 077	8		9000	8			
341002.08N/1335233.07E △ SAKAI		22						
340224.51N/1332728.60E △ MALTA	259 ---- 079	13		FL150				
335826.17N/1331251.53E ▲ MATSUYAMA VOR/DME(MYE)		27		11000				
334948.37N/1324132.00E △ HEIGU	255 ---- 074	33		4000				
333646.76N/1320427.95E △ MUSASHI VOR/DME(TFE)		19						
332922.97N/1314343.52E △ WOODY	216 ---- 036	25		9000				
330736.58N/1312932.11E △ IGLAT	249 ---- 069	7		10000				
330409.63N/1312152.91E △ ASONO		7						
330058.11N/1311449.42E △ KAZMA		5		8000				
325837.74N/1310934.05E △ TUJUN		14						
325158.26N/1305441.47E ▲ KUMAMOTO VOR/DME(KUE)		4		↑ 8000 6000 ↓				
325005.29N/1305029.45E △ ESNAL	282 ---- 102	12		↑ 7000 9000 ↓				
325112.57N/1303618.49E △ TAIME		7						
325147.11N/1302815.66E △ IRPIN		5		6000				
325218.47N/1302204.27E △ MILEP		6		7000				NAV GAP DME unusable BTN 5 DME and 14 DME FM OLE ON OLE-KUE
325250.49N/1301501.22E (Cont'd)		17		7000				

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V40 (Cont'd) ▲ NAGASAKI VOR/DME(OLE)		17		7000	8			
325418.89N/1295504.73E △ OSETO	263 ---- 083	15		5000				
325037.00N/1293746.89E △ AGRIT		16						
324631.76N/1291848.48E △ CARCO		14						
324301.73N/1290247.66E △ FUKUE VOR/DME(FUE)		12						
324006.98N/1284936.25E								
V52 ▲ KOMATSU VORTAC(KMC)								
362347.29N/1362415.31E (KMC 25 DME) △ OHNNO	168 ---- 348	25		8000	8			NAV GAP BTN 7 DME and 15 DME FM KMC
355328.29N/1363803.40E △ HACHI		7		12000				
354704.21N/1364056.98E △ MINOU		7						
353923.51N/1364424.15E ▲ NAGOYA VORTAC(KCC)		8						
351554.96N/1365453.73E △ CHUBU VOR/DME(CBE)	200 ---- 020	25		6000				
345128.82N/1364811.41E △ SHIMA	205 ---- 025	35		3000				
341815.80N/1363519.24E △ AYANO	225 ---- 045	16		5000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 207°07'T and 188°38'T FM CBE. b. Lines extending on 32°22'T and 42°22'T FM KEC.			
340546.03N/1362337.09E ▲ KUSHIMOTO VORTAC(KEC)		49		11000 (FL140 for using TACAN only)				
332651.87N/1354740.18E		5		8000 (10000 for using TACAN only)				

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V53 ▲ KAGAWA VOR/DME(KTE)								
341244.99N/1340121.33E △ OBOKE	211 ---- 030	13		8000	8			*KRE MCA 6000ft (KRE→KTE)
340053.91N/1335517.46E △ POPPY		13						
334905.07N/1334915.33E ▲ KOCHI VOR/DME(KRE)*		18						
333230.42N/1334048.57E △ SUSAK	223 ---- 043	15		5000				
332022.21N/1333013.65E △ OKITU		18		6000				
330547.45N/1331731.45E ▲ SHIMIZU VORTAC(SUC)		25						
324521.49N/1325947.93E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V54 △ WOODY(TFE R216/25DME)								
330736.58N/1312932.11E △ BARBA	216 (TFE) ---- 035	17	46 (TFE) ---- 77	10000	(1)8 (2)The airspaces bounded by the following lines. a. Lines extending on 23°00'T and 33°06'T FM HKC. b. Lines extending on 200°19'T and 216°57'T FM TFE.			
325253.07N/1312001.15E △ ORAMO		20		11000				
323519.29N/1310845.15E △ KROMA		8						
322813.04N/1310413.23E △ HIGOH		19		10000				
321145.37N/1305346.45E ▲ KAGOSHIMA VORTAC(HKC)		34		8000				
314150.00N/1303458.59E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V55 ▲ MIYAZU VOR(YME)								
352850.49N/1350813.28E △ ROKKO	167 ---- 347	23		7000	8			
350700.56N/1351800.92E △ SANDA	172 ---- 352	12						
345550.20N/1352143.92E △ ITAMI VOR(ITE)		8		5000				
344819.74N/1352413.18E △ IZUMI	184 ---- 004	22			(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 172°11'T and 182°11'T FM ITE. b. Lines extending on 324°26'T and 338°32'T FM KEC.			
342628.54N/1352531.28E △ IYOKA		4						
342218.42N/1352546.10E △ OSAMU		4		6000				
341817.59N/1352600.36E △ NORAN		20		7000				
335800.89N/1352712.06E ▲ KUSHIMOTO VORTAC(KEC)	159 ---- 339	36		8000				
332651.87N/1354740.18E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V56 △ MARCO								
340446.04N/1320850.17E ▲ MATSUYAMA VOR/DME(MYE)*	126 ---- 306	31		5000	8			*MYE MCA 7000ft (MYE → KRE) MYE MRA 10000FT at MYE 14DME
334948.37N/1324132.00E △ ROCKY	116 ---- 296	21		10000				
334250.65N/1330538.15E △ OMOGO		6						
334049.70N/1331233.12E ▲ KOCHI VOR/DME(KRE)		25						
333230.42N/1334048.57E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V57 △ HAKBA								
371535.83N/1375304.71E △ HAPPO	187 ---- 007	10		12000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 268°33'T and 88°33'T FM HAKBA. b. Lines extending on 353°33'T and 3°33'T FM MBE.			
370604.90N/1375320.73E △ AZUMI		37						
362850.15N/1375432.88E △ MATSUMOTO VOR/DME(MBE)		19		11000				
360921.51N/1375511.34E △ OKVAB	180 ---- 360	10		10000				
355927.21N/1375658.14E △ TENRU		19		12000	8			
354010.53N/1380024.97E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V71 ▲ TAPOP								
322017.30N/1361621.89E ▲ DEMPA	239 ---- 059	60		FL60	50			
314329.56N/1351952.37E ▲ GURAR	239 ---- 058	72						
305910.73N/1341338.41E ▲ SABAN	238 ---- 057	135						
293448.71N/1321224.35E △ OLSAK	237 ---- 057	19						
292239.98N/1315525.83E △ POMAS	247 ---- 066	107			(1)8 (2)The airspaces bounded by the following lines A. (a) A line extending on 30°02'T FM *2806N/12935E*. (b) A line extending on 90°19'T FM *2817N/12951E*. (c) Lines extending on 330°17'T and 150°17'T FM *2839N/13025E*. B. (a) Lines extending on 45°00'T and 55°00'T FM ONC. (b) Lines extending on 330°17'T and 150°17'T FM *2839N/13025E*.			
283014.76N/1300839.09E △ DONAN	235 ---- 055	50		10000				
275755.55N/1292440.49E ▲ ERABU VORTAC(ONC)		50		6000				
272558.38N/1284156.27E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels		Remarks Controlling unit Frequency
						Odd	Even	
1	2			3	4	5		6
V73 ▲ ERABU VORTAC(ONC)								
272558.38N/1284156.27E △ TAMAK	079 ---- 259	22		6000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 69°44'T and 79°44'T FM ONC. b. Lines extending on 344°44'T and 164°44'T FM DELTA.			E BOUND ONLY
273153.07N/1290553.48E △ DELTA		78						
275214.02N/1303052.02E △ HIDEK	080 ---- 261	122		FL60	17 - 50			
282150.97N/1324502.30E ▲ DOVAG	081 ---- 262	58						
283501.96N/1334850.96E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V75 ▲ NAHA VORTAC(NHC)								
261230.71N/1273834.32E △ ESKOB	103 ---- 283	17		8000	(1)8 (2)The airspaces bounded by the following lines A. (a) Lines extending on 92°50'T and 102°50'T FM NHC. (b) Lines extending on 279°33'T and 269°33'T FM MDE.			
261009.51N/1275727.64E △ NANJO		18						
260739.47N/1281709.81E △ BUICK		25						
260405.77N/1284436.58E △ TOPAT		39		FL180				
255821.68N/1292724.47E △ HALMA	099 ---- 279	68		8000				
255334.96N/1304240.05E △ CORCO		15		5000				
255226.49N/1305915.08E △ WHALE		5		3000				
255203.25N/1310446.65E ▲ MINAMIDAITO VOR/DME(MDE)		10		3000				
255116.14N/1311549.64E △ NIRAI	075 ---- 255	115		FL150				
262951.39N/1331627.05E ▲ CANAI	076 ---- 256	44		FL60				
264401.21N/1340227.33E								

Route designator (RNP type) Name of significant points Coordinates	Track MAG (GEO) VOR RDL	DIST (NM)	CHANGE -OVER POINT (COP)*	MEA (FT or FL)	Lateral limits (NM)	Direction of cruising levels Odd	Direction of cruising levels Even	Remarks Controlling unit Frequency
1	2			3	4	5		6
V90 ▲ MIYAKOJIMA VORTAC(MJC)								
244638.61N/1251736.27E △ SHUJI	253 ---- 073	11		3000	8			
244232.32N/1250554.80E △ UMAKI		14						
243721.70N/1245115.01E △ KAMPU		3						
243621.79N/1244825.94E △ GUSUK	252 ---- 072	23						
242754.18N/1242527.08E ▲ ISHIGAKIJIMA VOR/DME(IGE)		11		4000				
242345.64N/1241416.63E								
V91 ▲ NAHA VORTAC(NHC)								
261230.71N/1273834.32E △ OLVAL	241 ---- 061	15		8000	(1)8 (2)The airspaces bounded by the following lines a. Lines extending on 241°41'T and 230°56'T FM NHC. b. Lines extending on 50°40'T and 60°40'T FM MJC.			NAV GAP TACAN AZM Unusable BTN 64DME and 70DME FM NHC
260411.00N/1272441.30E △ DODGE		35						
254437.98N/1265227.01E △ RYOSA		24		10000				
253111.57N/1263020.88E △ PAYAO	240 ---- 060	26						
251644.96N/1260632.88E △ HIRAR		23		6000				
250351.77N/1254529.43E ▲ MIYAKOJIMA VORTAC(MJC)		31		3000				
244638.61N/1251736.27E								

INTENTIONALLY LEFT BLANK