

Vidrip — Pre-Launch E2E Test Plan

Manual end-to-end QA before beta go-live · 2026-06-21

Manual end-to-end QA plan to validate functionality before the beta goes live. Automated E2E (Maestro/Detox) is a later phase, so this is executed by hand on real devices. Pure-logic Jest suites (61 tests) already cover the merge/recipe/queue/format logic — this plan covers the **user-facing flows** that unit tests can't.

How to use

- Run the **Smoke Test** (§3) first on each platform — if any fails, stop and fix before deeper testing.
- Then work each suite (§5). Mark every case **Pass / Fail / Blocked / N/A** with device + build #.
- Log defects with: case ID, device/OS, steps, expected vs actual, screen recording.
- Re-run the **Regression Checklist** (§6) after any fix. Ship only when **Exit Criteria** (§7) are met.

1. Pre-launch blockers & environment prep

These MUST be done or the corresponding flows can't be tested / will fail in production.

#	Item	Why it blocks	Owner
P1	Fill OAuth client IDs in <code>oauth/config.ts</code> (Google/YouTube, TikTok, Meta/Instagram, Facebook)	Social connect + feed import fail without them	Owner
P2	Apply pending Supabase migrations to prod (<code>ltpscwticavqutbzzrjb</code>): <code>0007_studio_friend_shares</code> , <code>20260621c_group_chat_dedupe</code> , <code>20260621d_channel_updates_last_unseen</code>	Studio→friends shares, group dedupe, and channel rows in Feed won't work	Owner
P3	Confirm magic-link emails use the <code>vidrip.app</code> host (CF worker)	Sign-in link must resolve	Owner
P4	Verify push (APNs / FCM) credentials + entitlements	Notifications + deep links	Owner
P5	Universal Links / app-store URLs for invite <code>/i/<code></code> landing	Invite acceptance path	Owner
P6	Privacy Policy / TOS reachable + data-controller entity correct	App review + legal	Owner
P7	Seed test accounts: 2+ friends, 1 creator channel w/ posts, 1 members-only channel, 1 group chat, 1 exclusive collection	Needed to exercise social flows	QA

Test data needed: ≥3 user accounts (A = primary, B = friend, C = creator), a real YouTube/TikTok/IG/FB test asset to share, and a short video to record reactions against.

2. Device / platform matrix

Tier	iOS	Android
Primary	iPhone (current iOS, notch + Dynamic Island)	Pixel (current Android)
Secondary	Older small iPhone (SE)	Samsung (One UI), low-RAM device
Note	Camera/recording does not work on the iOS Simulator — use a physical device for all Studio/record/lens cases. On Android, test back-gesture + hardware back button.	

3. Smoke test (run first — all must pass)

ID	Scenario	Expected
SM1	Cold launch → onboarding → sign in via magic link	Lands authenticated on Feed
SM2	Bottom nav: Feed · Channels · Studio(FAB) · Messages · Browse	Each tab loads, correct blob/icon, no crash
SM3	Open Account from top-nav blob (every tab)	Account screen opens
SM4	Friend shares a video → A sees it in Feed → taps → doom-react records & saves	Reaction posts; Feed entry clears
SM5	Record + publish a Studio clip (trim→filter→overlay→details→post)	Clip processes to "Live"
SM6	Browse a shorts feed and send one to a friend	Friend receives it
SM7	Open a Channel, play its intro, react to a video	Reaction recorded
SM8	Create a group chat with 2 friends	Group opens; no duplicate on retry
SM9	Connect one social account (e.g. Instagram)	Spinner shows on the correct row; connects
SM10	Force-quit mid-upload, relaunch	Upload resumes/queues; no data loss; no crash

5. Detailed test suites

A. Auth & Onboarding

ID	Scenario	Steps → Expected
A1	First-run onboarding	Fresh install → scenes play → reaches Welcome. Replays only when triggered, not every launch.
A2	Magic-link sign-in	Enter email → "sent" confirmation (input not cleared prematurely) → tap link → opens authenticated.
A3	Invite code gate	Valid code → Create Profile with code shown prominently. Invalid/used → clear error.
A4	Create profile	Set handle/name/avatar → fits without scroll → submit → Feed. Duplicate handle → error.
A5	OAuth connect (YouTube, TikTok, Instagram, Facebook)	Account → Connect → browser → authorize → returns → row shows connected handle/avatar.
A6	OAuth cancel / deny	Cancel → "Couldn't connect" alert; no stuck spinner; row stays "Connect".
A7	Facebook two-phase	Connect FB → Pages list → pick Page → reels import. Dismiss → "Connected, choose a Page" + resume works.
A8	Sign out / back in	State clears on sign-out; re-auth restores account.

B. Feed & Doom-React

ID	Scenario	Expected
B1	Actionable-only Feed	Only friends/groups/channels with unseen items appear; caught-up convos live in Messages.
B2	Friend doom-react chain	Tap friend → first pending video → auto-advances through that friend's pending, then the rest → back clears queue.
B3	Channel doom-react	Tap channel → starts on oldest unwatched → chains through channel → continues into pending friend/group shares.
B4	Channel rows interleaved	Channels with unseen uploads appear as 📺 rows sorted by last unseen upload time. (Needs P2.)
B5	Feed badge	Bottom-tab badge = total actionable (friends + groups + channels); updates after reacting.
B6	Sort order	Most-recent activity first across all row types; pull-to-refresh reloads friends + channels.
B7	DrippyEyes / timestamps	Unreplied rows show animated eyes; every row shows a relative timestamp.
B8	Empty state	No actionable items → "You're all caught up".
B9	Group rename	Long-press group → branded rename sheet → save / reset-to-default.

C. Channels

ID	Scenario	Expected
C1	Browse/explore	Public + members-only listed; private DM "channels" do NOT appear (they're in Messages).
C2	Channel card	Last-updated stamp, video/post count (not member count), playable Intro tile.
C3	Intro video	Tap Intro → full-screen autoplay → auto-closes on end / tap to close.
C4	Subscribe / join / invite	Join public; subscribe to gated; accept/decline invite; locked states render.
C5	React to channel post	Open post → Record Your Reaction → posts; reaction count increments.
C6	Reviews	After reacting, leave a review; count updates.
C7	Floating record buttons	Mic + video fixed bottom-right (Studio style) above nav, in empty and populated states.
C8	Members-only playback	Joined member watches source videos; non-member gated.

D. Messages & Friends

ID	Scenario	Expected
D1	Messages home	All conversations incl. caught-up; no "to react" entries (Feed-only). Latest-activity timestamps, sorted desc.
D2	Friends context menu	Top-nav Friends blob (Messages only) → animated menu: Add friend / Import contacts / New group chat — not clipped.
D3	Add a friend	Has back button to Messages; add by code/handle.
D4	Import from contacts	Sends invite codes (no phone numbers stored).
D5	New group chat	Slides in from right, preserves bottom nav, no purple gutter; pick ≥2 friends → Create.
D6	Group dedupe	Same member set as an existing group opens that chat (order-independent). (Needs P2.)

ID	Scenario	Expected
D7	Friend conversation	Merged timeline of shares + reactions + DM clips/audio; record via floating right-side buttons.
D8	Swipe to hide	Swipe row → Hide → removed for me only (group/thread not deleted); stays hidden after refresh.
D9	DM audio/video send	Hold mic → preview → send; record a video clip → sends.

E. Studio (creation → publish → schedule → collections)

ID	Scenario	Expected
E1	Studio as a tab	FAB → StudioHome with bottom nav ; no top X. Deeper steps hide the nav.
E2	Capture → Trim	Record/import → trim applies; >3min (MAX_STUDIO_MS) rejected/clamped.
E3	Filter / adjust	Presets + brightness/contrast/saturation/exposure/hue; preview matches.
E4	Lens filters grid	True 4-column grid , edge-to-edge (no right gutter); tabs switch correctly.
E5	Overlay / stickers	Text/sticker/animated overlays composite in preview.
E6	Publish fork	Publish to friend(s) vs channel ; each lands correctly. (Friends path needs P2.)
E7	Drafts	Exit mid-flow → draft saved → resume from last saved or raw footage.
E8	Scheduled posts	Future release date → hidden until release passes → appears after. Check "Scheduled" tab.
E9	Collections / exclusive	Create collection, mark post exclusive → appears only in its collection, gated by award.
E10	Processing status	Uploading→Processing→Live; manual refresh works if webhook delayed.

F. Browse / Share & Reactions (recording engine)

ID	Scenario	Expected
F1	Shorts feed	Plays YouTube/TikTok/IG/creator sources; smooth scroll.
F2	Share to friends	Comment + send buttons (Studio-styled) work; pick friends → delivered.
F3	Reaction recorder	Source plays + camera records in sync; 180s cap with countdown.
F4	Face lens	Tracks face (478-pt mesh); selected lens renders live; switching works.
F5	Anonymous mode	Silhouette + voice-mod ("deep") applied; identity obscured in saved reaction.
F6	Headphones prompt	Recording w/o headphones surfaces the "use headphones" hint.
F7	Afterthought	(Non-queued) afterthought clip records and attaches.
F8	Intro pre-roll	Sender intro plays once per session per thread, not repeatedly.

G. Account & Settings

ID	Scenario	Expected
G1	Account blob top-nav	Reachable from every tab; yellow blob breathes/blinks when active.
G2	Social connect spinner	Connecting Instagram shows the spinner on the Instagram row (not Facebook); other Connect buttons disable.

ID	Scenario	Expected
G3	Disconnect / toggle	Disconnect a provider; enabled toggle persists.
G4	Edit profile	Change handle/avatar/bio → saves and reflects everywhere.
G5	Phone (optional)	Add/save phone; empty allowed.
G6	Password + 2FA	Set password; enable 2FA → MFA challenge on next sign-in.
G7	Block / unblock	Block → content disappears from feed/lists; unblock restores.
G8	Delete account	Deletion completes; data removed; signed out.

H. Exclusive / Awards

ID	Scenario	Expected
H1	Exclusive rail	Feed rail shows available gifts/collections.
H2	Gift reveal	Open gift award → reveal animation → grants access.
H3	Exclusive watch	Granted exclusive plays; ungranted gated.

I. Notifications & Deep Links

ID	Scenario	Expected
I1	Permission prompt	Android 13+ runtime permission; iOS prompt shown.
I2	Notifications (reaction/channel/award)	Received in fg/bg/killed with correct copy.
I3	Tap notification → deep link	Opens the right screen (thread/channel/award).
I4	Invite universal link	<code>/i/<code></code> opens app (installed) or store (not). (Needs P5.)
I5	OAuth deep link return	Returning from provider browser routes back; no lost session.

J. Moderation, Privacy & Safety

ID	Scenario	Expected
J1	Video moderation	A flagged clip is never uploaded/inserted (gated before publish).
J2	Report / hide	Reporting + hiding works; blocked authors filtered.
J3	Private data	DMs/private channels not visible to non-members; RLS enforced.
J4	Logging	No PII in logs; logger is a no-op in production builds.

K. Cross-cutting

ID	Scenario	Expected
K1	Offline / poor network	Graceful errors, retries; upload queue survives backgrounding.
K2	Upload queue	Multiple queued uploads complete in order; progress shown; failure retries.
K3	Orientation / safe areas	Layouts respect notch/Dynamic Island + bottom inset.
K4	Performance	No jank on Feed/Browse scroll, camera open, lens switching; stable memory.
K5	Deep nav / back	Back gesture + Android hardware back behave; nav hides only on Studio sub-screens.

ID	Scenario	Expected
K6	Timestamp localization	Relative-time stamps render sensibly (today/weekday/date/year).

6. Regression checklist (recent changes this cycle)

- Nav reorg: Feed/Channels/Studio/Messages/Browse + Account/Friends in top nav.
- Studio is a tab (nav visible on home, hidden on sub-screens); no top X.
- FriendConversation audio/video buttons float bottom-right (Studio style).
- ChannelCard shows video count + Intro tile.
- Group-create dedupe (P2). Channel unseen reactions interleaved into Feed (P2).
- Doom-react extends through channels then the rest of the feed.
- Lens picker is a 4-column grid, no right gutter.
- Account social-connect spinner shows on the correct provider row.
- Logger gating: no console output in a production build.

7. Exit criteria (sign-off to go live)

- All **Smoke Test** cases pass on both iOS + Android primary devices.
- No open **Sev-1/Sev-2** defects (crash, data loss, auth failure, payment/subscribe failure, privacy leak).
- Pre-launch blockers P1–P6 complete and re-verified end-to-end.
- Regression checklist fully ticked.
- `yarn typecheck` (0), `yarn test` (green), and a manual production-build smoke run pass.
- Crash-free session rate validated on a small TestFlight/Internal-testing cohort.

8. Severity guide

- **Sev-1**: crash, data loss, can't sign in, privacy leak, payment broken.
- **Sev-2**: core flow blocked (can't react/share/publish), no workaround.
- **Sev-3**: degraded UX, workaround exists. **Sev-4**: cosmetic.