

After 5 RESTful Services

API v1.1

[API Parameters](#)

[amount \(required\)](#)

[sort \(required\)](#)

[results.json \(required\)](#)

[API Modifiers](#)

[strip_html \(optional\)](#)

[status_check \(optional\)](#)

[API Usage Examples](#)

[Give me 10 of the most Recent Events.](#)

[Give me 5 of the Trending Articles.](#)

[Give me 20 of the most Recent Jobs and Strip HTML away from all text.](#)

[Give me 15 Trending Articles and prepend a Status Check to the resulting data structure.](#)

API Parameters

`/api/rest/get/[amount]/[sort]/[results.json]`

amount (required)

The total number of results to return. The minimum is 1.

sort (required)

How you would like the results to be sorted.

- recent
- trending

results.json (required)

The specific kind of content you'd like to retrieve from After 5.

- events
- photos
- articles
- style
- jobs

API Modifiers

.../results.json?[strip_html=boolean]

strip_html (optional)

Whether or not to strip all HTML out of text strings or not. Expects a “true” or “false” boolean as its argument.

status_check (optional)

Whether or not to prepend a ‘status : “ok”’ data structure to the results or not. Expects a “true” or “false” boolean as its argument.

API Usage Examples

Give me 10 of the most Recent Events.

<http://after5detroit.com/api/rest/get/1/recent/events.json>

Give me 5 of the Trending Articles.

<http://after5detroit.com/api/rest/get/5/trending/articles.json>

Give me 20 of the most Recent Jobs and Strip HTML away from all text.

http://after5detroit.com/api/rest/get/20/recent/jobs.json?strip_html=true

Give me 15 Trending Articles and prepend a Status Check to the resulting data structure.

http://after5detroit.com/api/rest/get/20/trending/articles.json?status_check=true