






Тема лабораторной работы	lb_7
Выполняющий	Воропаев Дмитрий
Помогающий	
Ход работы	<div>1) Вместо id прописываю строчку для получения рандомного числа для id моего питомца</div> <div><pre>1 { 2   "id": {{\$randomInt}}, 3   "category": {</pre></div> <div><pre>1 { 2   "id": 987, 3   "category": { 4     "id": 88, 5     "name": "giraffe" 6   }, 7   "name": "Arbuz", 8   "photoUrls": [ 9     "string" 10  ], 11  "tags": [ 12    { 13      "id": 0, 14      "name": "string" 15    } 16  ], 17  "status": "available"</pre></div> <div>2) Прописываю строку кода в Tests для сохранения id моего питомца</div> <div><pre>1 pm.collectionVariables.set("pet_id", pm.response.json().id)</pre></div> <div><pre>pet_id 371</pre></div> <div>3) Из выпадающего списка выбрал Status code: Code is 200 которая добавляет строки кода для проверки ответа 200 в противном случае завершится неудачей</div> <div><pre>1 pm.collectionVariables.set("pet_id", pm.response.json().id) 2 pm.test("Status code is 200", function() { 3   pm.expect(pm.response.status).toBe(200); 4 });</pre></div>

- 4) Добавил остальные части кода из snippets и отправляю запрос чтобы проверить что все test results положительные

```
1 pm.collectionVariables.set("pet_id", pm.response.json().id);
2 pm.test("Status code is 200", function () {
3   pm.response.to.have.status(200);
4 });
5
6 pm.test("Content-Type is present", function () {
7   pm.response.to.have.header("Content-Type");
8 });
9
10 pm.test("Response time is less than 2000ms", function () {
11   pm.expect(pm.response.responseTime).to.be.below(2000);
12 });
13
14 pm.test("Check that id in response equal pet_id", function () {
15   var jsonData = pm.response.json();
16   pm.expect(jsonData.id).to.eql(pm.collectionVariables.get("pet_id"));
17 });
18
```

Body Cookies Headers (8) **Test Results (4/4)**

Perform API tests faster with templates for integration testing, regression testing, and more.

All Passed Skipped Failed

- PASS Status code is 200
- PASS Content-Type is present
- PASS Response time is less than 2000ms
- PASS Check that id in response equal pet\_id

- 5) Прописываю еще 3 проверки на id, имя и категорию животного и получаю положительный ответ

```
19 pm.test("Check that id equal 88", function () {
20   var jsonData = pm.response.json();
21   pm.expect(jsonData.category.id).to.eql(88);
22 });
23
24 pm.test("Check category name equal Girrafe", function () {
25   var jsonData = pm.response.json();
26   pm.expect(jsonData.category.name).to.eql("giraffe");
27 });
28
29 pm.test("Check pet name equal Arbuz", function () {
30   var jsonData = pm.response.json();
31   pm.expect(jsonData.name).to.eql("Arbuz");
32 });

```

Body Cookies Headers (8) **Test Results (7/7)**

Perform API tests faster with templates for integration testing, regression testing, and more.

All Passed Skipped Failed

- PASS Status code is 200
- PASS Content-Type is present
- PASS Response time is less than 2000ms
- PASS Check that id in response equal pet\_id
- PASS Check that id equal 88
- PASS Check category name equal Girrafe
- PASS Check pet name equal Arbuz

- 6) Меня имя в body на Dinya и один тест проваливается из-за несоответствия имен

```

1  {
2    "id": {{ $randomInt }},
3    "category": {
4      "id": 88,
5      "name": "giraffe"
6    },
7    "name": "Dinya",
8    "photoUrls": [
9      "string"
10   ],
11   "tags": [
12     {
13       "id": 0,
14       "name": "string"
15     }
16   ]
17 }

```

body	Cookies	Headers (8)	Test Results (6/7)
Perform API tests faster with templates for integration testing, regression testing, and more.			
All Passed Skipped Failed ↺			
PASS Status code is 200			
PASS Content-Type is present			
PASS Response time is less than 2000ms			
PASS Check that id in response equal pet_id			
PASS Check that id equal 88			
PASS Check category name equal Girrafe			
FAIL Check pet name equal Arbuz   AssertionError: expected 'Dinya' to deeply equal 'Arbuz'			

- 7) В ссылки меняю id на :petid и появляется path variables и прописываю туда значение {{pet\_id}}

POST {{pet\_store}}/pet/:petid/uploadImage

Params • Authorization Headers (9) Body • Scripts • Settings

Query Params

Key	Value
Key	Value

Path Variables

Key	Value
petid	{{pet_id}}

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON ↺

```

1  {
2    "code": 200,
3    "type": "unknown",
4    "message": "additionalMetadata: avatar\\nFile uploaded to ./f6cd313de1dffe71e1b51e4e768dcfa1.jpg, 142688 bytes"
5  }

```

- 8) Так же делаю проверки на файл и аватар

```

Pre-request
1  pm.collectionVariables.set("pet_id", pm.response.json().id);
2  pm.test("Status code is 200", function () {
3    pm.response.to.have.status(200);
4  });
5
Post-response
6  pm.test("Content-Type is present", function () {
7    pm.response.to.have.header("Content-Type");
8  });
9
10 pm.test("Response time is less than 2000ms", function () {
11   pm.expect(pm.response.responseTime).to.be.below(2000);
12 });
13
14 pm.test("Check that message contains avatar", function () {
15   var jsonData = pm.response.json();
16   pm.expect(jsonData.message).to.contain("avatar");
17 });
18
19 pm.test("Check that message contains giraffe.jpg", function () {
20   var jsonData = pm.response.json();
21   pm.expect(jsonData.message).to.contain("giraffe.jpg");
22 });

```

body	Cookies	Headers (8)	Test Results (5/5)
Perform API tests faster with templates for integration testing, regression testing, and more.			
All Passed Skipped Failed ↺			
PASS Status code is 200			
PASS Content-Type is present			
PASS Response time is less than 2000ms			
PASS Check that message contains avatar			
PASS Check that message contains giraffe.jpg			

