Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

(www.creepydolls.byethost7.com)

Predmet: Web programiranje **Student:** Marija Lekić 132/12

Beograd, Decembar 2016.

1.0 Uvod	3
1.1 Korišćeni programsi jezici	3
1.2 Opis funkcionalnosti	3
1.3. Template	4
	5
1.4. Korišćeni CSS	5
2.0. Organizacija	7
2.1. Organizaciona šema	7
2.2. Mapa sajta	8
2.3 Slike stranica i opisi funkcionalnosti	8
2.3.1 index.html	8
3.0. Kodovi	13
3.1. HTML	13
3.1.1. index.html	13
3.2 CSS	36
3.2.1 stil.css	36
3.2.2 bootstrap.min.css	50
3.2.3 rss.xsl / style	50
3.2.4 sitemap.xsl / style	51
3.3. JS	53
3.3.1 provera.js	53
3.3.2 poll.js	63
3.3.3 jquery.js	69
3.3.4 search.js	72
3.4 XML	75
3.4.1 dolls.xml	75
3.4.2 sitemap.xml	77
3.4.3 sitemap.xsl	78
3.4.4 rss.xml	87
3 4 6 rss xsl	88

1.0 Uvod

1.1 Korišćeni programsi jezici

Za izradu sajta su korišćeni sledeći programski i markup jezici i biblioteke: HTML5, CSS3, Bootstrap, JavaScript, XML, XSL, AJAX, JQuery i njegov plugin Fancybox. Sajt je uradjen u Brackets-u.

1.2 Opis funkcionalnosti

Sajt ima sledeće funkcionalnosti:


- **Single page website** prelazak na određeni deo sajta preko navigacije i linkova je postignut efektom animate u Jquery-ju radi boljeg korisničkog iskustva.
- Drop down menu urađen pomoću Bootstrap-a i CSS3.
- **Pretraga** korišćeni JavaScript, AJAX i XML. U navigacionom baru se nalazi link u headeru u vidu dugmeta koji vodi ka divu #two čiji se sadržaj učitava iz XML datoteke i filtrira prema ukucanoj ključnoj reči. //pretraga ne radi
- **RSS i Sitemap** formatirani pomoću XSL-a. Nalaze se u footeru.
- Anketa i kolačići odrađeni u JS. Nalaze se u delu index.html#poll. Rezultati glasanja se smešteju u kolačić i ispisuju ispod forme za anketu pritiskom na dugme *Results* (rezultati se ne prikazuku u Mozilli).
- Forma za registraciju odrađena pomoću Javascripta. Validacija se vrši preko regularnih izraza. Nalazi se u delu index.html#registracija.
- **Kontakt forma** Nakon provere unetih podataka putem regularnih izraza, podaci se ispisuju ispod forme pritiskom na dugme Send čime se otvara i mejl servis sa popunjenim poljima za naslov i poruku.
- Galerija odrađena pomoću JQuery-ja (upotrebljen je FancyBox plugIn preuzet sa interneta).
- Kružni slider za slike na početnoj stranici (index.html#home), urađen u JQuery-ju.


- FadeIn efekat za slike, urađen u Jquery-ju.
- SEO optimizacija preporučena za jednostranične sajtove.

1.3. Template

Sajt je urađen kao single-page website.







1.4. Korišćeni CSS


```
.navbar {
   font-family: Montserrat, sans-serif;
   margin-bottom: 0;
```

```
background-color: #2d2d30;
  border: 0;
  font-size: 11px !important;
  letter-spacing: 4px;
  opacity: 0.9;
.navbar li a, .navbar .navbar-brand {
  color: #d5d5d5 !important;
.navbar-nav li a:hover {
  color: #1abc9c !important;
.navbar-nav li.active a {
  color: #1abc9c !important;
  background-color: #29292c !important;
.navbar-default .navbar-toggle {
  border-color: transparent;
}
.open .dropdown-toggle {
  color: #fff;
  background-color: #555 !important;
```

```
.dropdown-menu li a {
   color: #000 !important;
}
.dropdown-menu li a:hover {
   background-color: #000 !important;
   color: #1abc9c;
}
```

2.0. Organizacija

2.1. Organizaciona šema



2.2. Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="sitemap.xsl"?>
<urlset
    xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
    http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
```

```
<url>
    <url>
    <loc>http://creepydolls.byethost7.com/index.html</loc>
    <lastmod>2016-12-03</lastmod>
    <changefreq>weekly</changefreq></priority>1.00</priority></url>
</ur>
```

</urlset>

2.3 Slike stranica i opisi funkcionalnosti

2.3.1 index.html


Sajt se sastoji od jedne stranice koja je podeljena na celine – divove koji se pozivaju preko svog id-ja, putem fiksiranog navigacionog bara ili drugih linkova u sklopu stranice.

#home




U početnom divu nalazi se slajder sa slikama urađen putem Jquery-ja tako da se slike ponavljaju ciklično, kao i linkovi koji vode do formulara za registraciju i logovanje.

#one




U drugom divu nalazi se tekst o temi sajta. Slika se postepeno pojavljuje što je postignuto FadeIn funkcijom JQuery-ja.




Teksualni sadržaj ovog diva učitava se iz XML dokumenta dolls.xml. Prikaz je omogućen putem JavaScripta i Ajaxa.

#three




Ovde se nalazi anketa urađena u JavaScriptu. Mora se izabrati jedna opcija pre pritiska dugmeta *Vote* nakon čega sledi obaveštenje o uspešnom glasanju. Pritiskom na taster *Results* prikazuje se broj glasova za svaku od opcija, koji su sačuvani u kolačićima.

#gallery




Galerija je urađena pomoću JQuery-jevog plugin-a FancyBox.

#login




Podaci za logovanje proveravaju se putem regularnih izraza.

#register




Nakon validacije urađene u JavaScriptu putem regularnih izraza, ukoliko nema obaveštenja o greškama, uneti podaci se ispisuju ispod forme.

#author



Osim podataka o autoru sajta, ne sadrži nikakve funkcionalnosti.

#four



Validacija vrednosti unetih u kontakt formu JavaScriptom i regularnim izrazima. Ukoliko su podaci ispravni, nakon pritiska na dugme se ispisuju ispod forme i ujedno se popunjava mejl korisnika podacima iz forme. U futeru se nalaze sa jedne strane ikonice koje vode do Sitemap-a, Rss-a I dokumentacije, a sa druge ikonice/linkovi društvenih mreža.

3.0. Kodovi

3.1. HTML

3.1.1. index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Creepies - Share Your Doll Collection With Online Community</title>
```

```
<meta name="keywords" content="doll, dolls, collect, porselain,creepies, plastic, tips" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta name="description" content="Online community for doll lovers and collectors.">
<meta name="robots" content="noindex,nofollow">
<link rel="icon" href="img/logo.png"/>
<link rel="stylesheet" type = "text/css" href="stil.css"/>
 <!-- Latest compiled and minified CSS -->
k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
<!-- ¡Query library -->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<!-- Latest compiled JavaScript -->
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- Add mousewheel plugin (this is optional) -->
<script type="text/javascript" src="fancybox/lib/jquery.mousewheel-3.0.6.pack.js"></script>
<!-- Add fancyBox -->
k rel="stylesheet" href="fancybox/source/jquery.fancybox.css" type="text/css" media="screen" />
```

<script type="text/javascript" src="fancybox/source/jquery.fancybox.pack.js"></script>

```
<script type="text/javascript" src="provera.js"></script>
<script type="text/javascript" src="jquery.js"></script>
<script type="text/javascript" src="poll.js"></script>
<script type="text/javascript" src="search.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></scri
```

<!-- Website Font style -->

<!-- Google Fonts -->

 $<\!\!link \qquad href='https://fonts.googleap is.com/css?family=Passion+One' \qquad rel='style sheet' \\ type='text/css'>$

k href='https://fonts.googleapis.com/css?family=Oxygen' rel='stylesheet'
type='text/css'>

link

href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,300|Noto+Serif:400,700,400italic" rel="stylesheet" type="text/css">

link

href="https://fonts.googleapis.com/css?family=Fjalla+One|Lora:400,700,400italic,700italic" rel="stylesheet" type="text/css">

```
</head>
  <br/><body id="myPage" onLoad="napravi()">
  <div id="wrapper container-fluid">
<nav class="navbar navbar-fixed-top">
 <div class="container-fluid">
  <nav class="navbarnavbar-fixed-top">
 <div class="container-fluid">
         <div class="navbar-header">
   <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
   </button>
   <a href="#home"><img src='img/logo.png' width='150' id="logo"/></a>
  </div>
  <div class="collapse navbar-collapse" id="myNavbar">
```

```
class="dropdown"><a href="#" class="dropdown-toggle" data-toggle="dropdown">DOLLS</a>
<a href="#two">COLLECTING</a> 
<a href="#three">POLL</a> 
<a href="#gallery">GALLERY</a> 
cli class="dropdown"><a href="#">ABOUT</a>
<a href="#one">WEBSITE</a> 
<a href="#author">AUTHOR</a> 
<a href="documentation.pdf" target="_blank">DOCUMENTATION</a>
<a href="#four">CONTACT</a>
<a href="#register"><span class="glyphicon glyphicon-user"></span></a>
<a href="#login"><span class="glyphicon glyphicon-log-in"></span></a>
```

```
<div class="col-sm-3 col-md-3 pull-right">
    <form name="form1" class="navbar-form" role="search">
    <div class="input-group">
       <input type="text" class="form-control" id="tbPretraga" name="searchh" placeholder="Search...">
       <div class="input-group-btn">
         <\!\!\!\text{button class="btn btn-default" type="submit" onClick="search();"><\!\!\!\text{i class="glyphicon}
glyphicon-search"></i></button>
       </div>
    </div>
    </form>
    </div></div>
</nav>
 </nav>
 </div>
```

<div id="content">

<div class=" text-center" id="home" class="row page slideanim container-fluid">

<div id="intro">

<div id="cycler">

</div>

<div class="item">

<div class="container-fluid blackwell_slider text-center">

```
<div id="enter">
 The premiere online community dedicated to doll lovers. <br/>Expand your network and get to know
new other collectors! 
 <br/><br/>
       <a href="#register"><button class='my-btn'>REGISTER</button></a>
       <a href="#login"><button class='my-btn'>LOGIN</button></a>
 </div>
 </div>
               </div>
               </div></div>
               <div id="sResult" class=" page slideanim"></div>
               <div class=" page slideanim" id="one">
               <h1>ABOUT</h1><br/>
               <div class="right"><img src="img/gallery/5.jpg" style="margin:25px" class="img-</pre>
responsive"/></div>
       <article>
               >
```

People have made dolls for thousands of years for use as religious objects, toys, and holiday displays. Many traditional dolls, like the Japanese Kokeshi, are still highly desirable today. Many early American dolls were made of rags, or cloth, and are a reminder of the simple life in the 18th and 19th centuries.

br/>

In the 19th century, French and German dolls were the most popular and innovative dolls in the western world. In the early 1850s, the Bebe doll appeared in France, starting the custom of making dolls in the form of infants and young children (as opposed to adults). The Germans caught on, and soon both countries were producing porcelain-headed dolls.

| The Germans caught on, and soon both countries were producing porcelain-headed dolls.

| The Germans caught on, and soon both countries were producing porcelain-headed dolls.

Late in the 1800s, the French started making dolls with unglazed heads, and the unglazed colored clay more accurately represented a human skin tone. These dolls became known as bisque dolls, and they remain a staple of doll-making.

| Started making dolls with unglazed heads, and the unglazed colored clay more accurately represented a human skin tone. These dolls became known as bisque dolls, and they remain a staple of doll-making.

>

Shortly thereafter, German doll makers started experimenting with celluloid, a lighter-weight and less breakable material. Celluloid dolls were popular for a number of years, despite the fact that the material was flammable. Dolls in Europe, Japan, and America made of celluloid, such as the famous Kewpie doll, were eventually replaced by dolls made of plastic, or composition dolls, made of a mix of materials including glue and sawdust.

br/>

br/>

The early 20th century saw the launch of a number of famous doll-making companies, such as Ideal, which became known among other things for its best-selling Shirley Temple dolls. Another was Vogue, which produced the Ginny doll, and of course Mattel, which launched its blockbuster Barbie line in the late 1950s.
br/>

br/>

Though most antique dolls started out as toys, some dolls have been sought by collectors from the beginning. A good example is the Simpich Doll Company, which produced small numbers of limited edition Christmas and Americana-themed dolls for over 50 years.

christmas.com/br/

<h6>Source:

COLLECTORS WEEKLY </h6>

</article>

</div>

```
<div class=" page slideanim" id="two">
                </div>
                <div class=" page slideanim text-center" id="three">
                <div id="poll" class="text">
<h2>What do you collect?</h2>
<div id="pollcontent">
<form action="" method="post"
name="anketa" class="forma">
<input type="radio"
name="type" value="0" /> Porcelain dolls <br/>
<input type="radio"
name="type" value="1" /> Plastic dolls <br/>
<input type="radio"
name="type" value="2" /> Wooden dolls <br/>
<input type="radio"
name="type" value="3" /> Ragdolls <br/>
<input type="radio"
name="type" value="4" /> Other <br/>
<input type="button"
name="posalji" id="btnPosalji" value="Vote" onClick="glasaj();" class='btn' style='background-
color:#7cb; margin-left:45px; font-weight:bold; width:90px; //>
<input type="button"
```

```
name="obradi" id="btnRezultati" value="Results"
onClick="rezultat();" class='btn' style='background-color:#f77; margin-left:45px; font-weight:bold;'/>
</form>
</div>
<div id="pollres"></div>
</div>
</div>
<div class="page slideanim" id="gallery" >
<div class="container-fluid" style="margin-left:300px">
<a class="fancybox" rel="group" href="img/gallery/1.jpg"><img src="img/gallery/1.jpg" alt="GalleryPic"
/></a>
<a class="fancybox" rel="group" href="img/gallery/2.jpg"><img src="img/gallery/2.jpg" alt="GalleryPic"
/></a>
<a class="fancybox" rel="group" href="img/gallery/3.jpg"><img src="img/gallery/3.jpg" alt="GalleryPic"
/></a>
<a class="fancybox" rel="group" href="img/gallery/4.jpg"><img src="img/gallery/4.jpg" alt="GalleryPic"
/></a>
<a class="fancybox" rel="group" href="img/gallery/5.jpg"><img src="img/gallery/5.jpg" alt="GalleryPic"
/></a>
<a class="fancybox" rel="group" href="img/gallery/6.jpg"><img src="img/gallery/6.jpg" alt="GalleryPic"
/></a><br/>
<a class="fancybox" rel="group" href="img/gallery/7.jpg"><img src="img/gallery/7.jpg" alt="GalleryPic"
/></a>
```

 $<\!\!a\,class=\!\!"fancybox"\,rel=\!"group"\,href=\!"img/gallery/8.jpg"><\!\!img\,src=\!"img/gallery/8.jpg"\,alt=\!"GalleryPic"\,/><\!/a>$

- $<\!a\ class="fancybox"\ rel="group"\ href="img/gallery/10.jpg"><\!img\ src="img/gallery/10.jpg"><\!img\ src="img/gallery/10.jpg"><</r>$
-
-

-
-
- $<\!\!a\ class="fancybox"\ rel="group"\ href="img/gallery/15.jpg"><\!\!img\ src="img/gallery/15.jpg"><\!\!img\ src="img/gallery/15.jpg"><$
-
-
-

- $<\!\!a\ class="fancybox"\ rel="group"\ href="img/gallery/19.jpg"><\!\!img\ src="img/gallery/19.jpg"><\!\!img\ src="img/gallery/19.jpg"><$
- alt="GalleryPic" />
-
-

```
class="fancybox"
                          rel="group"
                                          href="img/gallery/22.jpg"><img
                                                                            src="img/gallery/22.jpg"
<a
alt="GalleryPic" /></a>
      class="fancybox"
                          rel="group"
                                         href="img/gallery/23.jpg"><img
                                                                            src="img/gallery/23.jpg"
<a
alt="GalleryPic" /></a>
      class="fancybox"
                          rel="group"
                                         href="img/gallery/24.jpg"><img
                                                                            src="img/gallery/24.jpg"
<a
alt="GalleryPic" /></a>
</div>
</div>
                <div class=" page slideanim" id="login">
<div class="container forma main-login main-center">
                       <h1>LOGIN</h1><br/>>
                <form class="form-horizontal form-group">
  <div class="form-group">
   <label for="email" class="col-sm-2 control-label">Email:</label>
        <div class="col-sm-10">
                                                             <div class="input-group">
   <input type="email" class="form-control" id="lgEmail" placeholder="Enter email"> </div> </div>
  </div>
  <div class="form-group">
   <label for="pwd" class="col-sm-2 control-label">Password:</label>
        <div class="col-sm-10">
```

```
<div class="input-group">
   <input type="password" class="form-control" id="lgPswd" placeholder="Enter password">
  </div></div>
  <div class="checkbox">
   <label class="col-sm-2 control-label"><input type="checkbox"> Remember me</label>
  </div>
              <div class='col-sm-10'>
                                                    <input
                                                                 type="submit"
                                                                                     class="btn"
onClick="prijavise();" value="Submit" style='width:90px; background-color:#7cb; margin:65px; font-
weight:bold;'/>
 </form></div>
               </div>
               <div class=" page slideanim" id="register">
                      <div class="container forma">
                      <h1>REGISTRATION</h1><br/>
                                    <form class="form-horizontal form-group"
                                                                                  method="post"
action="#">
```

```
<div class="form-group">
                                                  <label for="name"
                                                                     class="col-sm-2 control-
label">Full Name</label>
                                                  <div class="col-sm-10">
                                                         <div class="input-group">
                                                                           class="input-group-
                                                                <span
addon"><i class="fa fa-user fa" aria-hidden="true"></i></span>
                                                                <input type="text" class="form-</pre>
control" name="name" id="name" placeholder="Enter your fullname..."/>
                                                         </div>
                                                  </div>
                                           </div>
                                   <div class="form-group">
                                                  <label for="confirm" class="col-sm-2 control-
label">Gender</label><br/>
                                                  <div class="col-sm-10">
                                                         <div class="input-group">
                                                         type="radio"
                                                         <input
name="rbGender" id="male" value="M"/> &nbspMale &nbsp &nbsp 
                                                         td><input
                                                                                 type="radio"
name="rbGender" id="female" value="F"/> &nbspFemale
```

</div> </div> </div> <div class="form-group"> <label for="email" class="col-sm-2 controllabel">Email</label> <div class="col-sm-10"> <div class="input-group"> class="input-group-<i class="fa fa-envelope fa" aria-hidden="true"></i> <input type="text" class="form-</pre> control" name="email" id="email" placeholder="Enter your email..."/> </div> </div> </div> <div class="form-group"> <label for="username" class="col-sm-2 controllabel">Username</label>

```
<div class="col-sm-10">
                                                              <div class="input-group">
                                                                                 class="input-group-
                                                                     <span
addon"><i class="fa fa-users fa" aria-hidden="true"></i></span>
                                                                      <input type="text" class="form-</pre>
control" name="username" id="username" placeholder="Enter your username"/>
                                                              </div>
                                                      </div>
                                              </div>
                                              <div class="form-group">
                                                      <label for="password" class="col-sm-2 control-
label">Password</label>
                                                      <div class="col-sm-10">
                                                              <div class="input-group">
                                                                                 class="input-group-
                                                                     <span
addon"><i class="fa fa-lock fa-lg" aria-hidden="true"></i></span>
                                                                     <input
                                                                                    type="password"
class="form-control" name="password" id="password" placeholder="Enter your password..."/>
                                                              </div>
                                                      </div>
                                              </div>
                                              <div class="form-group">
                                                      <label for="confirm" class="col-sm-2 control-
label">Confirm password</label>
```

```
<div class="col-sm-10">
                                                              <div class="input-group">
                                                                                 class="input-group-
                                                                     <span
addon"><i class="fa fa-lock fa-lg" aria-hidden="true"></i></span>
                                                                      <input
                                                                                    type="password"
class="form-control" name="confirm" id="confirm" placeholder="Type your password once again..."/>
                                                              </div>
                                                      </div>
                                              </div>
                                                      <div class="form-group">
                                                      <label for="state" class="col-sm-2 control-
label">You are:</label>
                                                      <div class="col-sm-10">
                                                              <div class="input-group">
                                                                                 class="input-group-
                                                                      <span
addon"><i class="fa fa-globe fa-lg" aria-hidden="true"></i></span>
                                                                      <select
                                                                                       id="ddlstatus"
name="ddlstatus" class="form-control">
                                                                     <option
value="0">Choose...</option>
                                                                      <option
value="Collector">Collector</option>
                                                                     <option
value="Artist">Artist</option>
                                                                     <option
value="Seller">Seller</option>
```

```
<option
value="Other">Other</option>
                                                                      </select>
                                                              </div>
                                                      </div>
                                               </div>
                                               <div class='col-sm-10'>
                                               <div class="form-group ">
                                                      <div class='input-group'>
                                                                                           class="btn"
                                                       <input
                                                                     type="button"
value="REGISTER" onClick="Provera();" style=' width:90px; background-color:#7cb; margin-left:45px;
font-weight:bold;'/>
                                                      <input type="reset" class="btn" value="RESET"</pre>
style='width:90px; background-color:#f77; margin-left:45px; font-weight:bold;'/>
                                                      </div>
                                               </div>
                                               </div>
                                               <div class="login-register">
                                      <a href="#login">Login</a>
                                    </div>
                                       </form>
                                        <div id="write"></div>
```

```
</div>
               <div class="page slideanim cols-sm-10" id="author">
               <div class='text-center text'>
                <section>
               <header><h1>AUTHOR</h1><br/>br/><h2>Marija Lekic 132/13</h2></header>
               <img src="img/me.jpg" class="img-responsive img-circle"/>
        <article>
               I was born in 1991., currently student of ICT College of Vocational Studies.<br/>
               Before I got interested in informational technologies, I thought that art was the only thing
I could do.<br/>
               I graduated Painting at Art School in Nis and Art History at Faculty of Philosophy,
Belgrade.
               Never played with dolls as a kid, but now I find them charming.
               Also I'm a cat person.
        </article>
               </section>
               </div>
               </div>
                <div class="page slideanim" id="four">
                <div id="contact" class="container">
```

```
<h1 class="text-center">CONTACT</h1>
 <em>Looking forward for your message!</em>
 <div class="row">
  <div class="col-md-4">
   Collector? Drop a note.
   <span class="glyphicon glyphicon-map-marker"></span>Belgrade, RS
   <span class="glyphicon glyphicon-phone"></span>Phone: +00 1515151515
   <span class="glyphicon glyphicon-envelope"></span>Email: marija.lekic.132.13@ict.edu.rs
  </div>
  <div class="col-md-8">
   <div class="row">
    <div class="col-sm-6 form-group">
     <input class="form-control" id="uName" name="name" placeholder="Name" type="text" required>
              <div id="sName"></div>
    </div>
    <div class="col-sm-6 form-group">
     <input class="form-control" id="eMail" name="email" placeholder="Email" type="email"</pre>
required>
              <div id="sEmail"></div>
    </div>
   </div>
   <textarea class="form-control" id="comments" name="comments"
                                                                    placeholder="Comment"
rows="5"></textarea>
       <div id="sComments"></div>
```

```
<br>
   <div class="row">
    <div class="col-md-12 form-group">
               <input type="button" value="Send" name="posalji" onClick="slanje();" class="btn pull-</pre>
right btn-default" style='width:90px; background-color:#7cb; margin-left:45px; font-weight:bold;'/>
    </div>
   </div>
        <div id="ispis"></div>
  </div>
 </div>
               </div></div>
        <footer class="text-center navbar-fixed-bottom" style="height:70px;">
 <a class="up-arrow" href="#myPage" data-toggle="tooltip" title="TO TOP">
  <span class="glyphicon glyphicon-chevron-up"></span>
 </a>
 <span class="icons left">
 <a href="documentation.pdf"</a>
                                     target="_blank"><img src="img/icons/doc.gif"
                                                                                    class="img-
responsive"/></a>
           href="sitemap.xml"
 <a
                                target="_blank"><img
                                                         src="img/icons/map.png"
                                                                                    class="img-
responsive"/></a>
```

```
target="_blank"><img
                                                  src="img/icons/rss.png"
 href="rss.xml"
                                                                         class="img-
responsive"/></a>
</span>
<span class="icons right">
href="https://www.instagram.com/popovysisters"
 <a
                                                                target="_blank"><img
src="img/icons/Instagram.png"/></a>
 <a href="www.pinterest.com" target="_blank"><img src="img/icons/Pinterest.png"/></a>
 <a href="www.tumblr.com" target="_blank"><img src="img/icons/Tumblr.png"/></a>
</span>
</footer>
   </div> </div>
```

```
</body>
</html>
3.2 CSS
3.2.1 stil.css
*{
  padding:0px;
  margin: 0px auto;
}
a{
       color:#1abc9c !important;
}
a:hover{
       color:#f77 !important;
       text-decoration:none;
}
p{
       font-size: 14px;
```

```
}
h2{
       color: #ff7372 !important;
}
article{
        margin:25px;
}
#content{
        width:100%;
       overflow:hidden;
}
. container-fluid \{\\
        width:100%;
}
```

```
.navbar {
   font-family: Montserrat, sans-serif;
   margin-bottom: 0;
   background-color: #2d2d30;
   border: 0;
   font-size: 11px !important;
   letter-spacing: 4px;
   opacity: 0.9;
 }
 .navbar li a, .navbar .navbar-brand {
   color: #d5d5d5 !important;
 }
 .navbar-nav li a:hover {
   color: #1abc9c !important;
 .navbar-nav li.active a {
   color: #1abc9c !important;
   background-color: #29292c !important;
 }
 .navbar-default .navbar-toggle {
   border-color: transparent;
 }
 .open .dropdown-toggle {
```

```
color: #fff;
   background-color: #555 !important;
 }
 .dropdown-menu li a {
   color: #000 !important;
 }
 .dropdown-menu li a:hover {
   background-color: #000 !important;
        color: #1abc9c;
 }
.page{
       font: 12px Palatino Linotype, Book Antiqua, Palatino, serif;
       position: relative;
       padding-top: 80px;
       padding-bottom:80px;
}
.page:nth-child(odd) {
```

```
background: #fff;
       color:#000;
}
.page:nth-child(even) {
  background: #000;
       color:#d3d3d3;
}
.my-btn{
        width: 180px;
       height:50px;
       background-color: rgba(0, 0, 0, 0);
       border: 3px solid rgba(0, 0, 0, 0.25);
        border-radius: 5px;
       font-family: "open sans", HelveticaNeue-Light, "Helvetica Neue Light", "Helvetica Neue",
Helvetica, Arial, "Lucida Grande", sans-serif;
}
.my-btn a{
       color:#000 !important;;
```

```
}
.my-btn a:hover{
       color: #fff !important;
       font-weight: bold;
       text-decoration:none !important;;
}
.my-btn:hover{
       background-color: rgba(0, 0, 0, 0.25);
       border-color:#d3d3d3;
}
#intro{
       width:100%;
       height:800px;
       text-align: justify;
       background-color: #ff7372;
       overflow:hidden;
}
```

```
#one{
        padding:100px;
        text-align:justify;
}
#one img{
        border-radius:80%;
}
#register, #login{
        overflow-y: visible;
. form\text{-}group \{
        width:650px;
}
```

```
.blackwell_slider {
  position: absolute;
        border-radius: 10%;
        padding: 50px 20px 20px 20px;
  width: 705px;
       height:400px;
  background: rgba(246,246,246,0.65);
       z-index: 5;
        margin: auto;
   top: 0;
    left: 0;
    bottom: 0;
    right: 0;
         display:block;
}
.blackwell_slider p{
       font-family: "Lora", "open sans", "HelveticaNeue-Light", "Helvetica Neue Light", "Helvetica
Neue", Helvetica, Arial, "Lucida Grande", sans-serif;
        color: #000;
```

```
}
#enter{
       margin-top:100px;
}
/* dropdown */
li a, .dropbtn {
  display: inline-block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
.dropdown:hover .dropbtn {
  background-color: #f1f1f1;
}
```

```
li.dropdown {
  display: inline-block;
}
.dropdown-content {
  display: none;
  position: absolute;
  background-color: #2d2d30;
       color: #f5f6f7;
  min-width: 160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
       z-index: 5;
}
.dropdown-content a {
  color: #1abc9c;
  padding: 12px 16px;
  text-decoration: none;
  display: block;
  text-align: left;
}
.dropdown-content a:hover {
```

```
background-color: #f1f1f1;
        font-weight:bold;
        }
. drop down{:}hover . drop down{-}content \ \{
  display: block;
}
/*end dropdown*/
.forma{
        width: 300px;
}
.green-btn{
        background-color:#6da139;
        border-color: #226022;
}
.text{
        text-align:justify;
```

```
width: 700px;
}
#cycler{
       position:relative;
        }
#cycler img{
       position:absolute;
       z-index:1;
       width:100%;
       height:800px;
        }
#cycler img.active{
       z-index:3;
        }
footer {
   background-color: #2d2d30;
   color: #f5f5f5;
   padding: 32px;
 }
footer a {
```

```
color: #f5f5f5;
 }
 footer a:hover {
   color: #777;
   text-decoration: none;
 }
#sResult{
       color:#fff;
}
.icons img{
       height:50px;
}
.left{
```

```
float:left;
}
.right{
       float:right;
}
#author img{
        width:150px;
        float:left;
        margin:20px;
}
#write, #ispis{
       color: #f77 !important;
        font-size: 15px;
}
```

```
#write, #ispis ul{
         list-style: none;
}
#gallery img {
         width:120px;
         height:150px;
}
3.2.2 bootstrap.min.css
Preuzeto sa: <a href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css</a>
3.2.3 rss.xsl / style
#rssContent{
width:700px;
min-height:560px;
margin:10px auto;
}
#rssContent h2{
font-size:30px !important;
```

```
margin:5px;
margin-bottom:0px;
margin-left:20px;
#rssContent hr{
margin-bottom:15px;
color:white;
#rssContent p {
color: #fff;
font-family: Lato;
font-size: 16px;
padding-bottom: 2px;
font-weight:bold;
#rssContent a{
text-align:center !important;
color:#7cb !important;
text-decoration:none;
margin-left:20px;
}
#rssContent a:hover{
color:#ffa58a !important;
text-decoration:none;
}
3.2.4 sitemap.xsl / style
#sitemapContent{
width:700px;
min-height:560px;
```

```
margin:10px auto;
#sitemapContent h2{
font-size:30px !important;
margin:5px;
margin-bottom:0px;
}
#sitemapContent table {
border-collapse: collapse;
width:700px;
}
#sitemapContent table, #sitemapContent th, #sitemapContent td {
border: 1px solid silver;
}
#sitemapContent th,
#sitemapContent td{
padding:5px;
height:35px;
}
#sitemapContent th{
       color:#7cb;
}
#sitemapContent hr{
margin-bottom:15px;
color:white;
}
.zebra{
background-color:#333;
}
```

```
.zebraHover{
background-color:gray;
}
3.3. JS
3.3.1 provera.js
/*provera*/
function Provera(){
       var imePrezime = document.getElementById('name');
       var email = document.getElementById('email');
       var korIme = document.getElementById('username');
       var sifra = document.getElementById('password');
       var pSifra = document.getElementById('confirm');
       var status = document.getElementById('ddlstatus');
       var pol = document.getElementsByName('rbGender');
       var\ regImePrezime = /^[A-Z]{1}[a-z]{2,19}\s[A-Z]{1}[a-z]{3,29}$/;
       var regEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
       var regKorIme = /^[a-z0-9]+$/;
       var regLoz = /^[\w] \{5,10\} \
```

```
var podaci = new Array();
var greske = new Array();
if(!imePrezime.value.match(regImePrezime)){
       imePrezime.style.borderColor = "#ff7372";
        greske.push("Full name must start with capital letter!");
}
if(!email.value.match(regEmail)){
        email.style.borderColor = "#ff7372";
        greske.push("Email is not in good format!");
}
if(!korIme.value.match(regKorIme))\{\\
        korIme.style.borderColor = "#ff7372";
        greske.push("Username is not in good format!");
```

```
}
 if(!sifra.value.match(regLoz)){
         sifra.style.borderColor = "#ff7372";
         greske.push("Password is not in good format!");
 }
         if(!pSifra.value.match(regLoz))\{\\
         pSifra.style.borderColor = "#ff7372";
 }
 if(sifra.value!=pSifra.value){
 sifra.style.borderColor="#ff7372";
                 pSifra.style.borderColor="#ff7372";
                 greske.push("Passwords do not match!");
}
   var genderOk=false;
```

```
var rbGender="";
for(var i=0; i<pol.length; i++){
if(pol[i].checked){
  genderOk=true;
  rbGender=pol[i].value;
                   podaci.push(rbGender);
  break;
 }
}
if(!rbGender){
 greske.push("Choose your gender!");
}
           if(status.selectedIndex==0){
  status.style.borderColor="#ff7372";
                   greske.push("Choose one!")
           }
         if(greske.length>0){
 greskeLista="";
 for(var i=0; i<greske.length; i++){
   greskeLista+=greske[i]+"\n ";
 }
         alert(greskeLista);}
```

```
else{
```

}

{

```
var poruka = "<i>Name: </i>" + imePrezime.value+"";
       poruka += "<i>Username: </i>" + korIme.value+"";
       poruka += "<i>E-mail: </i>" + email.value+"";
       poruka += "<i>Password: </i>" + sifra.value+"";
       poruka += "<i>Gender: </i>" +pol.value+"";
       poruka += "<i>Status: </i>" + status.value+"";
              poruka+="";
               document.getElementById("write").innerHTML+=poruka;
     }
/*login*/
function proveraUsr()
var mail = document.getElementById('lgEmail');
```

```
var regEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
if(!mail.value.match(regEmail))
{
mail.style.border = "1px solid #f77";
mail.value="";
return true;
}
else
mail.style.border = "";
return false;
}
}
function proveraPsw()
{
var sifra = document.getElementById('lgPswd');
var regSifra = /^[w]{5,10};
if(!sifra.value.match(regSifra))
{
sifra.style.border = "1px solid #f77";
sifra.value="";
return true;
```

```
}
else
{
sifra.style.border = "";
return false;
}
}
/*login*/
function prijavise()
{
var mail = document.getElementById('lgEmail').value;
var sifra = document.getElementById('lgPswd').value;
var x = proveraUsr();
var y = proveraPsw();
if(x \parallel y) alert("Enter username and password to login!");
else alert("Welcome!");
}
```

```
/*Slanje poruke*/
function proveraIme()
{
var ime = document.getElementById('uName');
var upozorenje = document.getElementById('sName');
var regIme = /^[A-Z]{1}[a-z]{2,25}$/;
if(!ime.value.match(regIme))
ime.style.border = "1px solid #ff7372";
upozorenje.innerHTML = "Wrong format of name! Must begin with capital letter!";
return true;
}
else
{
ime.style.border = "";
upozorenje.innerHTML = "";
return false;
}}
function proveraEmail()
{
var email = document.getElementById('eMail');
var upozorenje = document.getElementById('sEmail');
```

```
var regEmail = /^[a-z \d] + ((\. \-)?[\w \d] +)?@\w+\. (\w+\.)?\w{2,3}$/;
if(!email.value.match(regEmail))
{
email.style.border = "1px solid #ff7372";
upozorenje.innerHTML = "Email format must be like: example@something.com";
return true;
}
else
email.style.border = "";
upozorenje.innerHTML = "";
return false;
}}
function proveraPoruka()
var poruka = document.getElementById('comments');
var upozorenje = document.getElementById('sComments');
var regPoruka = /^[A-Z]{1}\\w+(\s?(\w|\d)+(\.|\?|\!)?)*$/;
if(!poruka.value.match(regPoruka))
{
poruka.style.border = "1px solid f77";
upozorenje.innerHTML = "Wrong format of message! Must begin with capital letter!";
return true;
```

```
}
else
poruka.style.border = "";
upozorenje.innerHTML = "";
return false;
}
}
function slanje()
var ime = document.getElementById('uName').value;
var email = document.getElementById('eMail').value;
var poruka = document.getElementById('comments').value;
var divIspis = document.getElementById('ispis');
var ispisi = "";
var x = proveraIme();
var y = proveraEmail();
var b = proveraPoruka();
if(x \parallel y \parallel b)
ispisi += "Please make sure all required fields are filled out correctly.";
divIspis.innerHTML= ispisi;
```

```
}
else
       {
divIspis.innerHTML = "";
location = "mailto:marija.lekic.132.13@ict.edu.rs?subject=Message&body="+poruka;
ispisi += "Your name is: " +ime+ "";
ispisi += "Your e-mail is: " +email+ "";
ispisi += "Message: " +poruka+ "";
divIspis.innerHTML= ispisi;
}
}
3.3.2 poll.js
var niz = [0, 0, 0, 0, 0];
function glasaj()
{
var datum=new Date();
datum.setMinutes(datum.getMinutes()+1);
var svi = document.getElementsByName('type');
var izabrani="";
```

```
for(var i=0; i<svi.length; i++)
if(svi[i].checked)
{
izabrani=svi[i].value;
switch(svi[i].value)
{
case '0':
if(document.cookie.indexOf("Porcelan")==-1)
{
document.cookie="Porcelan dolls#=" +1+
";expires="+datum.toGMTString()+";"; niz[0]++;
}
else
{
niz[0]++;
var k=document.cookie;
var t=k.indexOf("#");
var z=t+2;
var a=k.substr(z,1);
var b=parseInt(a)+1;
document.cookie="Porcelan dolls#=" +b+
```

```
";expires="+datum.toGMTString()+";";
};
break;
case '1':
if(document.cookie.indexOf("Plastic")==-1)
{
document.cookie="Plastic dolls!=" +1+
";expires="+datum.toGMTString()+";";
niz[1]++;
}
else
{
niz[1]++;
var k=document.cookie;
var t=k.indexOf("!");
var z=t+2;
var a=k.substr(z,1);
var b=parseInt(a)+1;
document.cookie="Plastic dolls!=" +b+
";expires="+datum.toGMTString()+";";
};
break;
```

```
case '2':
if(document.cookie.indexOf("Wooden")==-1)
{
document.cookie="Wooden dolls$=" +1+
";expires="+datum.toGMTString()+";"; niz[2]++;
}
else
       {
niz[2]++;
var k=document.cookie;
var t=k.indexOf("$");
var z=t+2;
var a=k.substr(z,1);
var b=parseInt(a)+1;
document.cookie="Wooden dolls$=" +b+
";expires="+datum.toGMTString()+";";
};
break;
case '3': if(document.cookie.indexOf("Ragdolls")==-1)
document.cookie="Ragdolls%=" +1+
```

```
";expires="+datum.toGMTString()+";"; niz[3]++;
}
else
{
niz[3]++;
var k=document.cookie;
var t=k.indexOf("%");
var z=t+2;
var a=k.substr(z,1);
var b=parseInt(a)+1;
document.cookie="Ragdolls%=" +b+";expires="+datum.toGMTString()+";";
};
break;
case '4':
if(document.cookie.indexOf("Other")==-1)
{
document.cookie="Other&=" +1+
";expires="+datum.toGMTString()+";"; niz[4]++;
}
else
{
```

```
niz[4]++;
var k=document.cookie;
var t=k.indexOf("&");
var z=t+2;
var a=k.substr(z,1);
var b=parseInt(a)+1;
document.cookie="Other&=" +b+";expires="+datum.toGMTString()+";";
};
break;
}
}
if(izabrani=="")
alert("Choose one option to vote!");
else{
       document.getElementById('pollres').innerHTML="You have voted succesfully!<br/>';
}
function rezultat()
if(document.cookie!="")
{
```

```
var kolacicNiz = document.cookie.split("__")[0];
if(kolacicNiz.indexOf("#") || kolacicNiz.indexOf("!") ||
kolacicNiz.indexOf("\$") \parallel kolacicNiz.indexOf("\%") \parallel
kolacicNiz.indexOf("&"))
{
var porcelan=kolacicNiz.replace("#", "");
var plastic=porcelan.replace("!", "");
var wooden=plastic.replace("$", "");
var ragdolls=wooden.replace("%", "");
var other=ragdolls.replace("&", "");
}
}
else
        document.getElementById('pollres').innerHTML= niz[0]+ "<br/>"
+niz[1]+ "<br/>" +niz[2]+ "<br/>" +niz[3]+ "<br/>" +niz[4]+ "<br/>";
}
3.3.3 jquery.js
/*slide*/
function cycleImages(){
   var $active = $('#cycler .active');
```

```
var $next = ($active.next().length > 0) ? $active.next() : $('#cycler img:first');
   $next.css('z-index',2);
   $active.fadeOut(1500,function(){
         $active.css('z-index',1).show().removeClass('active');
      $next.css('z-index',3).addClass('active');
   });
  }
$(document).ready(function(){
setInterval('cycleImages()', 5000);
});
/*scroll*/
$(document).ready(function(){
 $('[data-toggle="tooltip"]').tooltip();
 $("a, .navbar a, footer a[href='#myPage']").on('click', function(event) {
  if (this.hash !== "") {
```

```
event.preventDefault();
   var hash = this.hash;
   $('html, body').animate({
    scrollTop: $(hash).offset().top
   }, 900, function(){
    window.location.hash = hash;
   });
  }
 });
})
/*pic fade in*/
$(document).ready(
function(){
        $('#one img').hide().fadeIn(7000);
}
);
```

```
/*fancyBox*/
$(document).ready(function() {
       $(".fancybox").fancybox({
               openEffect
                               : 'none',
               closeEffect
                               : 'none'
        });
});
3.3.4 search.js
function search(){
var key = document.form1.searchh.value;
if(key!=""){
localStorage.setItem("key",key);
location.href = "index.html#sResult";
}
}
```

```
function napravi(){
if(window.XMLHttpRequest){
xmlhttp = new XMLHttpRequest();
}
else{
xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
alert("else");
}
xmlhttp.open("GET", "dolls.xml", true);
xmlhttp.send();
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
xmlDoc = xmlhttp.responseXML;
prikazi(xmlDoc);
}
}
}
var pretraga = "";
function prikazi(xmlDoc){
var key = "";
key = localStorage.getItem("key");
if(key != null){
```

```
key = key.toLowerCase();
else{key="";}
var raspored = 1;
var svi = xmlDoc.getElementsByTagName('doll');
var mesto = document.getElementById('two');
for(var i = 0; i<svi.length;i++){
var title = svi[i].getElementsByTagName('title')[0].childNodes[0].nodeValue;
var\ headline = svi[i].getElementsByTagName ('headline')[0].childNodes[0].nodeValue
var author = svi[i].getElementsByTagName('author')[0].childNodes[0].nodeValue;
var text = svi[i].getElementsByTagName('text')[0].childNodes[0].nodeValue;
if(headline.toLowerCase().indexOf(key)!=-1
                                                       title.toLowerCase().indexOf(key)!=-1
                                                text.toLowerCase().indexOf(key)!=-1 || key==""){
if(raspored == 1)
                                           "<article><header><h2>"+title+"</h2>"+headline+"<a
href='#author'>"+author+"</a></header>"+text+"</article>";
var pomocni = document.createElement('div');
pomocni.innerHTML = tekst;
mesto.insertBefore(pomocni,null);
```

```
}
else{
                                           "<article><header><h2>"+title+"</h2>"+headline+"<a
              tekst
var
href='#author'>"+author+"</a></header>"+text+"</article>";
var pomocni = document.createElement('div');
pomocni.innerHTML = tekst;
mesto.insertBefore(pomocni,null);
}
raspored*=-1;
}
}
localStorage.setItem("key","");
}
3.4 XML
3.4.1 dolls.xml
<?xml version="1.0" encoding="UTF-8"?>
<dolls>
<doll>
<title>Porcelain Dolls</title>
<headline>Posted by</headline>
<author>TheDoll</author>
<text>Dolls have been made from white porcelain since the 18th century. The glazed versions of these
antique dolls are generally referred to as china dolls, while the unglazed ones are called bisque dolls.
```

In recent years, the interest in antique china dolls has spurred a resurgence in porcelain doll production, which, since the 1970s, has emphasized fine detailing and high levels of craftsmanship.

These standards apply to porcelain dolls in modern dress as well as those styled after traditional characters wearing vintage attire.</text>

</doll>
<doll>
<title>Plastic Dolls</title>
<headline>Posted by</headline>

<author>TheDoll</author>

<text>Hard-plastic dolls were first introduced in the late '40s, when new plastics developed during World War II were adopted by civilian manufacturers.

Well-established doll makers like Alexander Doll Company and Ideal Toy Company started producing many of their most popular doll lines in hard plastic

instead of the more expensive, more labor-intensive, and less durable materials of dolls past—composition, bisque, or china.

They were also quick to forego earlier plastics like rubber and celluloid, which wore out easily.

In the case of celluloid, the dolls were also highly flammable.</text>

</doll>

<doll>

<title>Wooden Dolls</title>

<headline>Posted by</headline>

<author>TheDoll</author>

<text>Most early wooden dolls were made in England from 1680 until the early 1800s.

They are often called Queen Anne dolls, although most were made before and after her reign.

Although far more female wooden dolls were produced, some male dolls were made, the only difference between the two being their dress and hair.

```
elaborate examples were made by professional craftsmen..</text>
</doll>
<doll>
<title>Ragdolls</title>
<headline>Posted by</headline>
<author>TheDoll</author>
<text>Probably since humans have been making clothes out of fabric, they've made dolls for their kids.
                       In fact, the British Museum possesses a rare, well-preserved linen doll from the
early Roman Empire.
                       Often these homemade cloth or "rag dolls"—the term for dolls constructed out
of any kind of fabric—are pieced
                       together from rags and scraps of fabric found around the house, although they
also can be created from high-quality cotton, silk,
                       velvet, or felt.</text>
</doll>
</dolls>
3.4.2 sitemap.xml
<?xml version="1.0" encoding="UTF-8"?>
<urlset
   xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
   xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
       http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
```

<url>

Many wooden dolls were originally created by parents in traditional folk art style, but the most

```
<loc>http://creepydolls.byethost7.com/index.html</loc>
<lastmod>2016-12-03</lastmod>
<changefreq>weekly</changefreq>
<priority>1.00</priority>
</url>
</urlset>
3.4.3 sitemap.xsl
<?xml version="1.0" encoding="utf-8"?>
<xsl:stylesheet
                        version="1.0"
                                                xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:sm="http://www.sitemaps.org/schemas/sitemap/0.9">
<xsl:template match="/">
<html lang="en">
<head>
<title>Creepies - Sitemap</title>
<meta name="keywords" content="doll, dolls, collection, collectors, creepies, community, tips" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"/>
<meta name="description" content="Online community for doll lovers and collectors."/>
<meta name="robots" content="noindex,nofollow"/>
<style>/*SITEMAP.XML*/
#sitemapContent{
width:700px;
min-height:560px;
```

```
margin:10px auto;
#sitemapContent h2{
font-size:30px !important;
margin:5px;
margin-bottom:0px;
}
#sitemapContent table {
border-collapse: collapse;
width:700px;
}
#sitemapContent table, #sitemapContent th, #sitemapContent td {
border: 1px solid silver;
}
#sitemapContent th,
#sitemapContent td{
padding:5px;
height:35px;
#sitemapContent th{
       color:#7cb;
}
#sitemapContent hr{
margin-bottom:15px;
```

```
color:white;
.zebra{
background-color:#333;
}
.zebraHover{
background-color:gray;
color:gold
}
</style>
<link rel="icon" href="img/icons/map.png"/>
<link rel="stylesheet" type = "text/css" href="stil.css"/>
 <!-- Latest compiled and minified CSS -->
k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"/>
<!-- jQuery library -->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<!-- Latest compiled JavaScript -->
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- Add mousewheel plugin (this is optional) -->
<script type="text/javascript" src="fancybox/lib/jquery.mousewheel-3.0.6.pack.js"></script>
```

```
<!-- Add fancyBox -->
k rel="stylesheet" href="fancybox/source/jquery.fancybox.css" type="text/css" media="screen" />
<script type="text/javascript" src="fancybox/source/jquery.fancybox.pack.js"></script>
<script type="text/javascript" src="provera.js"></script>
<script type="text/javascript" src="jquery.js"></script>
<script type="text/javascript" src="poll.js"></script>
<script type="text/javascript" src="search.js"></script>
               <!-- Website Font style -->
          link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.6.1/css/font-
awesome.min.css"/>
               <!-- Google Fonts -->
                         href="https://fonts.googleapis.com/css?family=Passion+One"
               link
                                                                                        rel='stylesheet'
type='text/css'/>
               link
                           href='https://fonts.googleapis.com/css?family=Oxygen'
                                                                                        rel='stylesheet'
type='text/css'/>
               link
href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,300|Noto+Serif:400,700,400itali
c,700italic" rel="stylesheet" type="text/css"/>
               link
href="https://fonts.googleapis.com/css?family=Fjalla+One|Lora:400,700,400italic,700italic"
rel="stylesheet" type="text/css"/>
```

```
<meta charset="UTF-8"/>
  </head>
  <body id="myPage">
  <div id="wrapper container-fluid">
<div class="navbar navbar-fixed-top">
 <div class="container-fluid">
  <div class="navbarnavbar-fixed-top">
 <div class="container-fluid">
        <div class="navbar-header">
   <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
   </button>
   <a href="index.html#home"><img src='img/logo.png' width='150'/></a>
  </div>
  <div class="collapse navbar-collapse" id="myNavbar">
```

```
class="dropdown"><a href="#" class="dropdown-toggle" data-toggle="dropdown">DOLLS</a>
<a href="index.html#two">COLLECTING</a> 
<a href="index.html#three">POLL</a> 
<a href="index.html#gallery">GALLERY</a> 
cli class="dropdown"><a href="#">ABOUT</a>
<a href="index.html#one">WEBSITE</a> 
<a href="index.html#author">AUTHOR</a> 
<a href="documentation.pdf" target="_blank">DOCUMENTATION</a>
<a href="index.html#four">CONTACT</a>
<a href="index.html#register"><span class="glyphicon glyphicon-user"></span></a>
<a href="index.html#login"><span class="glyphicon glyphicon-log-in"></span></a>
```

```
<div class="col-sm-3 col-md-3 pull-right">
    <form class="navbar-form" role="search">
    <div class="input-group">
                 type="search"
                                                          placeholder="Search"
                                                                                   id="tbPretraga"
                                  class="form-control"
       <input
name="pretraga"/>
      <div class="input-group-btn">
         <br/> <button class="btn btn-default" type="submit" onClick="pretrazi();"><i class="glyphicon"
glyphicon-search"></i></button>
      </div>
    </div>
    </form>
    </div></div>
</div>
 </div>
 </div>
```

```
<div id="content">
                <div class="text-center row container-fluid">
                                               <div id="sitemapContent">
                                <h2 class="orangeText">Site map</h2>
                                <hr/>
                                <table
                                           border="1"
                                                           style="border-color:orange;color:white;font-
family:Lato">
                       <\!\!th\!\!>\!\!d\!\!>\!\!<\!\!th\!\!>\!\!Priority<\!\!/th\!\!>\!\!<\!\!th\!\!>\!\!URL<\!\!/th\!\!>\!\!<\!\!th\!\!>\!\!Updated\quad on<\!\!/th\!\!>\!\!<\!\!th\!\!>\!\!Updated
rate</thead>
                        <xsl:for-each select="sm:urlset/sm:url">
                        <xsl:value-of select="sm:priority"/>
                                               <xsl:value-of select="sm:loc"/>
                        <xsl:value-of select="sm:lastmod"/>
                        <xsl:value-of select="sm:changefreq"/>
                        </xsl:for-each>
                        </div>
```

```
</div>
         <footer class="text-center">
 <a class="up-arrow" href="#myPage" data-toggle="tooltip" title="TO TOP">
  <span class="glyphicon glyphicon-chevron-up"></span>
 </a>
 <span class="icons left">
 <a href="sitemap.xml" target="_blank"><img src="img/icons/map.png"/></a>
 <a href="rss.xml" target="_blank"><img src="img/icons/rss.png"/></a>
 <a href="documentation.pdf" target="_blank"><img src="img/icons/doc.gif"/></a>
 </span>
<span class="icons right">
<a href="www.deviantart.com"><img src="img/icons/Deviantart.png"/></a>
<a href="https://www.instagram.com/popovysisters"><img src="img/icons/Instagram.png"/></a>
<a href="www.pinterest.com"><img src="img/icons/Pinterest.png"/></a>
<a href="www.snapchat.com"><img src="img/icons/Snapchat.png"/></a>
<a href="www.tumblr.com"><img src="img/icons/Tumblr.png"/></a>
</span>
</footer>
        </div></div>
```

</body>

```
</html>
</xsl:template>
</xsl:stylesheet>
3.4.4 rss.xml
<?xml version="1.0" encoding="utf-8"?>
<?xml-stylesheet type="text/xsl" href="rss.xsl"?>
<rss version="2.0">
<channel>
<item>
<title>New exciting offers!</title>
<description>Check out new types of dolls!</description>
<link>http://creepydolls.byethost7.com/index.html#gallery</link>
</item>
<item>
<title>New gallery!</title>
<description>See pictures of our dolls in HD</description>
<link>http://creepydolls.byethost7.com/index.html#two</link>
</item>
<item>
<title>Contact the artists?</title>
<description>Check out our friends over at www.popovy-dolls.com</description>
<link>http://creepydolls.byethost7.com/index.html</link>
</item>
<item>
<title>Register!</title>
<description>Make an account. It's quick and easy!</description>
<link>http://creepydolls.byethost7.com/index.html#register</link>
```

```
</item>
</channel>
</rss>
```

3.4.6 rss.xsl

```
<?xml version="1.0" encoding="utf-8"?>
                                               xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
                        version="1.0"
<xsl:stylesheet
xmlns:sm="http://www.sitemaps.org/schemas/sitemap/0.9">
<xsl:template match="/">
<html lang="en">
<head>
<title>Creepies - RSS Feed</title>
<style>
/*RSS.XML*/
#rssContent{
width:700px;
min-height:560px;
margin:10px auto;
}
#rssContent h2{
font-size:30px !important;
margin:5px;
margin-bottom:0px;
```

```
margin-left:20px;
#rssContent hr{
margin-bottom:15px;
color:white;
}
#rssContent p {
color: #fff;
font-family: Lato;
font-size: 16px;
padding-bottom: 2px;
font-weight:bold;
}
#rssContent a{
text-align:center !important;
color:#7cb !important;
text-decoration:none;
margin-left:20px;
#rssContent a:hover{
color:#ffa58a !important;
text-decoration:none;
}
```

```
</style>
<meta name="keywords" content="doll, dolls, collection, collectors, creepies, community, tips" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"/>
<meta name="description" content="Online community for doll lovers and collectors."/>
<meta name="robots" content="noindex,nofollow"/>
<link rel="icon" href="img/icons/rss.png"/>
<link rel="stylesheet" type = "text/css" href="stil.css"/>
 <!-- Latest compiled and minified CSS -->
k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"/>
<!-- ¡Query library -->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
<!-- Latest compiled JavaScript -->
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- Add mousewheel plugin (this is optional) -->
<script type="text/javascript" src="fancybox/lib/jquery.mousewheel-3.0.6.pack.js"></script>
<!-- Add fancyBox -->
k rel="stylesheet" href="fancybox/source/jquery.fancybox.css" type="text/css" media="screen" />
```

```
<script type="text/javascript" src="fancybox/source/jquery.fancybox.pack.js"></script>
<script type="text/javascript" src="provera.js"></script>
<script type="text/javascript" src="jquery.js"></script>
<script type="text/javascript" src="poll.js"></script>
<script type="text/javascript" src="search.js"></script>
               <!-- Website Font style -->
          link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.6.1/css/font-
awesome.min.css"/>
               <!-- Google Fonts -->
               link
                         href='https://fonts.googleapis.com/css?family=Passion+One'
                                                                                         rel='stylesheet'
type='text/css'/>
                            href='https://fonts.googleapis.com/css?family=Oxygen'
               link
                                                                                         rel='stylesheet'
type='text/css'/>
               link
href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,300|Noto+Serif:400,700,400itali
c,700italic" rel="stylesheet" type="text/css"/>
               link
href="https://fonts.googleapis.com/css?family=Fjalla+One|Lora:400,700,400italic,700italic"
rel="stylesheet" type="text/css"/>
  <meta charset="UTF-8"/>
  </head>
```

```
<body id="myPage">
 <div id="wrapper container-fluid">
<div class="navbar navbar-fixed-top">
 <div class="container-fluid">
 <div class="navbarnavbar-fixed-top">
 <div class="container-fluid">
        <div class="navbar-header">
  <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
  </button>
  <a href="index.html#home"><img src='img/logo.png' width='150'/></a>
 </div>
 <div class="collapse navbar-collapse" id="myNavbar">
 <a href="#" class="dropdown-toggle" data-toggle="dropdown">DOLLS</a>
 <a href="index.html#two">COLLECTING</a>
```

```
<a href="index.html#three">POLL</a> 
<a href="index.html#gallery">GALLERY</a> 
class="dropdown"><a href="#">ABOUT</a>
<a href="index.html#one">WEBSITE</a> 
<a href="index.html#author">AUTHOR</a> 
<a href="documentation.pdf" target="_blank">DOCUMENTATION</a>
<a href="index.html#four">CONTACT</a>
<a href="index.html#register"><span class="glyphicon glyphicon-user"></span></a>
<a href="index.html#login"><span class="glyphicon glyphicon-log-in"></span></a>
<div class="col-sm-3 col-md-3 pull-right">
```

```
<form class="navbar-form" role="search">
                   <div class="input-group">
                            <input
                                                                      type="search"
                                                                                                                                            class="form-control"
                                                                                                                                                                                                                                              placeholder="Search"
                                                                                                                                                                                                                                                                                                                                                 id="tbPretraga"
name="pretraga"/>
                            <div class="input-group-btn">
                                     <br/>
<br/>
default" type="submit" onClick="pretrazi();"><i class="glyphicon" class="glyphicon" class="glyphicon" class="btn" btn-default" type="submit" onClick="pretrazi();"><i class="glyphicon" class="glyphic
glyphicon-search"></i></button>
                            </div>
                   </div>
                   </form>
                   </div></div>
</div>
     </div>
     </div>
                   <div id="content">
                                                                <div class="text-center row container-fluid">
                                                             <div id='rssFeed'>
                                                             <div id="rssContent" class='page'>
<xsl:for-each select="rss/channel/item">
<h2 class="orangeText"><xsl:value-of select="title"/></h2><br/>
<xsl:value-of select="description"/>
<span class="rssLink">
```

```
<a>
<xsl:attribute name="href">
<xsl:value-of select="link"/>
</xsl:attribute>
Read more...
</a>
</span>
<hr/>
<br/>br/>
</xsl:for-each>
               </div>
               </div> </div>
         <footer class="text-center">
 <a class="up-arrow" href="#myPage" data-toggle="tooltip" title="TO TOP">
  <span class="glyphicon glyphicon-chevron-up"></span>
 </a>
 <span class="icons left">
 <a href="sitemap.xml"><img src="img/icons/map.png"/></a>
 <a href="rss.xml"><img src="img/icons/rss.png"/></a>
```

```
<a href="documentation.pdf"><img src="img/icons/doc.gif"/></a>
 </span>
<span class="icons right">
<a href="www.deviantart.com"><img src="img/icons/Deviantart.png"/></a>
<a href="https://www.instagram.com/popovysisters"><img src="img/icons/Instagram.png"/></a>
<a href="www.pinterest.com"><img src="img/icons/Pinterest.png"/></a>
<a href="www.snapchat.com"><img src="img/icons/Snapchat.png"/></a>
<a href="www.tumblr.com"><img src="img/icons/Tumblr.png"/></a>
</span>
</footer>
        </div></div>
  </body>
</html>
</xsl:template>
</xsl:stylesheet>
```