BEPRC Application Database Data Dictionary

Table: DATABASECHANGELOG

Column Name	Data Type	Description
ID	VARCHAR(255)	Unique identifier for the database change log entry
AUTHOR	VARCHAR(255)	Author of the database change
FILENAME	VARCHAR(255)	File name containing the change set
DATEEXECUTED	DATETIME	Date and time when the change was executed
ORDEREXECUTED	INT	Execution order of the change
EXECTYPE	VARCHAR(10)	Type of execution (e.g., EXECUTED, FAILED)
MD5SUM	VARCHAR(35)	MD5 checksum of the change set
DESCRIPTION	VARCHAR(255)	Description of the change
COMMENTS	VARCHAR(255)	Additional comments about the change
TAG	VARCHAR(255)	Tag associated with the change
LIQUIBASE	VARCHAR(20)	Liquibase version used
CONTEXTS	VARCHAR(255)	Contexts for the change
LABELS	VARCHAR(255)	Labels for the change
DEPLOYMENT_ID	VARCHAR(10)	Deployment identifier

Table: DATABASECHANGELOGLOCK

Column Name	Data Type	Description
ID	INT	Primary key identifier for the lock
LOCKED	TINYINT(1)	Flag indicating if the database is locked (1) or not (0)
LOCKGRANTED	DATETIME	Date and time when the lock was granted
LOCKEDBY	VARCHAR(255)	Information about who or what obtained the lock

Table: beprc_address

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for
VERSION	INT	the address Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the address is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the address is deleted (1) or not (0)

Column Name	Data Type	Description
IS_LOCAL_ADDRESS	TINYINT(1)	Flag indicating if it's a local address (1) or not (0)
DIVISION_ID	VARCHAR(36)	Foreign key reference to division
DISTRICT_ID	VARCHAR(36)	Foreign key reference to district
THANA_ID	VARCHAR(36)	Foreign key reference to thana/upazila
POST_CODE	VARCHAR(8)	Postal code
CITY	VARCHAR(128)	City name
STATE_PROVINCE	VARCHAR(128)	State or province name
ADDRESS	TEXT	Full address details
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_address_history}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the address history
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the address is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the address is deleted (1) or not (0)
IS_LOCAL_ADDRESS	TINYINT(1)	Flag indicating if it's a local address (1) or not (0)
DIVISION_ID	VARCHAR(36)	Foreign key reference to division
DISTRICT_ID	VARCHAR(36)	Foreign key reference to district
THANA_ID	VARCHAR(36)	Foreign key reference to thana/upazila

Column Name	Data Type	Description
POST_CODE	VARCHAR(8)	Postal code
CITY	VARCHAR(128)	City name
STATE_PROVINCE	VARCHAR(128)	State or province name
ADDRESS	VARCHAR(255)	Full address details
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_action}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the application action
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the action is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the action is deleted (1) or not (0)
TITLE	VARCHAR(512)	Title of the action (e.g., Submitted, Completed, Save as draft)
STATUS_ID	VARCHAR(36)	Foreign key reference to application status
CREATED BY	VARCHAR(64)	Username of the creator
CREATED ON	DATETIMÈ	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

 $Table: \ {\tt beprc_application_action_description}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the action description
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the description is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the description is deleted (1) or not (0)
APPLICATION_ACTION	N_WARCHAR(36)	Foreign key reference to application action
APPLICATION_TYPE_	IDVARCHAR(36)	Foreign key reference to application type
TITLE	VARCHAR(512)	Title of the action description (e.g., INNV, INC, ENT action description)
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_attachment}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the application attachment
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the attachment is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the attachment is deleted (1) or not (0)
APPLICATION_DET	TAILS_MADRCHAR(36)	Foreign key reference to application details

Column Name	Data Type	Description
ATTACHMENT_DECLA	RAYAIRXXH_AXRX(36)ID	Foreign key reference to attachment declaration document
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_attachment_declaration_doc}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the attachment declaration document
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the document is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the document is deleted (1) or not (0)
APPLICATION_TYPE_	IDVARCHAR(36)	Foreign key reference to application type
TITLE TYPE	VARCHAR(128) VARCHAR(16)	Title of the document Type of document (ATTACHMENT, DECLARATION)
IS_COMMON	TINYINT(1)	Flag indicating if it's a common file (1) or not (0)
SERIAL_NUMBER	INT	Serial number for ordering
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED_BY CREATED_ON	VARCHAR(64) DATETIME	Username of the creator Date and time of creation

Column Name	Data Type	Description
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_attachment_history}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the attachment history
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the attachment history is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the attachment history is deleted (1) or not (0)
REVISION	INT	Revision number
APPLICATION_DETAILS	S_MADRCHAR(36)	Foreign key reference to application details
ATTACHMENT_DECLAI	R. A/AIRXN<u>H.</u>AXR)(3 6)ID	Foreign key reference to attachment declaration document
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED BY	VARCHAR(64)	Username of the creator
CREATED ON	DATETIMÈ	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_budget}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for
VERSION	INT	the application budget Version number for optimistic locking

Column Name	Data Type	Description
IS_ACTIVE	TINYINT(1)	Flag indicating if the budget is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the budget is deleted (1) or not (0)
APPLICATION_DET	CAILS_MADRCHAR(36)	Foreign key reference to application details
BUDGET_SUMMAR	Y TEXT	Summary of the budget
INN_HONORARIUM		Innovation honorarium details
INN_EQUIPMENT_	PROD UEX T_DETAILS	Innovation equipment product details
INN_TRAVEL_DETA		Innovation travel details
INN_OTHER_DIREC		Innovation other direct details
	D_W ATCEXS T_DETAILS	Incubation salaries and wages details
INC_CONSULTATIO	N_D ETIFAXII S	Incubation consultation details
INC_IT_DETAILS	TEXT	Incubation IT details
INC_TRAVEL_DETA	AILS TEXT	Incubation travel details
	_TRAINESFER_DETAILS	Incubation technology transfer details
	_EQUIPEENT_DETAILS	Incubation permanent equipment details
INC_CONSUMABLE		Incubation consumable details
INC_COST_RELATI	ED_T ©EMA RKET_ANAL	
ENT_BRANDING_D	DETAILSEXT	to market analysis details Enterprise branding details
ENT_LICENSING_D	ETAI LS EXT	Enterprise licensing details
ENT_MARKET_STU	UDY_ DEXA ILS	Enterprise market study details
ENT_EQUIPMENT_	PRODUCXII_DETAILS	Enterprise equipment product details
LAB_DEV_EQUIPM	ENT_IDEXTAILS	Laboratory development equipment details
LAB_DEV_MAINTE	ENANCIE <u>EX</u> CIETAILS	Laboratory development maintenance details

Column Name	Data Type	Description
LAB_DEV_RAW_MATE	ERTÆKST_CONSUMABLI	ESLalb & Francisco
		raw materials and
		consumables details
LAB_DEV_BUDGET_F	OREXIRECT_OTHER	
		budget for direct other
		details
PROCUREMENT_PLAN	_ XATROGHANGS 6T_ID	Foreign key reference to
		procurement plan
		attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last
		updater
UPDATED_ON	DATETIME	Date and time of last
		update

$Table: \verb|beprc_application_budget_history| \\$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for
		the budget history
VERSION	INT	Version number for
		optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the
		budget history is active
		(1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the
	,	budget history is deleted
		(1) or not (0)
REVISION	INT	Revision number
APPLICATION_DETAILS_WADRCHAR(36)		Foreign key reference to
	,	application details
BUDGET_SUMMAR	Y TEXT	Summary of the budget
INN_HONORARIUM_DETIALKST		Innovation honorarium
		details
INN EQUIPMENT	PROD UEX T DETAILS	Innovation equipment
_ ·	_	product details
INN TRAVEL DETA	AILS TEXT	Innovation travel details
INN OTHER DIREC	CT DEEXILS	Innovation other direct
		details
INC SALARIES AN	D WATCERST DETAILS	Incubation salaries and
	<u>—</u>	wages details

Column Name	Data Type	Description
INC_CONSULTATION_I	DETIEAXIIS	Incubation consultation details
INC_IT_DETAILS	TEXT	Incubation IT details
INC_TRAVEL_DETAILS	TEXT	Incubation travel details
INC_TECHNOLOGY_TE	RAINESTER_DETAILS	Incubation technology transfer details
INC_PERMANENT_EQU	UIPMENT_DETAILS	Incubation permanent equipment details
INC_CONSUMABLE_DE	ETAEXSI	Incubation consumable details
INC_COST_RELATED_	TODEXMARKET ANALY	
11.0_0001_100011120_		to market analysis details
ENT BRANDING DETA	AITSEXT	Enterprise branding
		details
ENT LICENSING DETA	AITSEXT	Enterprise licensing
		details
ENT_MARKET_STUDY	_ DEXA ILS	Enterprise market study
		details
ENT_EQUIPMENT_PRO	DETAILS	Enterprise equipment
		product details
LAB_DEV_EQUIPMENT	T_TIDEEXCIAILS	Laboratory development
		equipment details
LAB_DEV_MAINTENAN	NCHENDETAILS	Laboratory development
		maintenance details
LAB_DEV_RAW_MATE	CRTÆXST_CONSUMABLE	<u> </u>
		raw materials and
		consumables details
LAB_DEV_BUDGET_F	O R<u>e</u>xir ect_other_	
		budget for direct other details
PROCUREMENT_PLAN	_XXXTRAXHAM(EXC)T_ID	Foreign key reference to
		procurement plan
		attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last
		updater
UPDATED_ON	DATETIME	Date and time of last
		update

 $Table: \ beprc_application_details$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the application details
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
$IS_DELETED$	tinyint(1)	Flag indicating if the
		record is deleted (1) or
		not (0) , defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to
		$beprc_application_info$
		table
AWARDEE_ORGANIZAT	ΓΙ ΘεΝ<u>ch</u>ΙεΝ (336)_ ID	Foreign key reference to
		beprc_awardee_organization_
		table
$RESEARCH_PRIMARY_$	_LOACANTH(3N)_ID	Foreign key reference to
		$beprc_address\ table\ for$
		research location
ORGANIZATION_TYPE	varchar(36)	Type of organization
		(lead or non-lead)
NON_LEAD_ORGANIZA	ATH⊕N_SERIAL	Serial number for
		non-lead organizations,
		defaults to 0
PROPOSED_TITLE	varchar(256)	Title of the proposed
		research/application
FOTAL_DURATION	int	Total duration of the
		project, defaults to 0
$\Gamma OTAL_BUDGET$	double	Total budget for the
		project
LABORATORY_ORGAN	IZATUON(64)YPE	Type of laboratory
		organization
LABORATORY_TYPE	varchar(48)	Type of laboratory
LABORATORY_LOCAT	[O t ∕ext	Location description of
		the laboratory
LABORATORY_NAME	` '	Name of the laboratory
CREATED_BY	varchar(64)	Username of person who
		created the record
CREATED_ON	datetime	Date and time when the
		record was created
UPDATED_BY	varchar(64)	Username of person who
		last updated the record

Column Name	Data Type	Description
UPDATED_ON	datetime	Date and time when the record was last updated

Table: beprc_application_details_history

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the history record
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the
	, ,	record is deleted (1) or
		not (0), defaults to 0
REVISION	int	Revision number of the
		history record, defaults
		to 0
APPLICATION_ID	varchar(36)	Foreign key reference to
		beprc_application_info
		table
AWARDEE_ORGANIZAT	TOANchan (530)_HISTORY_	_Horeign key reference to
		beprc_awardee_organization_info_history
		table
RESEARCH_PRIMARY_	LOGGATH(3N)_HISTORY	_ F Dreign key reference to
		beprc_address_history
		table
ORGANIZATION_TYPE	varchar(36)	Type of organization
		(lead or non-lead)
NON_LEAD_ORGANIZA	ATHON_SERIAL	Serial number for
		non-lead organizations,
		defaults to 0
PROPOSED_TITLE	varchar(256)	Title of the proposed
		research/application
TOTAL_DURATION	int	Total duration of the
		project, defaults to 0
$TOTAL_BUDGET$	double	Total budget for the
		project
LABORATORY_ORGANI	LZAMETOMAN(<u>6</u> 47)YPE	Type of laboratory
	. (10)	organization
LABORATORY_TYPE	varchar(48)	Type of laboratory

Column Name	Data Type	Description
LABORATORY_LOCATI	Of ext	Location description of the laboratory
LABORATORY_NAME CREATED_BY	varchar(255) varchar(64)	Name of the laboratory Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

${\bf Table:\ beprc_application_info}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the application information
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_TRACKINGArcNAH(6B)ER		Tracking number for the application
APPLICATION_TYP	PE_IDvarchar(36)	Foreign key reference to beprc_application_type table
APPLICATION_STA	TUS_Marchar(36)	Foreign key reference to beprc_application_status table
SOLICITATION_ID	varchar(36)	Foreign key reference to beprc_solicitation table
LAB_PROGRAM_II	O varchar(36)	Foreign key reference to beprc_lab_program table
IS_INDIVIDUAL_PF	ROPOSANIvint(1)	Flag indicating if this is an individual proposal (1) or not (0), defaults to 1

Column Name	Data Type	Description
NUMBER_OF_NON_LE	Al <u>dt</u> ORGANIZATION	Number of non-lead organizations involved, defaults to 1
SUBMITTED_ON	datetime	Date and time when the application was submitted
SC_SUBMITTED_ON	datetime	Date and time when submitted to SC (possibly Scientific Committee)
RVW_SUBMITTED_ON	datetime	Date and time when submitted for review
REVISION	int	Revision number of the application, defaults to 0
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated
AWARDED_ON	date	Date when the application was awarded
APPLICATION_STATUS	_ NAME r(512)	Name of the application status
REPORT_ID	varchar(36)	Foreign key reference to beprc_application_report table
REPORT_STATUS	varchar(36)	Status of the report (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
REPORT_SUBMITTED_	OlNate	Date when the report was submitted
PCR_REPORT_STATUS	varchar(36)	Status of the PCR report (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
ALL_PCR_CRITERIA_F	TELEFIELE (ED)	Flag indicating if all PCR criteria are fulfilled

Column Name	Data Type	Description
PRC_REPORT_SUBMIT	TÆÐe_ON	Date when the PRC report was submitted
LAST_REMARK	text	Last remark on the application
LAST_ATTACHMENT_I	Dvarchar(36)	Foreign key reference to beprc_attachment table for the last attachment
PCR_ADMIN_REMARK	text	Administrative remark for PCR
PCR_ADMIN_ATTACHN	M EANT <u>ha</u> H(86)	Foreign key reference to beprc_attachment table for PCR admin attachment
AWARDED_REMARK	text	Remark when awarded
AWARDED_ATTACHME	N\u00e4ardBar(36)	Foreign key reference to beprc_attachment table for award attachment
NUMBER_OF_REVIEW	ERat	Number of reviewers assigned, defaults to 0
IS_IMPORTED	tinyint(1)	Flag indicating if the record was imported (1) or not (0), defaults to 0

$Table: \ beprc_application_member_info$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the member information
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETA	ILS <u>v</u> Afrchar(36)	Foreign key reference to beprc_application_details table

Column Name	Data Type	Description
MEMBER_ROLE_ID	varchar(36)	Foreign key reference to beprc_member_role table
ORGANIZATION_ADDR	E SS<u>rc</u>hD r(36)	Foreign key reference to beprc_address table for organization address
PRESENT_ADDRESS_II	O varchar(36)	Foreign key reference to beprc_address table for present address
PERMANENT_ADDRES	S <u>v</u> APchar(36)	Foreign key reference to beprc_address table for permanent address
IS_BANGLADESHI	tinyint(1)	Flag indicating if the member is Bangladeshi (1) or not (0), defaults to 1
COUNTRY_ID	varchar(36)	Foreign key reference to beprc_country table for foreign nationality
PHOTO_ATTACHMENT		Foreign key reference to beprc_attachment table for profile photo
SIGNATURE_ATTACHM	ENAT <u>ch</u>	Foreign key reference to beprc_attachment table for signature
GENDER_ID	varchar(36)	Foreign key reference to beprc_gender table
IS_NRB	tinyint(1)	Flag indicating if the member is a Non-Resident Bangladeshi (1) or not (0), defaults to 0
MEMBER_NAME	varchar(128)	Name of the member
DESIGNATION	varchar(255)	Designation/title of the member
OTHER_ROLE_NAME	varchar(128)	Name of other role if applicable
EMAIL_ADDRESS	varchar(128)	Email address of the member
PHONE_NUMBER	varchar(64)	Phone number of the member
NID	varchar(18)	National ID number of the member

Column Name	Data Type	Description
DATE_OF_BIRTH	date	Date of birth of the member
ORGANIZATION_NAME	varchar(128)	Name of the organization the member belongs to
RESIDENCE	varchar(255)	Residence information for foreign nationals
PASSPORT_NUMBER	varchar(24)	Passport number for foreign nationals
PR_NUMBER	varchar(32)	Permanent Residence number for foreign nationals
WORK_EXPERIENCE	varchar(36)	Work experience of the member
EDUCATION	varchar(255)	Educational background of the member
RESPONSIBILITY	text	Responsibilities of the member in the project
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

$Table: \ beprc_application_member_info_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the history record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
REVISION	int	Revision number of the history record, defaults to 0

Column Name	Data Type	Description
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETAILS	S <u>v</u> ADchar(36)	Foreign key reference to beprc_application_details table
MEMBER_ROLE_ID	varchar(36)	Foreign key reference to beprc_member_role table
ORGANIZATION_ADDR	ESS <u>rc</u> HHS(T6)RY_ID	Foreign key reference to beprc_address_history table for organization address
PRESENT_ADDRESS_H	ISÆØRÆ(36)	Foreign key reference to beprc_address_history table for present address
PERMANENT_ADDRESS	S <u>vallista ((1801)</u> ID	Foreign key reference to beprc_address_history table for permanent address
IS_BANGLADESHI	tinyint(1)	Flag indicating if the member is Bangladeshi (1) or not (0), defaults to 1
COUNTRY_ID	varchar(36)	Foreign key reference to beprc_country table for foreign nationality
PHOTO_ATTACHMENT	_ Y Drchar(36)	Foreign key reference to beprc_attachment table for profile photo
SIGNATURE_ATTACHM	EMAT <u>ch</u>	Foreign key reference to beprc_attachment table for signature
GENDER_ID	varchar(36)	Foreign key reference to beprc_gender table
IS_NRB	tinyint(1)	Flag indicating if the member is a Non-Resident Bangladeshi (1) or not (0), defaults to 0
MEMBER_NAME DESIGNATION	varchar(128) varchar(255)	Name of the member Designation/title of the member

Column Name	Data Type	Description
OTHER_ROLE_NAME	varchar(128)	Name of other role if applicable
EMAIL_ADDRESS	varchar(128)	Email address of the member
PHONE_NUMBER	varchar(64)	Phone number of the member
NID	varchar(18)	National ID number of the member
DATE_OF_BIRTH	date	Date of birth of the member
ORGANIZATION_NAME	, ,	Name of the organization the member belongs to
RESIDENCE	varchar(255)	Residence information for foreign nationals
PASSPORT_NUMBER	varchar(24)	Passport number for foreign nationals
PR_NUMBER	varchar(32)	Permanent Residence number for foreign nationals
WORK_EXPERIENCE	varchar(36)	Work experience of the member
EDUCATION	varchar(255)	Educational background of the member
RESPONSIBILITY	text	Responsibilities of the member in the project
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

Table: DATABASECHANGELOG

Column Name	Data Type	Description
ID	VARCHAR(255)	Unique identifier for the database change log entry
AUTHOR	VARCHAR(255)	Author of the database change
FILENAME	VARCHAR(255)	File name containing the change set
DATEEXECUTED	DATETIME	Date and time when the change was executed
ORDEREXECUTED	INT	Execution order of the change

Column Name	Data Type	Description
EXECTYPE	VARCHAR(10)	Type of execution (e.g., EXECUTED, FAILED)
MD5SUM	VARCHAR(35)	MD5 checksum of the change set
DESCRIPTION	VARCHAR(255)	Description of the change
COMMENTS	VARCHAR(255)	Additional comments about the change
TAG	VARCHAR(255)	Tag associated with the change
LIQUIBASE	VARCHAR(20)	Liquibase version used
CONTEXTS	VARCHAR(255)	Contexts for the change
LABELS	VARCHAR(255)	Labels for the change
DEPLOYMENT_ID	VARCHAR(10)	Deployment identifier

Table: DATABASECHANGELOGLOCK

Column Name	Data Type	Description
ID	INT	Primary key identifier for the lock
LOCKED	TINYINT(1)	Flag indicating if the database is locked (1) or not (0)
LOCKGRANTED	DATETIME	Date and time when the lock was granted
LOCKEDBY	VARCHAR(255)	Information about who or what obtained the lock

$Table: \ \mathtt{beprc_address}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the address
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the address is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the address is deleted (1) or not (0)
IS_LOCAL_ADDRESS	TINYINT(1)	Flag indicating if it's a local address (1) or not (0)
DIVISION_ID	VARCHAR(36)	Foreign key reference to division
DISTRICT_ID	VARCHAR(36)	Foreign key reference to district
THANA_ID	VARCHAR(36)	Foreign key reference to thana/upazila

Column Name	Data Type	Description
POST_CODE	VARCHAR(8)	Postal code
CITY	VARCHAR(128)	City name
STATE_PROVINCE	VARCHAR(128)	State or province name
ADDRESS	TEXT	Full address details
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

Table: beprc_address_history

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the address history
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the address is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the address is deleted (1) or not (0)
IS_LOCAL_ADDRESS	TINYINT(1)	Flag indicating if it's a local address (1) or not (0)
DIVISION_ID	VARCHAR(36)	Foreign key reference to division
DISTRICT_ID	VARCHAR(36)	Foreign key reference to district
THANA_ID	VARCHAR(36)	Foreign key reference to thana/upazila
POST CODE	VARCHAR(8)	Postal code
CITY	VARCHAR(128)	City name
STATE_PROVINCE	VARCHAR(128)	State or province name
ADDRESS	VARCHAR(255)	Full address details
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater

Column Name	Data Type	Description
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_action}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the application action
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the action is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the action is deleted (1) or not (0)
TITLE	VARCHAR(512)	Title of the action (e.g., Submitted, Completed, Save as draft)
STATUS_ID	VARCHAR(36)	Foreign key reference to application status
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_action_description}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for
		the action description
VERSION	INT	Version number for
		optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the
		description is active (1)
		or not (0)

Column Name	Data Type	Description
IS_DELETED	TINYINT(1)	Flag indicating if the description is deleted (1) or not (0)
APPLICATION_ACT	ION_WARCHAR(36)	Foreign key reference to application action
APPLICATION_TYP	E_IDVARCHAR(36)	Foreign key reference to application type
TITLE	VARCHAR(512)	Title of the action description (e.g., INNV, INC, ENT action description)
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_attachment}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the application attachment
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the attachment is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the attachment is deleted (1) or not (0)
APPLICATION_DETA	ILS_MADRCHAR(36)	Foreign key reference to application details
ATTACHMENT_DECL	AR A'AIRX'N<u>H</u>AXR(3 6)ID	Foreign key reference to attachment declaration document
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation

Column Name	Data Type	Description
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ {\tt beprc_application_attachment_declaration_doc}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the attachment declaration document
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the document is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the document is deleted (1) or not (0)
APPLICATION_TYPE	_IDVARCHAR(36)	Foreign key reference to application type
TITLE	VARCHAR(128)	Title of the document
TYPE	VARCHAR(16)	Type of document (ATTACHMENT, DECLARATION)
IS_COMMON	TINYINT(1)	Flag indicating if it's a common file (1) or not (0)
SERIAL_NUMBER	INT	Serial number for ordering
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED BY	VARCHAR(64)	Username of the creator
CREATED ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

 $Table: \ {\tt beprc_application_attachment_history}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the attachment history
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the attachment history is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the attachment history is deleted (1) or not (0)
REVISION	INT	Revision number
APPLICATION_DETAIL	S_MADRCHAR(36)	Foreign key reference to application details
ATTACHMENT_DECLA	R A/AIRXN<u>H</u>AXR(G 6)ID	Foreign key reference to attachment declaration document
ATTACHMENT_ID	VARCHAR(36)	Foreign key reference to attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

Table: beprc_application_budget

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for
		the application budget
VERSION	INT	Version number for
		optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the
		budget is active (1) or
		not(0)
IS_DELETED	TINYINT(1)	Flag indicating if the
	· /	budget is deleted (1) or
		not(0)
APPLICATION_DETAIL	LS VADRCHAR (36)	Foreign key reference to
	_	application details
BUDGET_SUMMARY	TEXT	Summary of the budget

rarium
pment
el details
r direct
ries and
ultation
etails
el details
nology
nanent Ils
umable
related
sis details
ding
sing
et study
oment
elopment Ils
elopment tails
elopment nd
tails elopment t other
rence to
creator
f creation

Column Name	Data Type	Description
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

Table: beprc_application_budget_history

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier for the budget history
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the budget history is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the budget history is deleted (1) or not (0)
REVISION	INT	Revision number
APPLICATION_DETAILS	S_MADRCHAR(36)	Foreign key reference to application details
BUDGET SUMMARY	TEXT	Summary of the budget
INN_HONORARIUM_DE	TIAHKST	Innovation honorarium details
INN_EQUIPMENT_PRO	DUKX <u>T</u> DETAILS	Innovation equipment product details
INN_TRAVEL_DETAILS	TEXT	Innovation travel details
INN_OTHER_DIRECT_I	OEEXILS	Innovation other direct details
INC_SALARIES_AND_W	VATEEXS_DETAILS	Incubation salaries and wages details
INC_CONSULTATION_D	EDEAXUS	Incubation consultation details
INC IT DETAILS	TEXT	Incubation IT details
INC TRAVEL DETAILS	TEXT	Incubation travel details
INC_TECHNOLOGY_TR		Incubation technology transfer details
INC_PERMANENT_EQU	IPEENT_DETAILS	Incubation permanent equipment details
INC_CONSUMABLE_DE	TAEIXST	Incubation consumable details

Column Name	Data Type	Description
INC_COST_RELATED	_T Ø E XIA RKET_ANAL	YSILS <u>cu</u> DartiAnILSst related
ENT_BRANDING_DET	AILE XT	to market analysis details Enterprise branding details
ENT_LICENSING_DET	CAILSEXT	Enterprise licensing details
ENT_MARKET_STUD	Y_ DEXA ILS	Enterprise market study details
ENT_EQUIPMENT_PR	ODUECXII_DETAILS	Enterprise equipment product details
LAB_DEV_EQUIPMEN	T_TDEXTAILS	Laboratory development equipment details
LAB_DEV_MAINTENA	NCHE <u>X</u> DETAILS	Laboratory development maintenance details
LAB_DEV_RAW_MAT	ERT AIXS I_CONSUMABL	ES_aDeTaAllySdevelopment raw materials and consumables details
LAB_DEV_BUDGET_I	FOR <u>E</u> NURECT_OTHER	
PROCUREMENT_PLAN	N_XAROCHANESCT_ID	Foreign key reference to procurement plan attachment
CREATED_BY	VARCHAR(64)	Username of the creator
CREATED_ON	DATETIME	Date and time of creation
UPDATED_BY	VARCHAR(64)	Username of the last updater
UPDATED_ON	DATETIME	Date and time of last update

$Table: \ beprc_application_details$

Data Type	Description
varchar(36)	Primary key identifier for
	the application details
int	Version number of the
	record, defaults to 0
tinyint(1)	Flag indicating if the
	record is active (1) or not
	(0), defaults to 1
	varchar(36) int

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or
		not (0), defaults to 0
APPLICATION ID	varchar(36)	Foreign key reference to
II I DIOMITON_ID	varchar (50)	beprc_application_info
		table
AWARDEE_ORGANIZ	ATION:chaveron ID	Foreign key reference to
	<u> </u>	bepre awardee organization
		table
RESEARCH PRIMARY	Y LOGCATHON) ID	Foreign key reference to
		beprc_address table for
		research location
ORGANIZATION_TYP	E varchar(36)	Type of organization
	,	(lead or non-lead)
NON_LEAD_ORGANI	ZATil@N_SERIAL	Serial number for
		non-lead organizations,
		defaults to 0
PROPOSED_TITLE	varchar(256)	Title of the proposed
		research/application
TOTAL_DURATION	int	Total duration of the
		project, defaults to 0
$\Gamma OTAL_BUDGET$	double	Total budget for the
		$\operatorname{project}$
LABORATORY_ORGA	$ANIZATDOM(\underline{6}4)YPE$	Type of laboratory
		organization
LABORATORY_TYPE	()	Type of laboratory
LABORATORY_LOCA	TIO t ext	Location description of
		the laboratory
LABORATORY_NAMI	` ,	Name of the laboratory
CREATED_BY	varchar(64)	Username of person who
CD D LEDD ON		created the record
CREATED_ON	datetime	Date and time when the
	1 (04)	record was created
UPDATED_BY	varchar(64)	Username of person who
LIDDAMED ON	1	last updated the record
UPDATED_ON	datetime	Date and time when the
		record was last updated

 $Table: \ beprc_application_details_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the history record
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted (1) or
		not (0), defaults to 0
REVISION	int	Revision number of the
		history record, defaults
		to 0
APPLICATION_ID	varchar(36)	Foreign key reference to
		beprc_application_info
		table
AWARDEE_ORGANIZAT	IOMCHANESO_HISTORY_	_Horeign key reference to
	, ,	beprc_awardee_organization_info_history
		table
RESEARCH_PRIMARY_	LOGGATH(3N)_HISTORY	_HDreign key reference to
	, ,	beprc_address_history
		table
ORGANIZATION_TYPE	varchar(36)	Type of organization
		(lead or non-lead)
NON_LEAD_ORGANIZA	Tif@N_SERIAL	Serial number for
		non-lead organizations,
		defaults to 0
PROPOSED_TITLE	varchar(256)	Title of the proposed
	, ,	research/application
TOTAL_DURATION	int	Total duration of the
		project, defaults to 0
TOTAL_BUDGET	double	Total budget for the
		project
LABORATORY_ORGANI	$Z_{A}TdQM(64)YPE$	Type of laboratory
	, ,	organization
LABORATORY_TYPE	varchar(48)	Type of laboratory
LABORATORY_LOCATION	O N ext	Location description of
		the laboratory
LABORATORY_NAME	varchar(255)	Name of the laboratory
CREATED_BY	varchar(64)	Username of person who
	, ,	created the record
CREATED_ON	datetime	Date and time when the

Column Name	Data Type	Description
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

Table: beprc_application_info

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the application information
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_TRACK	ING <u>re</u> NJEMER	Tracking number for the application
APPLICATION_TYPE_I	Dvarchar(36)	Foreign key reference to beprc_application_type table
APPLICATION_STATUS	Warchar(36)	Foreign key reference to beprc_application_status table
SOLICITATION_ID	varchar(36)	Foreign key reference to beprc_solicitation table
LAB_PROGRAM_ID	varchar(36)	Foreign key reference to beprc_lab_program table
IS_INDIVIDUAL_PROPO	OS:Aukvint(1)	Flag indicating if this is an individual proposal (1) or not (0), defaults to 1
NUMBER_OF_NON_LE	Aht_ORGANIZATION	Number of non-lead organizations involved, defaults to 1
SUBMITTED_ON	datetime	Date and time when the application was submitted

Column Name	Data Type	Description
SC_SUBMITTED_ON	datetime	Date and time when submitted to SC (possibly Scientific Committee)
RVW_SUBMITTED_O	N datetime	Date and time when submitted for review
REVISION	int	Revision number of the application, defaults to 0
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated
AWARDED_ON	date	Date when the application was awarded
APPLICATION_STATU	S_NAMET(512)	Name of the application status
REPORT_ID	varchar(36)	Foreign key reference to beprc_application_reportable
REPORT_STATUS	varchar(36)	Status of the report (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
REPORT_SUBMITTED	O_ONate	Date when the report was submitted
PCR_REPORT_STATU	S varchar(36)	Status of the PCR report (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
ALL_PCR_CRITERIA_	_F\f\f\f\f\(\mathft(\mathft)\)	Flag indicating if all PCR criteria are fulfilled
PRC_REPORT_SUBMI	TTÆÐ <u>e</u> ON	Date when the PRC report was submitted
LAST_REMARK	text	Last remark on the application
LAST_ATTACHMENT_	_IDvarchar(36)	Foreign key reference to beprc_attachment table for the last attachment

Column Name	Data Type	Description
PCR_ADMIN_REMA	RK text	Administrative remark for PCR
PCR_ADMIN_ATTAC	CHM EA'T h <u>a</u> H(86)	Foreign key reference to beprc_attachment table for PCR admin attachment
AWARDED_REMARI AWARDED_ATTACH		Remark when awarded Foreign key reference to beprc_attachment table for award attachment
NUMBER_OF_REVI	EWERnt	Number of reviewers assigned, defaults to 0
IS_IMPORTED	$\operatorname{tinyint}(1)$	Flag indicating if the record was imported (1) or not (0), defaults to 0

${\bf Table:\ beprc_application_member_info}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the member information
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETAIL	S <u>v</u> ADchar(36)	Foreign key reference to beprc_application_details table
MEMBER_ROLE_ID	varchar(36)	Foreign key reference to beprc_member_role table
ORGANIZATION_ADDR	E SS rc h Dr(36)	Foreign key reference to beprc_address table for organization address

Column Name	Data Type	Description
PRESENT_ADDRESS_ID	varchar(36)	Foreign key reference to beprc_address table for present address
PERMANENT_ADDRESS	<u>S_v</u> Mchar(36)	Foreign key reference to beprc_address table for permanent address
IS_BANGLADESHI	tinyint(1)	Flag indicating if the member is Bangladeshi (1) or not (0), defaults to 1
COUNTRY_ID	varchar(36)	Foreign key reference to beprc_country table for foreign nationality
PHOTO_ATTACHMENT_	_Harchar(36)	Foreign key reference to beprc_attachment table for profile photo
SIGNATURE_ATTACHM	EWAT <u>ch</u> AD(36)	Foreign key reference to beprc_attachment table for signature
GENDER_ID	varchar(36)	Foreign key reference to beprc_gender table
IS_NRB	tinyint(1)	Flag indicating if the member is a Non-Resident Bangladeshi (1) or not (0), defaults to 0
$MEMBER_NAME$	varchar(128)	Name of the member
DESIGNATION	varchar(255)	Designation/title of the member
OTHER_ROLE_NAME	varchar(128)	Name of other role if applicable
EMAIL_ADDRESS	varchar(128)	Email address of the member
PHONE_NUMBER	varchar(64)	Phone number of the member
NID	varchar(18)	National ID number of the member
DATE_OF_BIRTH	date	Date of birth of the member
ORGANIZATION_NAME	varchar(128)	Name of the organization the member belongs to
RESIDENCE	varchar(255)	Residence information for foreign nationals

Column Name	Data Type	Description
PASSPORT_NUMBER	varchar(24)	Passport number for foreign nationals
PR_NUMBER	varchar(32)	Permanent Residence number for foreign nationals
WORK_EXPERIENCE	varchar(36)	Work experience of the member
EDUCATION	varchar(255)	Educational background of the member
RESPONSIBILITY	text	Responsibilities of the member in the project
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

$Table: \ beprc_application_member_info_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the history record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0), defaults to 0
REVISION	int	Revision number of the history record, defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETA	ILS <u>v</u> Mochar(36)	Foreign key reference to beprc_application_details table

Column Name	Data Type	Description
MEMBER_ROLE_ID	varchar(36)	Foreign key reference to beprc_member_role table
ORGANIZATION_ADDR	ESSrcHHS(B6)RY_ID	Foreign key reference to beprc_address_history table for organization address
PRESENT_ADDRESS_H	ISTEORAY (36)	Foreign key reference to beprc_address_history table for present address
PERMANENT_ADDRESS	S <u>vahista (</u> PA)_ID	Foreign key reference to beprc_address_history table for permanent address
IS_BANGLADESHI	tinyint(1)	Flag indicating if the member is Bangladeshi (1) or not (0), defaults to 1
COUNTRY_ID	varchar(36)	Foreign key reference to beprc_country table for foreign nationality
PHOTO_ATTACHMENT	_Marchar(36)	Foreign key reference to beprc_attachment table for profile photo
SIGNATURE_ATTACHMENATchAD(36)		Foreign key reference to beprc_attachment table for signature
GENDER_ID	varchar(36)	Foreign key reference to beprc_gender table
IS_NRB	tinyint(1)	Flag indicating if the member is a Non-Resident Bangladeshi (1) or not (0), defaults to 0
MEMBER_NAME	varchar(128)	Name of the member
DESIGNATION	$\operatorname{varchar}(255)$	Designation/title of the member
OTHER_ROLE_NAME	varchar(128)	Name of other role if applicable
EMAIL_ADDRESS	varchar(128)	Email address of the member
PHONE_NUMBER	varchar(64)	Phone number of the member

Column Name	Data Type	Description
NID	varchar(18)	National ID number of the member
DATE_OF_BIRTH	date	Date of birth of the member
ORGANIZATION_NAME	varchar(128)	Name of the organization the member belongs to
RESIDENCE	varchar(255)	Residence information for foreign nationals
PASSPORT_NUMBER	varchar(24)	Passport number for foreign nationals
PR_NUMBER	varchar(32)	Permanent Residence number for foreign nationals
WORK_EXPERIENCE	varchar(36)	Work experience of the member
EDUCATION	varchar(255)	Educational background of the member
RESPONSIBILITY	text	Responsibilities of the member in the project
CREATED_BY	varchar(64)	Username of person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

BEPRC Database Data Dictionary

$Table: \ beprc_application_milestone$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the milestone
VERSION	int	Version number for optimistic locking
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active (1) or not (0)

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETA	AILS <u>v</u> anchar(36)	Foreign key reference to beprc_application_details table
NAME	varchar(255)	Name of the milestone
WEIGHT	double	Weight value assigned to the milestone
START_DATE	date	Start date of the milestone
END_DATE	date	End date of the milestone
DESCRIPTION	text	Detailed description of the milestone
STATUS	varchar(64)	Current status of the milestone
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated
START_MONTH	int	Start month as an integer value
END_MONTH	int	End month as an integer value

$Table: \ beprc_application_milestone_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the milestone history record
VERSION	int	Version number for optimistic locking

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
REVISION	int	Revision number for the history record
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_DETA	ILS <u>v</u> MDchar(36)	Foreign key reference to beprc_application_details table
NAME	varchar(255)	Name of the milestone
WEIGHT	double	Weight value assigned to the milestone
START_DATE	date	Start date of the milestone
END DATE	date	End date of the milestone
START_MONTH	int	Start month as an integer value
END_MONTH	int	End month as an integer value
DESCRIPTION	text	Detailed description of the milestone
STATUS	varchar(64)	Status of the milestone at this point in history
CREATED_BY	varchar(64)	Username of the person who created the original record
CREATED_ON	datetime	Timestamp when the original record was created
UPDATED_BY	varchar(64)	Username of the person who updated the record
UPDATED_ON	datetime	Timestamp when the record was updated

 $Table: \ beprc_application_pcr_step_1_answer$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the PCR step 1 answer
VERSION	int	Version number for optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
APPLICATION_PCR_ST	ER <u>archaG</u> BESTION_ID	Foreign key reference to beprc_application_pcr_step_1_question table
ANSWER	tinyint(1)	Boolean answer (true/false) for the PCR question
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_pcr_step_1_question$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the PCR step 1 question
VERSION	int	Version number for optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0)

Column Name	Data Type	Description
APPLICATION_TYPE_	IDvarchar(36)	Foreign key reference to beprc_application_type table
SERIAL_NUMBER	int	Sequence number for ordering questions
CRITERIA	text	Question text or criteria for PCR step 1
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_pcr_step_2_answer$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the PCR step 2 answer
VERSION	int	Version number for optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
REMARK	text	Remarks or comments for PCR step 2
PCR_STEP_2_ATTAC	CHM an ch <u>a</u> n(D 6)	Foreign key reference to beprc_attachment table
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created

Column Name	Data Type	Description
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_pcr_tor$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the PCR TOR
VERSION	int	Version number for optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
FUND_FROM_BEPRC	varchar(64)	Funding amount from BEPRC
PROJECT_START_DAT	Edate	Start date of the project
PROJECT_END_DATE	date	End date of the project
DESCRIPTION	text	Detailed description of the TOR
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

 $Table:\ beprc_application_process_info$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the process info
VERSION	int	Version number for optimistic locking
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active (1) or not (0)
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
TYPE	varchar(36)	Type of process information
ACTION_ID	varchar(36)	Foreign key reference to beprc_application_action table
REMARKS	text	Remarks or comments about the process
ATTACHMENT_ID	varchar(36)	Foreign key reference to beprc_attachment table
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_application_report}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
VERSION	int	the report Version number for
IS ACTIVE	tinyint(1)	optimistic locking Flag indicating if the
	0111y1110(1)	record is active (1) or not (0)

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
NAME	varchar(36)	Name of the report
SERIAL_NUMBER	int	Sequence number for ordering reports
TYPE	varchar(36)	Type of report (START, NEXT, END)
CREATOR	varchar(36)	Creator of the report (SYSTEM, ADMIN)
PROCESS_STATUS	varchar(36)	Status of the process (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
APPLICANT_REMARK	text	Remarks from the applicant
APPLICANT_ATTACHM	TE NAT c <u>h</u> AD(36)	Foreign key reference to beprc_attachment table for applicant's attachment
ADMIN_REMARK ADMIN_ATTACHMENT	text _Narchar(36)	Remarks from the admin Foreign key reference to beprc_attachment table for admin's attachment
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

 $Table: \ beprc_application_research_component$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the research component
VERSION	int	Version number for optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_DETAIL	LS <u>v</u> HDchar(36)	Foreign key reference to beprc_application_details table
COMPONENT_TYPE	varchar(64)	Type of research component (e.g., Research Summary with keywords)
DOC_TYPE	varchar(8)	Document type
DETAILS	longtext	Detailed content of the research component
ATTACHMENT_ID	varchar(36)	Foreign key reference to beprc_attachment table
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_research_component_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the research component
		history
VERSION	int	Version number for
		optimistic locking

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
REVISION	int	Revision number for the history record
APPLICATION_DETAIL	LS vAlbehar (36)	Foreign key reference to beprc_application_details table
COMPONENT_TYPE	varchar(64)	Type of research component
DOC_TYPE	varchar(8)	Document type
DETAILS	text	Detailed content of the research component at this point in history
ATTACHMENT_ID	varchar(36)	Foreign key reference to beprc_attachment table
CREATED_BY	varchar(64)	Username of the person who created the original record
CREATED_ON	datetime	Timestamp when the original record was created
UPDATED_BY	varchar(64)	Username of the person who updated the record
UPDATED_ON	datetime	Timestamp when the record was updated

${\bf Table:\ beprc_application_reviewer}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the reviewer assignment
VERSION	int	Version number for
		optimistic locking
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0)

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
REVIEWER_USER_ID	varchar(36)	Foreign key reference to beprc_user table identifying the reviewer
ACCEPTED	int	Status of reviewer acceptance (0-nothing, 1-accepted, 2-denied)
CHOICE_ON	datetime	Timestamp when the reviewer made their choice
IS_PROCESSED	tinyint(1)	Flag indicating if the review has been processed
PROCESSED_ON	datetime	Timestamp when the review was processed
REMARKS	text	Remarks or comments from the reviewer
ATTACHMENT_ID	varchar(36)	Foreign key reference to beprc_attachment table
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_status$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the application status
VERSION	int	Version number for
		optimistic locking

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
TITLE	varchar(512)	Display title for the status (e.g., "Submitted", "Completed", "Save as draft")
TAG	varchar(255)	Status identifier (e.g., "SUBMITTED", "COMPLETED", "SAVE_AS_DRAFT")
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_application_status_description$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not)
		deleted), default is 0
APPLICATION_STA	ATUS_Harchar(36)	Foreign key referencing
		beprc_application_status.OID
APPLICATION_TY	PE_IDvarchar(36)	Foreign key referencing
	, ,	beprc_application_type.OID

Column Name	Data Type	Description
TITLE	varchar(512)	Description of application status (INNV, INC, ENT status description)
CREATED_BY CREATED_ON	varchar(64) datetime	Username of the creator Timestamp when record was created
UPDATED_BY	varchar(64)	Username of the last updater
UPDATED_ON	datetime	Timestamp when record was last updated

$Table: \ beprc_application_status_user_description$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not)
		deleted), default is 0
APPLICATION_TYP	PE_IDvarchar(36)	Foreign key referencing
		beprc_application_type.OI
APPLICATION_STATUS_Marchar(36)		Foreign key referencing
		beprc_application_status.(
TITLE	varchar(512)	Application status
		description for users
		(INNV, INC, ENT
		application status)
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record
		was created
UPDATED_BY	varchar(64)	Username of the last
		$\operatorname{updater}$
UPDATED_ON	datetime	Timestamp when record
		was last updated

 $Table: \ beprc_application_sub_task$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS ACTIVE	tinyint(1)	Flag indicating if the
	• ()	record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
	• ()	record is deleted
		(1=deleted, 0=not)
		deleted), default is 0
APPLICATION_TASK	IDvarchar(36)	Foreign key referencing
	_	beprc_application_task.O
ATTACHMENT_ID	varchar(36)	Foreign key referencing
	` '	beprc_attachment.OID
NAME	varchar(255)	Name of the sub-task
START_DATE	date	Start date of the sub-task
END_DATE	date	End date of the sub-task
DURATION	int	Duration of the sub-task
DURATION_TYPE	varchar(4)	Type of duration (Month
	, ,	(M), Day (D))
COMMENT	varchar(767)	Comment for each
	, ,	sub-task
STATUS	varchar(64)	Status of each sub-task
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record
		was created
UPDATED BY	varchar(64)	Username of the last
	,	updater
UPDATED_ON	datetime	Timestamp when record
		was last updated
START_MONTH	int	Starting month number
END_MONTH	int	Ending month number
SERIAL_NUMBER	int	Order/sequence number,
_		default is 0

$Table: \ beprc_application_sub_task_history$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number with
,		default value of 0

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the
	* , ,	record is active (1=active,
		0=inactive), default is 1
IS DELETED	tinyint(1)	Flag indicating if the
_	<i>v</i> ()	record is deleted
		(1=deleted, 0=not)
		deleted), default is 0
APPLICATION_TASK	HIS/EI/OFRY(3HD)	Foreign key referencing
	+=-/	beprc_application_task_history.Ol
ATTACHMENT ID	varchar(36)	Foreign key referencing
	(00)	beprc_attachment.OID
NAME	varchar(255)	Name of the sub-task
START_DATE	date	Start date of the sub-task
END DATE	date	End date of the sub-task
COMMENT	varchar(767)	Comment for each
	(, , ,	sub-task
STATUS	varchar(64)	Status of each sub-task
CREATED BY	varchar(64)	Username of the creator
CREATED ON	datetime	Timestamp when record
	***************************************	was created
UPDATED BY	varchar(64)	Username of the last
	(0-)	updater
UPDATED ON	datetime	Timestamp when record
		was last updated
START MONTH	int	Starting month number
END_MONTH	int	Ending month number
SERIAL NUMBER	int	Order/sequence number,
		default is 0

$Table: \ beprc_application_submission_info$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active.
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not
		deleted), default is 0

Column Name	Data Type	Description
APPLICATION_ID	varchar(36)	Foreign key referencing
	, ,	beprc_application_info.OII
SUBMITTED_ON	datetime	Timestamp when
		application was
		submitted
REVISION	int	Revision number of the
		submission, default is 0
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record
		was created
UPDATED_BY	varchar(64)	Username of the last
	, ,	updater
UPDATED_ON	datetime	Timestamp when record
		was last updated

$Table: \ beprc_application_task$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not
		deleted), default is 0
APPLICATION_MILES	STONE <u>ch</u> (36)	Foreign key referencing
		$beprc_application_milestone.OID$
ATTACHMENT_ID	varchar(36)	Foreign key referencing
		$beprc_attachment.OID$
NAME	varchar(255)	Name of the task
START_DATE	date	Start date of the task
END_DATE	date	End date of the task
DURATION	int	Duration of the task
DURATION_TYPE	varchar(4)	Type of duration (Month
		(M), Day (D)
COMMENT	varchar(767)	Comment for each task
STATUS	varchar(64)	Status for each task
CREATED_BY	varchar(64)	Username of the creator

Column Name	Data Type	Description
CREATED_ON	datetime	Timestamp when record was created
UPDATED_BY	varchar(64)	Username of the last updater
UPDATED_ON	datetime	Timestamp when record was last updated
START_MONTH	int	Starting month number
END_MONTH	int	Ending month number
SERIAL_NUMBER	int	Order/sequence number, default is 0

Table: beprc_application_task_history

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not)
		deleted), default is 0
APPLICATION_MILEST	ONAE <u>ch</u> HH (3760) RY_ID	Foreign key referencing
		beprc_application_milestone_history.OID
ATTACHMENT_ID	varchar(36)	Foreign key referencing
		$beprc_attachment.OID$
NAME	varchar(255)	Name of the task
START_DATE	date	Start date of the task
END_DATE	date	End date of the task
COMMENT	varchar(767)	Comment for each task
STATUS	varchar(64)	Status for each task
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record
		was created
UPDATED_BY	varchar(64)	Username of the last
		updater
UPDATED_ON	datetime	Timestamp when record
		was last updated
START_MONTH	int	Starting month number
END_MONTH	int	Ending month number

Column Name	Data Type	Description
SERIAL_NUMBER	int	Order/sequence number, default is 0

$Table: \ beprc_application_type$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not
		deleted), default is 0
SERIAL_NUMBER	int	Order/sequence number
TITLE	varchar(255)	Title of the application
		type
TAG	varchar(255)	Tag identifier for the
		application type
DESCRIPTION	text	Detailed description of
	1 (2.0)	the application type
ATTACHMENT_ID	varchar(36)	Foreign key referencing
		beprc_attachment.OID
	1 (2.0)	for an attachment
GUIDELINE_DOC_ID	varchar(36)	Foreign key referencing
		beprc_attachment.OID
CDEATED DV	1 (04)	for guidelines document
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record was created
UPDATED BY	varchar(64)	Username of the last
	(- /	updater
UPDATED ON	datetime	Timestamp when record
		was last updated

 ${\bf Table:\ beprc_attachment}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
IS ACTIVE	tinyint(1)	default value of 0 Flag indicating if the
	·J (-)	record is active (1=active,
		0=inactive), default is 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted
		(1=deleted, 0=not
		deleted), default is 0
FILE_TYPE	varchar(8)	Type of file (FILE,
		IMAGE)
ORIGINAL_FILE_NAM	E varchar(640)	Original file name before
	- ,	upload
GIVEN_FILE_NAME	varchar(640)	Assigned file name after upload
DIRECTORY_NAME	varchar(36)	Directory where the file
		is stored
FILE_PATH	varchar(255)	Path to the file location
CREATED_BY	varchar(64)	Username of the creator
CREATED_ON	datetime	Timestamp when record was created
UPDATED_BY	varchar(64)	Username of the last
	, ,	updater
UPDATED_ON	datetime	Timestamp when record
		was last updated

$Table: \ beprc_awardee_organization_info$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
ORGANIZATION_NAME	varchar(512)	Name of the awardee organization

Column Name	Data Type	Description
DISTRICT_ID	varchar(36)	Foreign key to district table
THANA_UPAZILA_ID	varchar(36)	Foreign key to thana/upazila table
ADDRESS	text	Physical address of the organization
POST_CODE	varchar(4)	Postal code of the organization address
IDENTIFICATION_NUM	BEARchar(64)	Unique identification number for the organization
TAX_PAPER_NUMBER	varchar(64)	Tax identification number for the organization
DEPARTMENT	varchar(128)	Department name within the organization
ORGANIZATION_LOGO_	_ATTACEOJENT_ID	Foreign key to the attachment table for the organization logo
AW_ORG_URL	varchar(512)	URL of the organization's website
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_awardee_organization_info_history

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active (1) or not (0)
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0)

Column Name	Data Type	Description
ORGANIZATION_NAME	varchar(128)	Name of the awardee organization
DISTRICT_ID	varchar(36)	Foreign key to district table
THANA_UPAZILA_ID	varchar(36)	Foreign key to thana/upazila table
ADDRESS	varchar(128)	Physical address of the organization
POST_CODE	varchar(4)	Postal code of the organization address
IDENTIFICATION_NUM	, ,	Unique identification number for the organization
TAX_PAPER_NUMBER	varchar(64)	Tax identification number for the organization
DEPARTMENT	varchar(128)	Department name within the organization
ORGANIZATION_LOGO_	_xAFTIAAC(EC)ENT_ID	Foreign key to the attachment table for the organization logo
AW_ORG_URL	varchar(512)	URL of the organization's website
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_budget_type}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_TYPE	_IDvarchar(36)	Foreign key to application type table
NAME	varchar(128)	Name of the budget type
TAG	varchar(128)	Tag or category for the budget type
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_carousel}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
SERIAL_NUMBER	int	Display order for carousel items
ATTACHMENT_ID	varchar(36)	Foreign key to attachment table for the carousel image
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record

Column Name	Data Type	Description
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table:\ beprc_committee_designation$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
TITLE	varchar(255)	Title of the committee designation
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_committee_member}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
USER_ID	varchar(36)	Foreign key to user table

Column Name	Data Type	Description
COMMITTEE_DESIGNA	ATVONN <u>ha</u> M(36)	Foreign key to committee designation table
COMMITTEE_TYPE_I	D varchar(36)	Foreign key to committee type table
DESIGNATION	varchar(64)	Designation of the committee member
PHOTO_ATTACHMENT	Γ_14Archar(36)	Foreign key to attachment table for the members photo
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_committee_type}$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_TYPE_	IDvarchar(36)	Foreign key to application type table
COMMITTEE_NAME	varchar(128)	Name of the committee
COMMITTEE_TAG	varchar(64)	Tag or category of the committee (e.g., Screening, Negotiation)
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created

Column Name	Data Type	Description
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_country

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
COUNTRY_NAME	varchar(64)	Name of the country
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: $beprc_district$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the record
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active (1) or not (0)

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
DIVISION_ID	varchar(36)	Foreign key to division table
DISTRICT_NAME	varchar(52)	Name of the district
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_division

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
DIVISION_NAME	varchar(128)	Name of the division
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

 ${\bf Table:\ beprc_entrepreneurship_application_summary}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
REVISION	int	Revision number of the application
APPLICATION_ID	varchar(36)	Foreign key to application info table
APPLICATION_DETAIL	LS <u>v</u> AD char(36)	Foreign key to application details table
COVER_PAGE_ID	varchar(36)	Foreign key to attachment table for the cover page
EXECUTIVE_SUMMAR	RY_v\delta char(36)	Foreign key to attachment table for the executive summary
MARKET_STUDY_ID	varchar(36)	Foreign key to attachment table for the market study
BUSINESS_PLAN_ID	varchar(36)	Foreign key to attachment table for the business plan
DETAILED_PRODUCT	ION <u>ar</u> PHa A (%<u>6</u>) ID	Foreign key to attachment table for the detailed production plan
BRANDING_ID	varchar(36)	Foreign key to attachment table for branding documents
MASTER_SCHEDULE_	_IDvarchar(36)	Foreign key to attachment table for the master schedule
PROJECT_MANAGEM	ENT <u>ardhar(86)</u> ID	Foreign key to attachment table for project management team details
BUDGET_AND_BUDG	ET <u>va</u> HUSF(BE) CATION	_IDForeign key to attachment table for budget and justification

Column Name	Data Type	Description
DESCRIPTION_OF_AS	SESSMEN(36)CRITERIA	_FDreign key to
		attachment table for
		assessment criteria
		description
INTELLECTUAL_PROP	PERÆY <u>La</u> R (3V) ALTY_SHA	.HHDYG1gnAlXeD_tdLICENSING_
		attachment table for IP
		and licensing details
REMARKS_ID	varchar(36)	Foreign key to
		attachment table for
		remarks
ATTACHMENT_DECLA	.R. A. EHODAr <u>(</u> 36)	Foreign key to
		attachment table for
		attachment declarations
ORGANIZATION_PDF_	_IDvarchar(36)	Foreign key to
		attachment table for
		organization PDF
PROPOSAL_PDF_ID	varchar(36)	Foreign key to
		attachment table for
		proposal PDF
CREATED_BY	varchar(64)	Username of the person
		who created the record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	Username of the person
		who last updated the
		record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

Table: beprc_gender

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted (1) or not (0)

Column Name	Data Type	Description
GENDER_TYPE	varchar(8)	Type of gender (e.g.,
		Male, Female, Other)
CREATED_BY	varchar(64)	Username of the person
		who created the record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	Username of the person
		who last updated the
		record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

$Table:\ beprc_important_links$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
IMAGE_ATTACHMENT	_Marchar(36)	Foreign key to attachment table for the link image
SERIAL_NUMBER	int	Display order for the links
TITLE	varchar(128)	Title of the link
URL	varchar(64)	URL of the link
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

 $Table: \ beprc_incubation_application_summary$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
REVISION	int	Revision number of the record, defaults to 0
APPLICATION_ID	varchar(36)	Foreign key referencing beprc_application_info table
APPLICATION_DETAIL	S_vAlbchar(36)	Foreign key referencing beprc_application_details table
COVER_PAGE_ID	varchar(36)	Foreign key referencing attachment for cover page
TECHNOLOGY_REVIE	W <u>v</u> 4Dthar(36)	Foreign key referencing attachment for technology review
PROPOSED_PRODUCT	_Standimin(1800)_ID	Foreign key referencing attachment for proposed product summary
INCUBATION_DESCRIP	PTVOM <u>ha</u> H(36)	Foreign key referencing attachment for incubation description
STATEMENT_OF_WOR	K <u>vaAdNÐr(</u> 360)HEDULE_	
BUDGET_AND_BUDGE	ET <u>va</u> feisif(Bi) CATION_I	
FACILITIES_EQUIPMEN		SOURGESE Dreferencing attachment for facilities, equipment and other resources
MARKET_STUDY_ID	varchar(36)	Foreign key referencing attachment for market study

Column Name	Data Type	Description
ANY_OTHER_RELEV	ANT <u>aren fro</u> scylation_	_ID Foreign key referencing attachment for any other relevant information
ATTACHMENT_DECL	AR AƏHO Ar <u>(</u> 36)	Foreign key referencing attachment for attachment declaration
ORGANIZATION_PDF	C_IDvarchar(36)	Foreign key referencing attachment for organization PDF
PROPOSAL_PDF_ID	varchar(36)	Foreign key referencing attachment for proposal PDF, nullable
CREATED_BY	varchar(64)	Username of the person who created the record, nullable
CREATED_ON	datetime	Timestamp when the record was created, nullable
UPDATED_BY	varchar(64)	Username of the person who last updated the record, nullable
UPDATED_ON	datetime	Timestamp when the record was last updated, nullable

$Table: \ beprc_innovation_application_summary$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or
REVISION	int	not (0), defaults to 0 Revision number of the record, defaults to 0

Column Name	Data Type	Description
APPLICATION_ID	varchar(36)	Foreign key referencing beprc_application_info table
APPLICATION_DETAILS	S_vADchar(36)	Foreign key referencing beprc_application_details table
COVER_PAGE_ID	varchar(36)	Foreign key referencing attachment for cover page, nullable
RESEARCH_BACKGROU	Nar<u>c</u>Ha r(36)	Foreign key referencing attachment for research background, nullable
RESEARCH_SUMMARY_	_ W AF aHa <u>r(</u> K6)Y_WORDS	
LITERATURE_REVIEW_	_Warchar(36)	Foreign key referencing attachment for literature review, nullable
RESEARCH_DESCRIPTION	ON <u>irc</u> Har(36)	Foreign key referencing attachment for research description, nullable
STATEMENT_OF_ACTI	V¥ÆHÆS <u>ir</u> (&6)D_WORK_	
BUDGET_AND_BUDGE	I <u>va</u> F&F(BH) CATION_II	
LIST_OF_FACILITIES_E	CQAHAMENT_AND_OT	
PROCUREMENT_PLAN_	_Marchar(36)	Foreign key referencing attachment for procurement plan, nullable
REFERENCE_CITED_ID	varchar(36)	Foreign key referencing attachment for references cited, nullable

Column Name	Data Type	Description
ATTACHMENT_DECL	ARAEMODAi <u>(</u> 36)	Foreign key referencing attachment for attachment declaration, nullable
FACILITIES_ID	varchar(36)	Foreign key referencing attachment for non-lead organization facilities, nullable
ORGANIZATION_PDF	_IDvarchar(36)	Foreign key referencing attachment for organization PDF
PROPOSAL_PDF_ID	varchar(36)	Foreign key referencing attachment for proposal PDF, nullable
CREATED_BY	varchar(64)	Username of the person who created the record, nullable
CREATED_ON	datetime	Timestamp when the record was created, nullable
UPDATED_BY	varchar(64)	Username of the person who last updated the record, nullable
UPDATED_ON	datetime	Timestamp when the record was last updated, nullable

${\bf Table:\ BEPRC_APPLICATION_MILESTONE}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table

Column Name	Data Type	Description
APPLICATION_DETA	AILS MADRCHAR(36)	Foreign key to beprc_application_details table
NAME	VARCHAR(255)	Name of the milestone
WEIGHT	DOUBLE	Weight/importance of the milestone
START_DATE	DATE	Start date of the milestone
END_DATE	DATE	End date of the milestone
DESCRIPTION	TEXT	Detailed description of the milestone
STATUS	VARCHAR(64)	Current status of the milestone
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated
START_MONTH	INT	Start month of the milestone
END_MONTH	INT	End month of the milestone

${\bf Table:\ BEPRC_APPLICATION_MILESTONE_HISTORY}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
REVISION	INT	Revision number for tracking history

Column Name	Data Type	Description
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info
APPLICATION_DETAI	LS_MADRCHAR(36)	Foreign key to beprc_application_details table
NAME	VARCHAR(255)	Name of the milestone
WEIGHT	DOUBLE	Weight/importance of
		the milestone
START_DATE	DATE	Start date of the milestone
END_DATE	DATE	End date of the milestone
START_MONTH	INT	Start month of the milestone
END_MONTH	INT	End month of the milestone
DESCRIPTION	TEXT	Detailed description of the milestone
STATUS	VARCHAR(64)	Status of the milestone
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

${\bf Table:\ BEPRC_APPLICATION_PCR_STEP_1_ANSWER}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)

Column Name	Data Type	Description
APPLICATION_ID	VARCHAR(36)	Foreign key to
		$beprc_application_info$
		table
APPLICATION_PCR	_STE Y ARCQNR\$36ON_ID	Foreign key to
		beprc_application_pcr_step_1_question
		table
ANSWER	TINYINT(1)	Boolean answer for PCR
		question
CREATED_BY	VARCHAR(64)	User who created the
		record
CREATED_ON	DATETIME	Timestamp when the
		record was created
UPDATED_BY	VARCHAR(64)	User who last updated
		the record
UPDATED_ON	DATETIME	Timestamp when the
		record was last updated

${\bf Table:\ BEPRC_APPLICATION_PCR_STEP_1_QUESTION}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_TYPE	_IDVARCHAR(36)	Foreign key to beprc_application_type table
SERIAL_NUMBER	INT	Sequence number of the question
CRITERIA	TEXT	Question criteria for PCR
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record

Column Name	Data Type	Description
UPDATED_ON	DATETIME	Timestamp when the record was last updated

${\bf Table:\ BEPRC_APPLICATION_PCR_STEP_2_ANSWER}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table
REMARK	TEXT	Remark for PCR step 2
PCR_STEP_2_ATTACH	MYARCHIAR(36)	Foreign key to beprc_attachment table
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

Table: BEPRC_APPLICATION_PCR_TOR

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)

Column Name	Data Type	Description
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table
FUND_FROM_BEPRC	VARCHAR(64)	Funding amount from BEPRC
PROJECT START DATE	EDATE	Project start date
PROJECT_END_DATE	DATE	Project end date
DESCRIPTION	TEXT	Project description
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

${\bf Table:\ BEPRC_APPLICATION_PROCESS_INFO}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table
TYPE	VARCHAR(36)	Type of process
ACTION_ID	VARCHAR(36)	Foreign key to
	, ,	beprc_application_action table
REMARKS	TEXT	Comments or remarks on the process

Column Name	Data Type	Description
ATTACHMENT_ID	VARCHAR(36)	Foreign key to beprc_attachment table
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

Table: BEPRC_APPLICATION_REPORT

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table
NAME	VARCHAR(36)	Report name
SERIAL_NUMBER	INT	Sequential number of the report
TYPE	VARCHAR(36)	Report type (START, NEXT, END)
CREATOR	VARCHAR(36)	Creator of the report (SYSTEM, ADMIN)
PROCESS_STATUS	VARCHAR(36)	Process status (DRAFT, SHORTFALL, RE_SUBMIT, APPROVED, PENDING)
APPLICANT_REMARK	TEXT	Remarks from the applicant

Column Name	Data Type	Description
APPLICANT_ATTACH	HME WATRODI AR(36)	Foreign key to
		beprc_attachment table
		for applicant's
		attachment
ADMIN_REMARK	TEXT	Remarks from the admin
ADMIN_ATTACHMEN	T_IVARCHAR(36)	Foreign key to
		beprc_attachment table
		for admin's attachment
CREATED_BY	VARCHAR(64)	User who created the
		record
CREATED_ON	DATETIME	Timestamp when the
		record was created
UPDATED_BY	VARCHAR(64)	User who last updated
		the record
UPDATED_ON	DATETIME	Timestamp when the
		record was last updated

${\bf Table:\ BEPRC_APPLICATION_RESEARCH_COMPONENT}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for
		optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the
		record is active (1) or not
		(0)
IS_DELETED	TINYINT(1)	Flag indicating if the
		record is deleted (1) or
		not (0)
APPLICATION_DETAIL	LS_MADRCHAR(36)	Foreign key to
		beprc_application_details
		table
COMPONENT_TYPE	VARCHAR(64)	Name of sub-section
		(Research Summary with
		key word)
DOC_TYPE	VARCHAR(8)	Document type
DETAILS	LONGTEXT	Detailed information
		about the research
		component
ATTACHMENT_ID	VARCHAR(36)	Foreign key to
		$beprc_attachment\ table$

Column Name	Data Type	Description
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

${\bf Table:\ BEPRC_APPLICATION_RESEARCH_COMPONENT_HISTORY}$

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
REVISION	INT	Revision number for tracking history
APPLICATION_DETAI	LS_MADRCHAR(36)	Foreign key to beprc_application_details table
COMPONENT_TYPE	VARCHAR(64)	Name of sub-section (Research Summary with key word)
DOC_TYPE	VARCHAR(8)	Document type
DETAILS	TEXT	Detailed information about the research component
ATTACHMENT_ID	VARCHAR(36)	Foreign key to bepre attachment table
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record

Column Name	Data Type	Description
UPDATED_ON	DATETIME	Timestamp when the record was last updated

Table: BEPRC_APPLICATION_REVIEWER

Column Name	Data Type	Description
OID VERSION	VARCHAR(36) INT	Primary key identifier Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
APPLICATION_ID	VARCHAR(36)	Foreign key to beprc_application_info table
REVIEWER_USER_ID	VARCHAR(36)	Foreign key to beprc_user table
ACCEPTED	INT	Review acceptance status (0-nothing, 1-accepted, 2-denied)
CHOICE_ON	DATETIME	Timestamp when choice was made
IS_PROCESSED	TINYINT(1)	Flag indicating if the review is processed (1) or not (0)
PROCESSED_ON	DATETIME	Timestamp when the review was processed
REMARKS	TEXT	Reviewers comments or remarks
ATTACHMENT_ID	VARCHAR(36)	Foreign key to beprc_attachment table
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated
UPDATED_ON	DATETIME	the record Timestamp when the record was last updated

Table: BEPRC_APPLICATION_STATUS

Column Name	Data Type	Description
OID	VARCHAR(36)	Primary key identifier
VERSION	INT	Version number for optimistic locking
IS_ACTIVE	TINYINT(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	TINYINT(1)	Flag indicating if the record is deleted (1) or not (0)
TITLE	VARCHAR(512)	Status title (e.g., Submitted, Completed, Save as draft)
TAG	VARCHAR(255)	Status tag (e.g., SUBMITTED, COMPLETED, SAVE_AS_DRAFT)
CREATED_BY	VARCHAR(64)	User who created the record
CREATED_ON	DATETIME	Timestamp when the record was created
UPDATED_BY	VARCHAR(64)	User who last updated the record
UPDATED_ON	DATETIME	Timestamp when the record was last updated

$Table: \ beprc_application_status_description$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0

Column Name	Data Type	Description
APPLICATION_STAT	TUS_Marchar(36)	Foreign key reference to
		beprc_application_status table
APPLICATION_TYP	E_IDvarchar(36)	Foreign key reference to
		beprc_application_type table
TITLE	varchar(512)	INNV, INC, ENT Status
	, ,	description
CREATED_BY	varchar(64)	Username of the person
		who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of the person
	,	who last updated the record
UPDATED_ON	datetime	Date and time when the
		record was last updated

$Table: \ beprc_application_status_user_description$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_TYPE_	IDvarchar(36)	Foreign key reference to beprc_application_type table
APPLICATION_STATUS	S_Warchar(36)	Foreign key reference to beprc_application_status table
TITLE	varchar(512)	INNV, INC, ENT Application Status description for User
CREATED_BY	varchar(64)	Username of the person who created the record

Column Name	Data Type	Description
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the
UPDATED_ON	datetime	record Date and time when the record was last updated

$Table:\ beprc_application_sub_task$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_TASK_	_ID varchar(36)	Foreign key reference to beprc_application_task table
ATTACHMENT_ID	varchar(36)	Foreign key reference to bepre attachment table
NAME	varchar(255)	Name of the sub-task
START DATE	date	Start date of the sub-task
END DATE	date	End date of the sub-task
DURATION	int	Duration of the sub-task
DURATION_TYPE	varchar(4)	Type of duration: Month (M) or Day (D)
COMMENT	varchar(767)	Comment for each sub-task
STATUS	varchar(64)	Status for each sub-task
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record

Column Name	Data Type	Description
UPDATED_ON	datetime	Date and time when the record was last updated
START_MONTH	int	Start month of the sub-task
END_MONTH	int	End month of the sub-task
SERIAL_NUMBER	int	Serial number for ordering sub-tasks, defaults to 0

$Table: \ beprc_application_sub_task_history$

	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the record
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
$IS_DELETED$	tinyint(1)	Flag indicating if the
		record is deleted (1) or
		not (0) , defaults to 0
APPLICATION_TASK_	(HE)YERIOTERIH	Foreign key reference to
		beprc_application_task_his
		table
ATTACHMENT_ID	varchar(36)	Foreign key reference to
		$beprc_attachment\ table$
NAME	varchar(255)	Name of the sub-task
START_DATE	date	Start date of the sub-task
END_DATE	date	End date of the sub-task
COMMENT	varchar(767)	Comment for each
		$\operatorname{sub-task}$
STATUS	varchar(64)	Status for each sub-task
CREATED_BY	varchar(64)	Username of the person
	, ,	who created the record
CREATED ON	datetime	Date and time when the
_		record was created
UPDATED_BY	varchar(64)	Username of the person
	` /	who last updated the
		record

Column Name	Data Type	Description
UPDATED_ON	datetime	Date and time when the record was last updated
START_MONTH	int	Start month of the sub-task
END_MONTH	int	End month of the sub-task
SERIAL_NUMBER	int	Serial number for ordering sub-tasks, defaults to 0

$Table: \ beprc_application_submission_info$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table
SUBMITTED_ON	datetime	Date and time when the application was submitted
REVISION	int	Revision number of the submission, defaults to 0
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the record
UPDATED_ON	datetime	Date and time when the record was last updated

 $Table: \ beprc_application_task$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
	, ,	the record
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted (1) or
		not (0) , defaults to 0
APPLICATION_MILES	STONE <u>ch</u> (36)	Foreign key reference to
		beprc_application_milesto table
ATTACHMENT ID	varchar(36)	Foreign key reference to
TIT TITOTIMEN (T_ID	var char (50)	bepre attachment table
NAME	varchar(255)	Name of the task
START_DATE	date	Start date of the task
END_DATE	date	End date of the task
DURATION	int	Duration of the task
DURATION TYPE	varchar(4)	Type of duration: Month
_	()	(M) or Day (D)
COMMENT	varchar(767)	Comment for each task
STATUS	varchar(64)	Status for each task
CREATED_BY	varchar(64)	Username of the person
	, ,	who created the record
CREATED_ON	datetime	Date and time when the
		record was created
UPDATED_BY	varchar(64)	Username of the person
		who last updated the
		record
UPDATED_ON	datetime	Date and time when the
		record was last updated
START_MONTH	int	Start month of the task
END_MONTH	int	End month of the task
SERIAL_NUMBER	int	Serial number for
		ordering tasks, defaults
		to 0

 $Table: \ beprc_application_task_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the record
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active (1) or not
		(0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted (1) or
		not (0) , defaults to 0
APPLICATION_MILES	STO NE<u>c</u>hti(316)RY_ID	Foreign key reference to
		beprc_application_milestone_his
		table
ATTACHMENT_ID	varchar(36)	Foreign key reference to
		beprc_attachment table
NAME	varchar(255)	Name of the task
START_DATE	date	Start date of the task
$\mathrm{END}_\mathrm{DATE}$	date	End date of the task
COMMENT	varchar(767)	Comment for each task
STATUS	varchar(64)	Status for each task
CREATED_BY	varchar(64)	Username of the person
		who created the record
CREATED_ON	datetime	Date and time when the
		record was created
UPDATED_BY	varchar(64)	Username of the person
		who last updated the
		record
UPDATED_ON	datetime	Date and time when the
		record was last updated
START_MONTH	int	Start month of the task
END_MONTH	int	End month of the task
SERIAL_NUMBER	int	Serial number for
		ordering tasks, defaults
		to 0

${\bf Table:\ beprc_application_type}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for
		the record
VERSION	int	Version number of the
		record, defaults to 0

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not
		(0), defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted (1) or
~		not (0), defaults to 0
SERIAL_NUMBER	int	Serial number for
		ordering application
TITLE	wansham(255)	types
11112	varchar(255)	Title of the application
TAG	varchar(255)	type Tag/identifier for the
1110	varchar (200)	application type
DESCRIPTION	text	Detailed description of
		the application type
ATTACHMENT_ID	varchar(36)	Foreign key reference to
		$beprc_attachment\ table$
		for attached files
GUIDELINE_DOC_ID	varchar(36)	Foreign key reference to
		beprc_attachment table
CDEATED DV	1 (04)	for guideline documents
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED ON	datetime	Date and time when the
CREATED_ON	datetime	record was created
UPDATED BY	varchar(64)	Username of the person
V1 D111	(01)	who last updated the
		record
UPDATED_ON	datetime	Date and time when the
		record was last updated

${\bf Table:\ beprc_attachment}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier for the record
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0), defaults to 1

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0), defaults to 0
FILE_TYPE	varchar(8)	Type of file: FILE or IMAGE
ORIGINAL_FILE_NAME	2 varchar(640)	Original name of the uploaded file
GIVEN_FILE_NAME	varchar(640)	Name given to the file in the system
DIRECTORY_NAME	varchar(36)	Name of the directory where the file is stored
FILE_PATH	varchar(255)	Path to the file in the storage system
CREATED_BY	varchar(64)	Username of the person who created the record
CREATED_ON	datetime	Date and time when the record was created
UPDATED_BY	varchar(64)	Username of the person who last updated the
UPDATED_ON	datetime	record Date and time when the record was last updated

$Table: \ beprc_lab_development_application_summary$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
REVISION	int	Revision number of the record, defaults to 0
APPLICATION_ID	varchar(36)	Foreign key reference to beprc_application_info table

Column Name	Data Type	Description
APPLICATION_DET	AILS value (36)	Foreign key reference to
_	_	beprc_application_details
		table
COVER_PAGE_ID	varchar(36)	Foreign key reference to
	,	beprc_attachment table
		for cover page
EXECUTIVE_SUMM	ARY vADchar(36)	Foreign key reference to
_	_	beprc_attachment table
		for executive summary
INTRODUCTION_BA	ACKGRACHAHOB6ID	Foreign key reference to
_	(/	beprc_attachment table
		for introduction
		background
OBJECTIVE_ID	varchar(36)	Foreign key reference to
_	\	beprc_attachment table
		for objectives
DESCRIPTION OF	THE VERICE HAR	RDWAREigiSQEyTWAREiceHo
		beprc_attachment table
		for hardware/software
		description
DESCRIPTION OF	ASSE SSMEN(36) CRITEF	-
		beprc_attachment table
		for assessment criteria
LAB_LOCATION_DI	ETAILSrdDr(36)	Foreign key reference to
		beprc_attachment table
		for lab location details
PROJECT_MANAGE	EMENTArdher(R6) ID	Foreign key reference to
		beprc_attachment table
		for project management
		team
OPERATION_OF_T	HE LAABchAD(36)	Foreign key reference to
01 21(111101_01_11	(00)	beprc_attachment table
		for lab operation details
MASTER_SCHEDUL	E IDvarchar(36)	Foreign key reference to
	<u>=</u> 12 (arenar (66)	beprc_attachment table
		for master schedule
BUDGET AND BUI	OGETva HHSTIR ICATION	_ID Foreign key reference to
LUDULI_IIIID_DUI	2 2 2 1 100 00 000 000 000 00 00 00 00 00 00	beprc_attachment table
		for budget justification
REMARKS_ID	varchar(36)	Foreign key reference to
10010111111110777	var cirar (90)	beprc_attachment table
		for remarks
		101 Tellial V2

Column Name	Data Type	Description
ATTACHMENT_DEC	LARATHOAN (36)	Foreign key reference to beprc_attachment table for attachment declarations
ORGANIZATION_PD	F_IDvarchar(36)	Foreign key reference to beprc_attachment table for organization PDF
PROPOSAL_PDF_II	O varchar(36)	Foreign key reference to beprc_attachment table for proposal PDF
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_lab_program}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
LAB_PROGRAM_CODE varchar(64)		Code identifier for the lab program
LAB_PROJECT_DURATION		Duration of the lab project in months/years
LAB_PROJECT_AMOUN T louble		Budget amount allocated for the lab project
LAB_PROGRAM_T	ITLE text	Title of the lab program
SYNOPSIS_OF_PRO)GRA M ext	Brief summary or overview of the program

Column Name	Data Type	Description
IS_OPEN_DEADLINE	tinyint(1)	Flag indicating if the program has an open deadline
DEADLINE	date	Application deadline date for the program
PUBLISHED_DATE	date	Date when the program was published
ATTACHMENT_ID	varchar(36)	Foreign key reference to beprc_attachment table for program documents
THUMBNAIL_ATTACHN	AEAKE <u>ha</u> H(36)	Foreign key reference to beprc_attachment table for thumbnail image
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_member_role}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
TAG	varchar(64)	Role tag (e.g., PI, CO-PI, Other)
TITLE	varchar(64)	Title of the role (e.g., Principal Investigator, Co-Principal Investigator)

Column Name	Data Type	Description
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_message

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
70 4 COTT 77		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults to 1
IS DELETED	tinyint(1)	Flag indicating if the
IO_DEDETED	0111y 1110(1)	record is deleted, defaults
		to 0
ATTACHMENT ID	varchar(36)	Foreign key reference to
_	,	beprc_attachment table
		for attachments
SERIAL_NUMBER	int	Sequential number
	. ()	identifier for the message
TITLE	varchar(255)	Title or subject of the
DECICNATION	1 (100)	message
DESIGNATION	varchar(128)	Designation of the sender
DETAILS	text	or recipient Content of the message
CREATED BY	varchar(64)	Username of the user
OREMIED_B1	varchar (01)	who created the record
CREATED_ON	datetime	Timestamp when the
_		record was created
UPDATED_BY	varchar(64)	Username of the user
		who last updated the
		record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

 ${\bf Table:\ beprc_news_notice}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults to 1
IS DELETED	tinyint(1)	Flag indicating if the
	0111y 1110(1)	record is deleted, defaults
		to 0
TYPE	varchar(16)	Type of the entry
		(NEWS, NOTICE,
mrmr n	. (222)	ARTICLE, FUNDING)
TITLE	varchar(255)	Title of the news or
SERIAL_NUMBER	int	notice Sequential number
SERIAL_NUMBER	1110	identifier for the
		news/notice
DETAILS	text	Content of the news or
		notice
PUBLISH_DATE	datetime	Date and time when the
		news/notice was
EXPIRY DATE	datetime	published Date and time when the
EAFIRI_DATE	datetime	news/notice expires
IS PUBLISHED	tinyint(1)	Flag indicating if the
		news/notice is published
ATTACHMENT_ID	varchar(36)	Foreign key reference to
		beprc_attachment table
CDEATED DV	1 (04)	for attachments
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the
ORDINED_ON	dateomic	record was created
UPDATED_BY	varchar(64)	Username of the user
	, ,	who last updated the
		record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

 ${\bf Table:\ beprc_notification}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
USER_ID	varchar(36)	Foreign key reference to beprc_user table for recipient
TITLE	varchar(128)	Title or subject of the notification
DESCRIPTION	varchar(255)	Description or content of the notification
ACTION	varchar(255)	Action URL or identifier related to the notification
IS_READ	tinyint(1)	Flag indicating if the notification has been read, defaults to 0
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_notification_config$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
IS ACTIVE	tinyint(1)	record, defaults to 0 Flag indicating if the
	, J ()	record is active, defaults
		to 1

Column Name	Data Type	Description
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
INFO_ID	varchar(36)	Foreign key reference to beprc_notification_info table
TYPE	varchar(16)	Notification type (EMAIL, SMS, PUSH)
TEMPLATE	text	Template content for the notification
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_notification_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the record is active, defaults to 1
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the record is deleted, defaults to 0
CONFIG_ID	varchar(36)	Foreign key reference to beprc_notification_config table
DESTINATION	varchar(64)	Destination address (email, phone number, device ID)
USER_TYPE	varchar(128)	Type of user receiving the notification
CONTENT	text	Content of the notification

Column Name	Data Type	Description
RELATIVE_PATH	varchar(255)	Relative path for any action or attachment
IS_READ	tinyint(1)	Flag indicating if the notification has been read, defaults to 0
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_notification_info$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the
IS_ACTIVE	tinyint(1)	record, defaults to 0 Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
TAG	varchar(128)	Unique tag identifier for the notification type
DESCRIPTION	varchar(255)	Description of the notification type
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the
UPDATED_ON	datetime	record Timestamp when the record was last updated

 ${\bf Table:\ beprc_other_details}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults
IS_DELETED	tinyint(1)	to 1 Flag indicating if the record is deleted, defaults to 0
APPLICATION_DET.	AILS_valechar(36)	Foreign key reference to beprc_application_details table
DETAILS	text	Additional details content
TYPE	varchar(64)	Type of details
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the
UPDATED_ON	datetime	record Timestamp when the record was last updated

$Table: \ beprc_other_details_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
REVISION	int	Revision number of the record, defaults to 0
APPLICATION_DETAIL	LS <u>v</u> Albehar(36)	Foreign key reference to beprc_application_details table
DETAILS	text	Additional details content

Column Name	Data Type	Description
TYPE	varchar(64)	Type of details
CREATED_BY	varchar(64)	Username of the user
		who created the record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	Username of the user
		who last updated the
		record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

${\bf Table:\ beprc_pm_agreement}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
10 001 0000		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
DM INEO ID	rromala a m(26)	to 0
PM_INFO_ID	varchar(36)	Foreign key reference to beprc_pm_info table
DOC_ID	varchar(36)	Foreign key reference to
	varchar (50)	beprc_attachment table
		for agreement documents
IS READONLY	tinyint(1)	Flag indicating if the
	·J (-)	agreement is read-only,
		defaults to 0
PROCESS_STATUS	varchar(36)	Status of the agreement
		process (PENDING,
		REJECTED,
		ACCEPTED)
REVISION	int	Revision number of the
		record, defaults to 0
CREATED_BY	varchar(64)	Username of the user
CD T L TTD OX		who created the record
CREATED_ON	datetime	Timestamp when the
		record was created

Column Name	Data Type	Description
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated
ADMIN_REMARK	text	Administrative remarks on the agreement
ADMIN_ATTACHMENT_	_Marchar(36)	Foreign key reference to beprc_attachment table for admin documents

${\bf Table:\ beprc_pm_allocation}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
		record, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
		to 0
PM_DETAILS_ID	varchar(36)	Foreign key reference to
		beprc_pm_details table
PM_BUDGET_TYPE_	_ID varchar(36)	Foreign key reference to
		$beprc_budget_type$
		table
PM_QUARTER_ID	varchar(36)	Foreign key reference to
		beprc_pm_quarter table
ALLOCATION_AMOUNT double		Amount allocated for the
		budget item
DETAILS	text	Details about the
	- (allocation
PROCESS_STATUS	varchar(36)	Status of the allocation
		process (PENDING,
		REJECTED,
		ACCEPTED), defaults
		to ACCEPTED
REVISION	int	Revision number of the
		record, defaults to 0

Column Name	Data Type	Description
ADMIN_REMARK	text	Administrative remarks on the allocation
ADMIN_ATTACHMENT_	_Marchar(36)	Foreign key reference to beprc_attachment table for admin documents
CREATED_BY	varchar(64)	Username of the user who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	Username of the user who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_pm_allocation_v2

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
PM_BUDGET_TYPE	E_ID varchar(36)	Foreign key to beprc_budget_type table
PERIOD_ID	varchar(36)	Foreign key to beprc_pm_period table, Period Id
ALLOCATION_AMO	UNT double	The allocated budget amount
DETAILS	text	Detailed information about the allocation

Column Name	Data Type	Description
PROCESS_STATUS	varchar(36)	Status of the process: PENDING, REJECTED, ACCEPTED, defaults to 'PENDING'
REVISION	int	Revision number, defaults to 0
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMENT	_Marchar(36)	Foreign key to
		beprc_attachment table for admin attachments
CREATED_BY	varchar(64)	User who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	User who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table: \ beprc_pm_annual_year$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
SERIAL_NUMBER	int	Sequential number, defaults to 0
START_DATE	date	Start date of the annual year
START MONTH	int	Starting month number
END_DATE	date	End date of the annual year
END_MONTH	int	Ending month number

Column Name	Data Type	Description
CREATED_BY	varchar(64)	User who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	User who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

${\bf Table:\ beprc_pm_budget}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
		to 0
REVISION	int	Revision number,
	1 (2.2)	defaults to 0
PROCESS_STATUS	varchar(36)	Status of the process:
		PENDING, REJECTED,
DM DETAILS ID	1 (90)	ACCEPTED
PM_DETAILS_ID	varchar(36)	Foreign key to
		beprc_pm_details table
BUDGET_SUMMARY		Summary of the budget
INN_HONORARIUM_DETAXLS		Details of innovation
ININ DOLLIDADNE DE	ODIIOT DETAILO	honorarium
INN_EQUIPMENT_PR	(ODtextI_DETAILS	Details of innovation
ININ INDAMES DEMAN	r C	equipment and products
INN_TRAVEL_DETAIL	LS text	Details of innovation
DAL CHURD DIDECT DETAILS		travel expenses
INN_OTHER_DIRECT_DETAILS		Details of other direct
INC. GALARIEG AND WAGEG RETAILS		innovation expenses Details of incubation
INC_SALARIES_AND_	_WARKES_DETAILS	
INC CONSULTATION	DEVEALL C	salaries and wages Details of incubation
INC_CONSULTATION_	_DEMESSITES	
		consultation expenses

Column Name	Data Type	Description
INC_IT_DETAILS	text	Details of incubation IT
		expenses
INC_TRAVEL_DETA	ILS text	Details of incubation
ING TECHNOLOGY		travel expenses
INC_TECHNOLOGY_	_TRANSFER_DETAILS	Details of incubation
		technology transfer
INC DEDMANENT I	EQUIRMENT_DETAILS	expenses Details of incubation
INC_FERMANENI_I	EQUITERED IDETAILS	permanent equipment
		expenses
INC_CONSUMABLE_	DETANTS	Details of incubation
IIIO_CONSONIIBEE_		consumable expenses
INC COST RELATE	D_T@xMARKET_ANAL	
		market analysis expenses
ENT_BRANDING_DE	ETAILest	Details of enterprise
		branding expenses
ENT_LICENSING_DE	ETAIL&t	Details of enterprise
		licensing expenses
ENT_MARKET_STU	DY_ ter tfAILS	Details of enterprise
		market study expenses
ENT_EQUIPMENT_F	PRODUCT_DETAILS	Details of enterprise
		equipment and product
		expenses
LAB_DEV_EQUIPME	ENT <u>t</u> DATAILS	Details of laboratory
		development equipment
TAD DOM MAINTEN	IANGE (DETAIL C	expenses
LAB_DEV_MAINTEN	NANC ext DETAILS	Details of laboratory
		development maintenance
IAR DEV RAW MA	ATERIALS_CONSUMABL	expenses
LAD_DEV_RAW_MA	TEIWEALS_CONSOMADE	development raw
		materials and
		consumables expenses
LAB DEV BUDGET	_FORexDIRECT_OTHER	
		laboratory development
		expenses
PROCUREMENT_ PL	AN_AAFTAAC(BO)ENT_ID	Foreign key to
_	, , <u> </u>	beprc_attachment table
		for procurement plan
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMEN	NT_Marchar(36)	Foreign key to
		beprc_attachment table
		for admin attachments

Column Name	Data Type	Description
CREATED_BY	varchar(64)	User who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	User who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

$Table:\ beprc_pm_budget_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
		to 0
REVISION	int	Revision number,
		defaults to 0
PROCESS_STATUS	varchar(36)	Status of the process:
		PENDING, REJECTED,
		ACCEPTED
PM_DETAILS_ID	varchar(36)	Foreign key to
		beprc_pm_details table
BUDGET_SUMMARY		Summary of the budget
INN_HONORARIUM_D)ETAXLS	Historical details of
		innovation honorarium
INN_EQUIPMENT_PR	ODWAT_DETAILS	Historical details of
		innovation equipment
		and products
INN_TRAVEL_DETAIL	S text	Historical details of
		innovation travel
		expenses
INN_OTHER_DIRECT	_DEEXAILS	Historical details of other
		direct innovation
		expenses

Column Name	Data Type	Description
INC_SALARIES_A	ND_WAGES_DETAILS	Historical details of incubation salaries and wages
INC_CONSULTATION	ON_DE&AILS	Historical details of incubation consultation expenses
INC_IT_DETAILS	text	Historical details of incubation IT expenses
INC_TRAVEL_DET	TAILS text	Historical details of incubation travel expenses
INC_TECHNOLOG	Y_TRAMSFER_DETAILS	Historical details of incubation technology transfer expenses
INC_PERMANENT	_EQUITEMENT_DETAILS	Historical details of incubation permanent equipment expenses
INC_CONSUMABLE	E_DETI &¥L S	Historical details of incubation consumable expenses
INC_COST_RELAT	TED_T @ x M ARKET_ANAL	1
ENT_BRANDING_	DETAILSet	Historical details of enterprise branding expenses
ENT_LICENSING_	DETAILSet	Historical details of enterprise licensing expenses
ENT_MARKET_ST	CUDY_ DE TAILS	Historical details of enterprise market study expenses
ENT_EQUIPMENT	_PRODEXCT_DETAILS	Historical details of enterprise equipment and product expenses
LAB_DEV_EQUIP	MENT_tDETAILS	Historical details of laboratory development
LAB_DEV_MAINT	ENANŒ <u>xt</u> DETAILS	equipment expenses Historical details of laboratory development maintenance expenses

Column Name	Data Type	Description
LAB_DEV_RAW_MATE	ERfleAtLS_CONSUMABLE	ES <u>H</u> i DEFFAMLS etails of
		laboratory development
		raw materials and
		consumables expenses
LAB_DEV_BUDGET_F	OR <u>ex</u> DIRECT_OTHER_	_IDESTAction details of other
		direct laboratory
		development expenses
PROCUREMENT_PLAN	AAFTLAAC(BINJENT_ID	Foreign key to
		beprc_attachment table
		for procurement plan
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMENT	_Marchar(36)	Foreign key to
		beprc_attachment table
		for admin attachments
CREATED_BY	varchar(64)	User who created the
		record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	User who last updated
	, ,	the record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

$Table: \ beprc_pm_budget_increase$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	$\operatorname{tinyint}(1)$	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if the
		record is deleted, defaults
		to 0
PM_DETAILS_ID	varchar(36)	Foreign key to
		$beprc_pm_details\ table$
BUDGET	double	The increased budget
		amount
IS_READONLY	tinyint(1)	Flag indicating if the
		record is read-only,
		defaults to 0

Column Name	Data Type	Description
PROOF_ATTACHMENT	_Marchar(36)	Foreign key to
		beprc_attachment table
	_	for proof documents
APPROVED_ON	date	Date when the budget
		increase was approved
SERIAL_NUMBER	int	Sequential number,
		defaults to 0
CREATED BY	varchar(64)	User who created the
_	()	record
CREATED ON	datetime	Timestamp when the
_		record was created
UPDATED BY	varchar(64)	User who last updated
	,	the record
UPDATED ON	datetime	Timestamp when the
		record was last updated

$Table: \ beprc_pm_committee_member$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
		to 0
PM_INFO_ID	varchar(36)	Foreign key to
		beprc_pm_info table,
		PM Info Id
USER_ID	varchar(36)	Foreign key to
		beprc_user table
COMMITTEE_DESIGN	ATMONNhall(36)	Foreign key to
		beprc_committee_designation
		table
COMMITTEE_TYPE_I	D varchar(36)	Foreign key to
		$beprc_committee_type$
		table
DESIGNATION	varchar(64)	Members designation in
		the committee

Column Name	Data Type	Description
PHOTO_ATTACHMEN	T_Warchar(36)	Foreign key to
		beprc_attachment table,
		Profile photo for
		Committee Member
CREATED_BY	varchar(64)	User who created the
		record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	User who last updated
		the record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

${\bf Table:\ beprc_pm_details}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
	. ()	to 0
PM_INFO_ID	varchar(36)	Foreign key to
		beprc_pm_info table,
		PM Info Id
APPLICATION_ID	varchar(36)	Foreign key to
		beprc_application_info
		table
APPLICATION_DET	AILS_valuechar(36)	Foreign key to
		beprc_application_details
		table
APPLICATION_TYP	$E_IDvarchar(36)$	Foreign key to
		beprc_application_type
		table
ORGANIZATION_TY	PE varchar(36)	Type of organization:
		lead, non-lead
NON_LEAD_ORGAN	NIZATHON_SERIAL	Serial number for
		non-lead organizations,
		defaults to 0

Column Name	Data Type	Description
TOTAL_DURATION	int	Total duration in months,
		defaults to 0
TOTAL_BUDGET	double	Total budget amount
HAS_BUDGET_INFO_U	UPDATE (1) ERMISSION	Flag indicating if budget
		info can be updated,
		defaults to 0
HAS_TECHNICAL_INF	O <u>t</u> InPidt(TE_PERMISSI	ONag indicating if
		technical info can be
		updated, defaults to 0
HAS_FINANCIAL_INFO)_tjipyDaY(IE)_PERMISSIC	Nag indicating if
		financial info can be
		updated, defaults to 0
HAS_MEMBER_INFO_	URÐAÆE(1PERMISSION	Flag indicating if
		member info can be
		updated, defaults to 0
CREATED_BY	varchar(64)	User who created the
		record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	User who last updated
		the record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

$Table:\ beprc_pm_disbursement$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active, defaults to 1
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted, defaults to 0
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
DSB_AMOUNT	double	Disbursement amount
DSB_REMARK	text	Remarks about the disbursement

Column Name	Data Type	Description
DSB_ATTACHMENT_ID	varchar(36)	Foreign key to
		beprc_attachment table
		for disbursement
		documents
CREATED_BY	varchar(64)	User who created the
		record
CREATED_ON	datetime	Timestamp when the
		record was created
UPDATED_BY	varchar(64)	User who last updated
		the record
UPDATED_ON	datetime	Timestamp when the
		record was last updated

${\bf Table:\ beprc_pm_duration}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number, defaults
		to 0
IS_ACTIVE	tinyint(1)	Flag indicating if the
		record is active, defaults
		to 1
IS_DELETED	tinyint(1)	Flag indicating if the
		record is deleted, defaults
		to 0
PM_INFO_ID	varchar(36)	Foreign key to
		beprc_pm_info table,
		PM Info Id
SERIAL_NUMBER	int	Sequential number,
		defaults to 0
START_DATE	date	Start date of the project
		duration
EXTENDED_FROM	date	Original end date before
		extension
END_DATE	date	End date of the project
		duration
APPROVED_DOC_ID	varchar(36)	Foreign key to
		$beprc_attachment\ table$
		for approved documents
IS_READONLY	tinyint(1)	Flag indicating if the
		record is read-only,
		defaults to 0

Column Name	Data Type	Description
PROCESS_STATUS	varchar(36)	Status of the process: PENDING, REJECTED, ACCEPTED
REVISION	int	Revision number, defaults to 0
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMENT_	_ Ma rchar(36)	Foreign key to
		beprc_attachment table for admin attachments
CREATED_BY	varchar(64)	User who created the record
CREATED_ON	datetime	Timestamp when the record was created
UPDATED_BY	varchar(64)	User who last updated the record
UPDATED_ON	datetime	Timestamp when the record was last updated

Table: beprc_pm_finance

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record
		is active (default: 1)
IS_DELETED	tinyint(1)	Flag indicating if record
		is deleted (default: 0)
PM_DETAILS_ID	varchar(36)	Foreign key to
		beprc_pm_details table
PM_BUDGET_TYPE_	ID varchar(36)	Foreign key to
	, ,	beprc_budget_type
		table
PM_QUARTER_ID	varchar(36)	Foreign key to
	, ,	beprc_pm_quarter table
EXPENSE_AMOUNT	double	The expense amount
PROOF_DOC_ID	varchar(36)	Foreign key to
	, ,	bepro attachment table
		for proof document
DETAILS	text	Additional details about
		the finance entry
		· ·

Column Name	Data Type	Description
PROCESS_STATUS	varchar(36)	Status of the process (PENDING, REJECTED, ACCEPTED) with default ACCEPTED
REVISION	int	Revision number with default value of 0
ADMIN_REMARK	text	Admin's remarks
ADMIN_ATTACHMENT_	_Marchar(36)	Foreign key to
		beprc_attachment table for admin attachment
CREATED BY	varchar(64)	Username of creator
CREATED ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

Table: beprc_pm_finance_v2

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record
		is active (default: 1)
IS_DELETED	tinyint(1)	Flag indicating if record
		is deleted (default: 0)
PM_DETAILS_ID	varchar(36)	Foreign key to
		beprc_pm_details table
PM_BUDGET_TYPE_1	ID varchar(36)	Foreign key to
		$beprc_budget_type$
		table
PERIOD_ID	varchar(36)	Foreign key to
		beprc_pm_period table
EXPENSE_AMOUNT	double	The expense amount
PROOF_DOC_ID	varchar(36)	Foreign key to
		beprc_attachment table
		for proof document
DETAILS	text	Additional details about
		the finance entry
PROCESS_STATUS	varchar(36)	Status of the process
		(PENDING, REJECTED,
		ACCEPTED) with
		default PENDING

Column Name	Data Type	Description
REVISION	int	Revision number with
		default value of 0
ADMIN_REMARK	text	Admin's remarks
ADMIN_ATTACHMENT	_Marchar(36)	Foreign key to
		beprc_attachment table
		for admin attachment
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

Table: beprc_pm_half_year

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record is active (default: 1)
$IS_DELETED$	tinyint(1)	Flag indicating if record is deleted (default: 0)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
$SERIAL_NUMBER$	int	Sequential number with default value of 0
$START_DATE$	date	Start date of the half year
START_MONTH	int	Starting month number
END_DATE	date	End date of the half year
END_MONTH	int	Ending month number
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

Table: beprc_pm_info

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number with default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record is active (default: 1)
IS_DELETED	tinyint(1)	Flag indicating if record is deleted (default: 0)
PROJECT_NAME	varchar(127)	Name of the project

Column Name	Data Type	Description
RESEARCH_AREA_TITI	LEarthar(36)	Foreign key to
		beprc_research_area
		table
SOLICITATION_ID	varchar(36)	Foreign key to
		beprc_solicitation table
LAB_PROGRAM_ID	varchar(36)	Foreign key to
		beprc_lab_program
		table
APPLICATION_ID	varchar(36)	Foreign key to
		beprc_application_info
	2 (2.0)	table (unique constraint)
APPLICATION_TYPE_II	Ovarchar(36)	Foreign key to
		beprc_application_type table
AWARDED_ON	date	Date when project was awarded
INITIATE DATE	date	Project initiation date
START_DATE	date	Project start date
PROPOSED_END_DATE	date	Proposed end date for
		the project
END_DATE	date	Actual end date of the
		project
PROGRESS	int	Progress indicator of the
		project
PROJECT_TYPE	varchar(36)	Type of the project
PROJECT_STATUS	varchar(36)	Current status of the
		project
DESCRIPTION	varchar(766)	Description of the project
PROJECT_FILE	varchar(36)	Foreign key to
		beprc_attachment table
		for project file
PROPOSAL_PDF_ID	varchar(36)	Foreign key to
		beprc_attachment table
		for proposal PDF
HAS_TECHNICAL_INFO	<u>_t</u> bbpide(TE_PERMISS	
		update permission
ADDITION ODDATION	D 1 (04)	(default: 0)
APPLICATION_CREATO	Hvarchar(64)	Username of application
CDEATED DI	1 (0.4)	creator
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

Table: beprc_pm_inventory

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record is active (default: 1)
$IS_DELETED$	tinyint(1)	Flag indicating if record is deleted (default: 0)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
DATA	text	Inventory data
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

$Table:\ beprc_pm_member_info$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record
		is active (default: 1)
IS_DELETED	tinyint(1)	Flag indicating if record
	, ,	is deleted (default: 0)
PROCESS_STATUS	varchar(36)	Status of the process
	, ,	(PENDING, REJECTED
		ACCEPTED)
REVISION	int	Revision number with
		default value of 0
ADMIN_REMARK	text	Admins remarks
ADMIN_ATTACHMENT	Γ_Marchar(36)	Foreign key to
		beprc_attachment table
		for admin attachment
PM_INFO_ID	varchar(36)	Foreign key to
		$beprc_pm_info table$
PM_DETAILS_ID	varchar(36)	Foreign key to
		beprc_pm_details table
MEMBER_ROLE_ID	varchar(36)	Foreign key to
		beprc_member_role
		table
ORGANIZATION_ADD	RE SS <u>rc</u> hor(36)	Foreign key to
	, ,	beprc_address table for
		organization address
		~

Column Name	Data Type	Description
PRESENT_ADDRESS_ID	varchar(36)	Foreign key to beprc_address table for present address
PERMANENT_ADDRESS	S_vADchar(36)	Foreign key to beprc_address table for permanent address
IS_BANGLADESHI	tinyint(1)	Flag indicating if member is Bangladeshi (default: 1)
COUNTRY_ID	varchar(36)	Foreign key to beprc_country table (for foreign nationals)
PHOTO_ATTACHMENT_	_HArchar(36)	Foreign key to beprc_attachment table for profile photo
SIGNATURE_ATTACHM	ENATch AD(36)	Foreign key to beprc_attachment table for signature image
GENDER_ID	varchar(36)	Foreign key to beprc_gender table
IS_NRB	tinyint(1)	Flag indicating if member is Non-Resident Bangladeshi (default: 0)
MEMBER NAME	varchar(128)	Name of the member
DESIGNATION	varchar(255)	Designation of the member
OTHER_ROLE_NAME	varchar(128)	Name for other role if not in standard roles
EMAIL_ADDRESS	varchar(128)	Email address of the member
PHONE_NUMBER	varchar(64)	Phone number of the member
NID	varchar(18)	National ID number
DATE_OF_BIRTH	date	Birth date of the member
ORGANIZATION_NAME	varchar(128)	Name of the organization
RESIDENCE	varchar(255)	Residence details (for foreign nationals)
PASSPORT_NUMBER	varchar(24)	Passport number (for foreign nationals)
PR_NUMBER	varchar(32)	Permanent Residence number (for foreign nationals)
WORK_EXPERIENCE	varchar(36)	Work experience details
EDUCATION	varchar(255)	Educational background

Column Name	Data Type	Description
RESPONSIBILITY	text	Responsibilities of the member
CREATED_BY CREATED_ON UPDATED_BY UPDATED_ON	varchar(64) datetime varchar(64) datetime	Username of creator Creation timestamp Username of last updater Last update timestamp

${\bf Table:\ beprc_pm_milestone}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number with
		default value of 0
IS_ACTIVE	tinyint(1)	Flag indicating if record
		is active (default: 1)
IS_DELETED	tinyint(1)	Flag indicating if record
		is deleted (default: 0)
PROCESS_STATUS	varchar(36)	Status of the process
		(PENDING, REJECTED,
		ACCEPTED)
REVISION	int	Revision number with
		default value of 0
PM_INFO_ID	varchar(36)	Foreign key to
	. ()	beprc_pm_info table
PM_DETAILS_ID	varchar(36)	Foreign key to
27.42.67	. (255)	beprc_pm_details table
NAME	varchar(255)	Name of the milestone
WEIGHT	double	Weight or importance of
CEL DE MONETI		the milestone
START_MONTH	int	Starting month number
END_MONTH	int	Ending month number
START_DATE	date	Start date of the
	1 4	milestone
END_DATE	date	End date of the milestone
DESCRIPTION	text	Description of the milestone
ADDDOWAL DOC ID	reample on (26)	
APPROVAL_DOC_ID	varchar(36)	Foreign key to
		beprc_attachment table
STATUS	rranchan(64)	for approval document Status of the milestone
SIAIUS	varchar(64)	status of the innestone

Column Name	Data Type	Description
IS_PROCESSING	tinyint(1)	Flag indicating if milestone is being processed (default: 0)
ADMIN_INFO_REM	ARK text	Admins remarks for information
ADMIN_INFO_ATTACHMENEEad(36)		Foreign key to beprc_attachment table for admin info attachment
ADMIN_PROGRESS_REM AR K		Admins remarks for progress
ADMIN_PROGRESS_ATTAGEMENT_ID		Foreign key to beprc_attachment table for admin progress attachment
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Creation timestamp
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Last update timestamp

$Table:\ beprc_pm_milestone_history$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PROCESS_STATUS	varchar(36)	Current process status (PENDING, REJECTED, ACCEPTED)
REVISION	int	Revision number of the record
PM_INFO_ID	varchar(36)	Foreign key to beprc_pm_info table (PM Info Id)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table

Column Name	Data Type	Description
PM_MILESTONE_ID	varchar(36)	Foreign key to beprc_pm_milestone table
NAME	varchar(255)	Name of the milestone
WEIGHT	double	Weight value for the milestone
START_MONTH	int	Start month number
END MONTH	int	End month number
START_DATE	date	Start date of the milestone
END_DATE	date	End date of the milestone
DESCRIPTION	text	Description of the milestone
APPROVAL_DOC_ID	varchar(36)	Foreign key to beprc_attachment table
CT ATLIC	1(6.4)	for approval document Status of the milestone
STATUS	varchar(64)	Administrative
ADMIN_INFO_REMAR	K text	information remarks
ADMIN_INFO_ATTACHMEANCEarl(36)		Foreign key to
		beprc_attachment table for admin info
		attachment
ADMIN_PROGRESS_RI	EM AR K	Administrative progress remarks
ADMIN_PROGRESS_AT	TTAGATAMATENT ID	Foreign key to
ADMIN_I ITOGITESS_A	I I WATERIAN TO	beprc_attachment table
		for admin progress
CDEATED DV	1 (0.4)	attachment
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

${\bf Table:\ beprc_pm_period}$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the
		record

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
TYPE	varchar(48)	Type of period
SERIAL_NUMBER	int	Serial number for ordering
START_DATE	date	Start date of the period
START_MONTH	int	Start month number
END_DATE	date	End date of the period
END_MONTH	int	End month number
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

${\bf Table:\ beprc_pm_permission}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
PERMISSION_TYPE	varchar(127)	Type of permission
HAS_PERMISSION	$\operatorname{tinyint}(1)$	Flag indicating if permission is granted (1) or not (0)
APPROVAL_ATTACHM	IEN /a l <u>rc</u> hDr(36)	Foreign key to beprc_attachment table for approval document
CREATED_BY	varchar(64)	Username of creator

Column Name	Data Type	Description
CREATED_ON UPDATED_BY UPDATED_ON	$\begin{array}{c} \text{datetime} \\ \text{varchar}(64) \\ \text{datetime} \end{array}$	Timestamp of creation Username of last updater Timestamp of last update

$Table:\ beprc_pm_procurement$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
DOC_ID	varchar(36)	Foreign key to beprc_attachment table for document
PROCESS_STATUS	varchar(36)	Current process status (PENDING, REJECTED, ACCEPTED)
REVISION	int	Revision number of the record
SERIAL_NUMBER	int	Serial number for ordering
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMENT	Γ_Marchar(36)	Foreign key to beprc_attachment table for admin attachment
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

 ${\bf Table:\ beprc_pm_quarter}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PM_DETAILS_ID	varchar(36)	Foreign key to
SERIAL_NUMBER	int	beprc_pm_details table Serial number for ordering
START_DATE	date	Start date of the quarter
START_MONTH	int	Start month number
END_DATE	date	End date of the quarter
END_MONTH	int	End month number
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

${\bf Table:\ beprc_pm_report}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not
IS_DELETED	tinyint(1)	(0) Flag indicating if the record is deleted (1) or
PM_INFO_ID	varchar(36)	not (0) Foreign key to beprc_pm_info table
REPORT_TYPE_ID	varchar(36)	(PM Info Id) Foreign key to bepro pm report type
SUBMISSION_END_ON	date	table Deadline for submission

Column Name	Data Type	Description
SUBMITTED_ON	date	Date when report was submitted
SUBMISSION_STATUS	varchar(64)	Status of submission
PROCESS_STATUS	varchar(36)	Current process status
		(PENDING, REJECTED,
		ACCEPTED)
DESCRIPTION	text	Description of the report
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

${\bf Table:\ beprc_pm_report_type}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
NAME	varchar(128)	Name of the report type
TAG	varchar(128)	Tag/code for the report type
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

$Table: \ beprc_pm_sub_task$

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the
		record

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PROCESS_STATUS	varchar(36)	Current process status (PENDING, REJECTED, ACCEPTED)
REVISION	int	Revision number of the record
PM_TASK_ID	varchar(36)	Foreign key to beprc_pm_task table (PM TASK Id)
SERIAL_NUMBER	int	Serial number for ordering
ATTACHMENT_ID	varchar(36)	Foreign key to beprc_attachment table
NAME	varchar(255)	Name of the sub-task
START_MONTH	int	Start month number
END_MONTH	int	End month number
START_DATE	date	Start date of the sub-task
END_DATE	date	End date of the sub-task
COMMENT	varchar(767)	Comments about the sub-task
IS_DONE	tinyint(1)	Flag indicating if the sub-task is completed (1) or not (0)
PREV_IS_DONE	tinyint(1)	Previous completion status
STATUS	varchar(64)	Status of the sub-task
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

$Table:\ beprc_pm_task$

Column Name	Data Type	Description
OID VERSION	varchar(36) int	Primary key identifier Version number of the record

Column Name	Data Type	Description
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PROCESS_STATUS	varchar(36)	Current process status (PENDING, REJECTED, ACCEPTED)
REVISION	int	Revision number of the record
PM_MILESTONE_ID	varchar(36)	Foreign key to beprc_pm_milestone table (PM MILESTONE Id)
SERIAL_NUMBER	int	Serial number for ordering
ATTACHMENT_ID	varchar(36)	Foreign key to beprc_attachment table
NAME	varchar(255)	Name of the task
START MONTH	int	Start month number
END_MONTH	int	End month number
START DATE	date	Start date of the task
END_DATE	date	End date of the task
COMMENT	varchar(767)	Comments about the task
IS_DONE	tinyint(1)	Flag indicating if the task is completed (1) or not (0)
HAS_SUBTASK	tinyint(1)	Flag indicating if the task has sub-tasks (1) or not (0)
PREV_IS_DONE	tinyint(1)	Previous completion status
STATUS	varchar(64)	Status of the task
CREATED_BY	varchar(64)	Username of creator
CREATED ON	datetime	Timestamp of creation
UPDATED BY	varchar(64)	Username of last updater
UPDATED ON	datetime	Timestamp of last update

Table: beprc_report_info

Column Name	Data Type	Description
OID	varchar(36)	Primary key identifier
VERSION	int	Version number of the record
IS_ACTIVE	tinyint(1)	Flag indicating if the record is active (1) or not (0)
IS_DELETED	tinyint(1)	Flag indicating if the record is deleted (1) or not (0)
PM_INFO_ID	varchar(36)	Foreign key to beprc_pm_info table (PM Info Id)
PM_DETAILS_ID	varchar(36)	Foreign key to beprc_pm_details table
SERIAL_NUMBER	int	Serial number for ordering
REPORT_TYPE	varchar(64)	Type of report
QUARTER_ID	varchar(36)	Foreign key to beprc_pm_quarter table (Quarter Id)
HALF_YEAR_ID	varchar(36)	Foreign key to beprc_pm_half_year table (Half Year Id)
ANNUAL_YEAR_ID	varchar(36)	Foreign key to beprc_pm_annual_year table (Annual Year Id)
CREATOR	varchar(36)	Creator type (SYSTEM, ADMIN)
ADMIN_REPORT_SAMP	'LAE <u>rc</u> AEF(200)'HMENT_l	DForeign key to beprc_attachment table for report sample
NAME	varchar(255)	Name of the report
DUE_ON	date	Due date for the report
REPORT_ATTACHMENT	<u>Yul De</u> har (36)	Foreign key to beprc_attachment table for report
SUBMITTED_ON	date	Date when report was submitted
DESCRIPTION	text	Description of the report
PROCESS_STATUS	varchar(36)	Current process status (PENDING, REJECTED, ACCEPTED)
REVISION	int	Revision number of the record

Column Name	Data Type	Description
ADMIN_REMARK	text	Administrative remarks
ADMIN_ATTACHMENT	_Marchar(36)	Foreign key to
		beprc_attachment table
		for admin attachment
CREATED_BY	varchar(64)	Username of creator
CREATED_ON	datetime	Timestamp of creation
UPDATED_BY	varchar(64)	Username of last updater
UPDATED_ON	datetime	Timestamp of last update

${\bf Table:\ beprc_user}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key, unique
		identifier for user
VERSION	int	Version number for
		optimistic locking,
		default 0
IS_ACTIVE	tinyint(1)	Flag indicating if user is
		active, default 1
IS_DELETED	$\operatorname{tinyint}(1)$	Flag indicating if user is
		deleted, default 0
IDP_USER_ID	varchar(36)	Identity Provider user ID,
		unique key
IS_ADMIN	tinyint(1)	Flag indicating if user is
		admin, default 0
IS_BANGLADESHI	tinyint(1)	Flag indicating if user is
		Bangladeshi, default 1
IS_NRB	tinyint(1)	Flag indicating if user is
		Non-Resident
		Bangladeshi, default 0
COUNTRY_ID	varchar(36)	Foreign key to
		beprc_country table
NAME	varchar(128)	Name of the user
EMAIL_ADDRESS	varchar(128)	Email address of the user, unique key
DATE_OF_BIRTH	date	Date of birth of the user
DESIGNATION	varchar(84)	Designation or title of
	, ,	the user
PHONE_NUMBER	varchar(36)	Phone number of the user
NID	varchar(18)	National ID number of
		the user

Column Name	Data Type	Description
ORGANIZATION_NAMI	E varchar(128)	Name of the organization the user belongs to
RESIDENCE	varchar(255)	Residence for foreign nationality users
PASSPORT_NUMBER	varchar(24)	Passport number for foreign nationality users
PR_NUMBER	varchar(32)	Permanent Resident number for foreign nationality users
GENDER_ID	varchar(36)	Foreign key to beprc_gender table
ORGANIZATION_ADDI	RE <mark>SS<u>rc</u>hD</mark> r(36)	Foreign key to beprc_address table for organization address
PRESENT_ADDRESS_I	D varchar(36)	Foreign key to beprc_address table for present address
PERMANENT_ADDRES	SS_v4Dchar(36)	Foreign key to beprc_address table for permanent address
PHOTO_ATTACHMENT	T_14Drchar(36)	Foreign key to beprc_attachment table for profile photo
SIGNATURE_ATTACHN	// IENAT <u>ch</u> HD(36)	Foreign key to beprc_attachment table for signature image
CREATED_BY	varchar(64)	User who created this record
CREATED_ON	datetime	Date and time when record was created
UPDATED_BY	varchar(64)	User who last updated this record
UPDATED_ON	datetime	Date and time when record was last updated
IS_IMPORTED	tinyint(1)	Flag indicating if user was imported, default 0
IS_EMAIL_SENT	tinyint(1)	Flag indicating if email was sent to user, default 0
IS_REGISTERED_APPI	LICiANTTt(1)	Flag indicating if user is a registered applicant, default 0

Table: beprc_user_role

Column Name	Data Type	Description
OID	varchar(36)	Primary key, unique identifier for user role
VERSION	int	Version number for optimistic locking, default 0
IS_ACTIVE	tinyint(1)	Flag indicating if user role is active, default 1
IS_DELETED	tinyint(1)	Flag indicating if user role is deleted, default 0
USER_ID	varchar(36)	Foreign key to beprc_user table, part of composite unique key
USER_TYPE_ID	varchar(36)	Foreign key to beprc_user_type table, part of composite unique key
CREATED_BY	varchar(64)	User who created this record
CREATED_ON	datetime	Date and time when record was created
UPDATED_BY	varchar(64)	User who last updated this record
UPDATED_ON	datetime	Date and time when record was last updated

${\bf Table:\ beprc_user_type}$

Column Name	Data Type	Description
OID	varchar(36)	Primary key, unique identifier for user type
VERSION	int	Version number for optimistic locking, default 0
IS_ACTIVE	tinyint(1)	Flag indicating if user type is active, default 1
IS_DELETED	tinyint(1)	Flag indicating if user type is deleted, default 0
$TYPE_NAME$	varchar(128)	Name of the user type
TITLE	varchar(128)	Display title of the user type
CREATED_BY	varchar(64)	User who created this record
CREATED_ON	datetime	Date and time when record was created
UPDATED_BY	varchar(64)	User who last updated this record
UPDATED_ON	datetime	Date and time when record was last updated