

— AGENTIC PDLC —

Agentic PDLc.

Raising the **quality bar** and **accelerating delivery** for MedTech.

Ben Xavier • CTO HCLS GlobalLogic • 2026

Agenda

01

Agentic PDLC Overview

02

What is Agent Engineering?

03

Sample Project Overview & Strategy

04

Project Shape & Capabilities

05

Quality & Process

06

Humans in Charge

07

The Project Console

Landing Page · Agents · Documents
Explorer · Dashboards · Trace Matrix ·
Workflows

01

Agentic PDLC Overview

What the operating model is, what it changes, and why the regulated stack benefits first.

STAT DASHBOARD

Three external signals. Three different domains.



PRODUCTIVITY FLOOR

~55 % faster

Copilot autocomplete on coding tasks.

The narrowest measurable case — autocomplete in code. Broader agentic delivery operates on a much larger work surface.[1] GitHub Research, 2022



ENTERPRISE STUDIES CONVERGE

10–40 % uplift

Task-level gains across coding, content, analysis.

Annual productivity uplift in tech & engineering at the high end across function categories.

[2] McKinsey · [5] Stanford AI Index



REGULATORS AHEAD OF INDUSTRY

FDA PCCP

Final guidance · December 2024.

AI-enabled devices may be updated under a pre-specified change-control plan — without re-submitting on every retrain.[3][4] FDA · 2021/2024

COST OF WAITING

An organization that delays adoption will be 18–24 months behind peers that invest now. The asymmetry compounds — every month widens the gap.

OUR DIFFERENCE

Most “agentic” MedTech is a wrapper.

Ours is a purpose-built harness.

WHAT VENDORS SHIP

Context and a UI wrapped around someone else’s model.

1 • Code-completion rebranded

Copilot, Cursor, Codeium with a vendor wrapper. **Productive on the keystroke — blind to everything else.** No idea your work product needs IEC 62304 traceability, that an audit trail must name a human, or that an output is going into a 510(k).

2 • Chatbot on a data lake

RAG over your docs. **No provenance from answer to source** — you can’t tell which document fragment shaped the response. Embeddings shift on every rebuild; data ages silently. *Same question, different answer next month.* No full-context grounding — just whatever the nearest-neighbor lookup returns.

3 • Hosted autonomous-agent studio

A closed-box agent running in someone else’s cloud. **The audit trail is theirs, not yours. Not purpose-built for MedTech** — no IEC 62304, ISO 14971, or DHF grounding. **Not portable** — change vendors and both the capability and your history walk away.

WHAT WE BUILT

A purpose-built MedTech agentic harness — versioned, audited, and yours.

- ▶ **Domain-grounded.** IEC 62304, ISO 14971, ISO 13485, and 21 CFR Part 11 encoded directly into skills, agents, hooks, and rules.
- ▶ **Audit-trailed by construction.** Every decision attributable; every change links design inputs to verification to the DHF record.
- ▶ **Lives in your repository.** Versioned alongside the device. No vendor tenant. No platform you have to log into.
- ▶ **Built for regulated delivery.** DHF-shaped outputs, submission-ready by construction, reusable across programs in your portfolio.

THE CAPABILITY MATRIX

Six capabilities. One bucket has them all.

	01 CODE-COMPLETION REBRANDED	02 CHATBOT ON A DATA LAKE	03 HOSTED AUTONOMOUS- AGENT STUDIO	04 PURPOSE-BUILT MEDTECH HARNESS
Productivity gains across coding, documentation, and analysis	✓	✓	✓	✓
Process / workflow enforcement	✗	✗	~	✓
Domain grounding (regulatory · clinical)	✗	✗	~	✓
Audit trail in <i>your</i> hands	✗	✗	✗	✓
Lives in your repository · versioned	✗	✗	✗	✓
Cross-program IP propagation (registry)	✗	✗	~	✓

✓ present · ~ partial / vendor-mediated · ✗ structurally absent

NESTED CONTAINERS

SDLC sits *inside* PDLC. AI-in-Product is a runtime resident.

PDLC — PRODUCT DEVELOPMENT LIFE CYCLE

THE FULL LIFECYCLE OF A REGULATED PRODUCT • BROADER THAN SOFTWARE ALONE

Discovery → Concept → **Design Inputs** → **Design Outputs** → **V&V** → Submission → Manufacturing → Post-market

↓ SDLC STARTS

SDLC ENDS ↓

PDLC-ONLY ARTIFACTS

(BELONG TO PDLC, NOT SDLC)

- User Needs • Voice-of-Customer
- Indications • IFU • labeling
- Predicate analysis • pathway determination
- Risk file (ISO 14971) • hazard analysis
- Clinical Evaluation Report (CER)
- 510(k) / De Novo / PMA narrative
- DHF • DMR • DHR
- Process • packaging • sterilization validation
- PSUR • PMSR • complaint records
- FSCA • PMCF • CAPA

SDLC — SOFTWARE DEVELOPMENT

A SUBSET OF PDLC • IEC 62304-GOVERNED • SPANS DESIGN INPUTS → V&V

Requirements • Architecture • Implementation • Testing • Release

SDLC ARTIFACTS

- SRS • architecture spec • source code
- unit / integration / system tests
- SBOM • dependency manifests • SOUP
- release notes • signed releases
- coverage reports • static analysis

AI-in-Product


Runtime • ships
to clinicians

↑ AI-IN-PDLC TOOLING
TEAM'S WORKING METHOD (IN FROM OUTSIDE)

Containment, not equivalence. Most "AI in delivery" pitches conflate these three. The agentic PDLC harness operates on the team's working method — the dashed arrow that enters the lifecycle from outside.

THE WAVE COLLAPSES AT COMMIT

Stochastic at generation. Deterministic at commit.



The probabilistic step is an authoring step that happens once per change. By the time a regulator sees the artifact, there is no probability left in it. *A regulator is not approving the model — a regulator is approving the artifact.*

02

What is Agent Engineering?

Above autocomplete-with-chat. The conductor, the orchestra, the score, and the six layers of guardrails.

THE LOAD-BEARING ANALOGY

A bulb gives you light. Optics give you a laser.



The GlobalLogic Agentic PDLC harness is the optics — not the bulb. Anyone can rent a bulb.

- 01

Skills

Packaged, reusable expert checklists. Same shape, every time.
- 02

Rules

Short conventions the assistant reads and obeys.
- 03

Agents

Domain personas with citation discipline.
- 04

Hooks

Automations on session start, before edits, on close.
- 05

Registries

Versioned catalogs. Cross-project propagation.
- 06

Guardrails

Layered defense — pre-action, in-flight, post-action, release.

MENTAL MODEL #1 — ORGANIZATIONAL

The Conductor — what the human does.



01 · SCORE

Sheet music

Specs. Skills · rules · rubrics. The score travels under any orchestra.

02 · CONDUCTOR

The lead

Human in the loop. Calibration Mode + Domain Mode. Same person, two distinct acts.

03 · ORCHESTRA

Musicians

Model + advisors. Capable, fast, can play many parts in parallel. Doesn't know the piece.

04 · PERFORMANCE

The concert

The artifact the customer receives. Code · DHF · trace matrix · submission narrative.

05 · RECORDING

The tape

Audit trail. Sync · lessons · digest. Feeds back into the score.

Conductor's two modes: **DOMAIN MODE** (knows the piece — outside regulatory + clinical knowledge) · **CALIBRATION MODE** (hears drift — codifies corrections into specs).

THE INVESTMENT RANKING

Specs first. Scaffolding second. Model third.

01 Specs

LARGEST VALUE DELTA

Every repeatable quality improvement in the corpus was a spec improvement. Every recurring complaint becomes a versioned spec change *before* any model-tuning is attempted.

02 Scaffolding

MEDIUM VALUE DELTA • INFRASTRUCTURE

Skills • hooks • registries • idempotency contracts. The infrastructure that makes specs operationally meaningful and propagatable across program work.

03 Model choice

TUNING LEVER ONLY


Real, but smallest. Bigger model for harder synthesis; faster model for high-volume routine work.

THE INVARIANT

A score performs the same way under any competent orchestra. A spec produces the same artifact under any competent model. *The score travels.*

THE DEFENSE-IN-DEPTH

Six layers of guardrails. Not one.



In an unregulated context, a single L1 gate is often enough. **In HCLS, any single layer's failure means the entire compliance posture collapses.** Multi-model substrate is part of the layered defense — adversarial validation requires *different* models checking each other.

L1

Pre-action gates

Block before the action.
Task gate · freeze gate.

L2

Authoring discipline

CLAUDE.md rules ·
[VERIFY] · default-to-action.

L3

In-flight verification

Advisor counterpoint ·
multi-perspective panels.

L4

Post-action checks

Best-practices audit ·
regression-guard lint.

L5

Release gates

Named-reviewer
attestation · Comala (Part 11).

L6

Continuous improvement

Lessons harvest · digest ·
sync-log.

03

Sample Project Overview & Strategy

PDLC_DEMO · PainEase PCA Advanced — the device, the regulatory strategy,
and the deliverables shape.

STRATEGY HARNESS • IN ACTION

Strategies are managed artifacts — the basis for everything downstream.

Regulatory, clinical, architectural, post-market — each strategy is a curated, versioned artifact in the harness, the canonical reference every downstream document derives from.

↓ What follows are generated outputs from the sample project — a working strategy harness in action.

What PP3500 is

PP3500 — **PainEase PCA Advanced** — is a patient-controlled analgesia infusion pump. The program as modeled in this repo is a **single composite system** of SaMD + SiMD + custom medical-electrical hardware, with adjacent infrastructure around it:

DHF (ARCHITECTURE NAME)	CLASSIFICATION	COMPOSITION	WHAT IT DOES
PCA Device (pca-device)	Class II medical device	SiMD pump firmware + SaMD modules + hardware	On-pump delivery, dose-limit enforcement, alarms, UI, self-test
Connectivity Adapter (connectivity-adapter)	MDDS (non-device post-2015 FDA)	SaMD	On-prem bridge that carries PCA telemetry + drug-library pushes to/from the Cloud Suite
Cloud Suite (cloud-suite)	Mixed — see children	SaMD + non-device software	Platform DHF. Seven child DHFs carry the regulatory weight individually

Regulatory strategy at a glance

We are filing **one 510(k)** for the PCA device itself, **with an integrated PCCP** that pre-authorizes two classes of post-market change: drug-library updates and bounded firmware updates.

Filing scope = PCA device alone.

The Connectivity Adapter (MDDS) and all Cloud Suite components except the Drug Library Manager are **out of the PP3500 filing**. Each is analyzed and filed (or not filed) on its own regulatory merits. See [docs/project/strategies/regulatory-](#)...

Critical-requirement carve-out (CtS / CtF / CtC / CtP).

Every user need and design input is tagged with one or more of **Critical to Safety / Function / Compliance / Performance**. Only Ct*-tagged requirements are in scope for the 510(k) + PCCP; everything else ships post-clearance on the commercial track. This keeps...

PCCP envelope.

The PCCP pre-authorizes changes to Ct*-tagged requirements that stay within pre-specified bounds — drug-library updates, firmware patches against a fixed risk profile, and predictive-alarm SaMD updates that meet the PCCP change-protocol acceptance criteria.

Predicate.

PP3000 (K190567) — a prior PainEase PCA pump in the same family. The PCCP envelope is the substantive delta vs. the predicate.

Drug Library Manager

, classified as Class II SaMD accessory, is either bundled into the PP3500 filing or filed separately (posture TBD in submission planning — see [docs/project/submissions/510k/composition-manifest.md](#)).

04

Project Shape & Capabilities

Operating rules, project-level skills, and persona agents — the machinery underneath the work.

PRINCIPLE TILES

Operating rules baked into the project

**Task-first workflow (hard gate).**

A PreToolUse hook (`.claude/hooks/check-active-task.sh`) denies any Edit/Write/NotebookEdit unless the session has an active task....

**One task, one file.**

All design work, analysis, drafts, and phase deliverables produced under a task belong inside...

**Strategy / Lessons capture backstops.**

UserPromptSubmit + Stop hooks detect strategic-intent signals and block ending a session that generated...

**Session-start security check.**

The `project-secops` agent runs `security-assert.sh` on every session against the `security.*` allowlists in `project.yml`....

**Docflow entry enforcement.**

A PreToolUse Bash hook (`block-direct-conversion.sh`) refuses direct `pandoc` / `unzip` / `soffice` / `pdftotext`...

**`project.yml` as single source of truth.**

Identity, device family, portfolio context, DHF topology (with regulatory + filing + parent per...

CATALOG MOSAIC

Skills (project-level)



task
Task lifecycle: create / find / list /...



medtech-docs
Scaffolds docs/ tree, manages DHFs, imports FDA guidance...



docflow
Round-trip conversion between markdown and DOCX / DOC...



strategy
Harvests <!-- STRATEGY
CONTENT: domain --> blocks
from...



tracker
Builds the submission-package tracker from architecture + regulatory...



trace-matrix
Bidirectional design-controls trace (UN ↔ DI ↔ Architecture...



advisors
Installs and curates the 11 Core Team Assistant...



project-console
Scaffolds and maintains the local FastAPI console (see...

Skills (project-level) (continued - 2/2)



lessons
Harvests <!-- LESSONS LEARNED
--> blocks into the...



best-practices
Audits project setup against checks
from the shared...



secops
Session-start security posture
check, attestations, allowlists.



change-control
(Scaffold only.) Bridge to
Confluence + Comala/SoftComply
for...



sync-skills
Bidirectional sync with the shared
hitachi registry (./hitachi...



skill-creator
Authors new skills, runs evals.



digest
Morning briefing + on-demand
append to CHANGELOG.md.

CATALOG MOSAIC

Agents (persona advisors)



regulatory-affairs
510(k) pathway, substantial-equivalence argument, predicate selection, PCCP scoping...



clinical-affairs
Clinical evidence strategy, KOL engagement, user-needs validation



systems-engineering
Architecture, requirements decomposition, trace integrity across DHFs



rd-lead
Engineering execution, design-output quality, feasibility



vnv-lead
V&V strategy, test protocol authoring, evidence sufficiency



risk-management
ISO 14971 risk analysis, benefit-risk, risk controls



human-factors
IEC 62366 use-related risk, summative usability



quality-engineering
ISO 13485, design controls compliance, audit readiness (FDA...

Agents (persona advisors) (continued - 2/2)



cybersecurity
Threat model, SBOM, IEC 81001-5-1,
FDA §524B pre/post-market...



post-market
Surveillance, complaint handling,
PSUR/PMSR, CAPA feedback loop



program-manager
Schedule, scope, stakeholder
alignment



core-team-panel
PM + RA + Clinical + QE +...



design-review-panel
Systems + R&D + V&V + HFE +...



project-secops
Session-start security posture audit
against project.yml

05

Quality & Process

How the guardrails actually work — hooks, traces, and the audit surface a regulator can read.

Hooks — automatic tripwires you can't forget to run

A **hook** is a small automation that fires at a specific moment — when a session starts, when a file is about to be edited, when work is about to end — and either allows, blocks, or adds context to the action. Hooks are invisible until one trips. When one trips, it means the system caught an issue before it became a problem.

HOOK	WHEN IT FIRES	WHAT IT PREVENTS
Task-first gate (check-active-task.sh)	Before any file edit	Refuses to edit a file unless there's an active task document that owns the change. No orphan edits, ever.
Session security check (security-assert.sh)	When a session opens	Runs the project-secops audit against project.yml allowlists. High-severity drift triggers guided remediation.
Session env (session-env.sh)	When a session opens	Exports CLAUDE_SESSION_ID so the task gate can key per-session state.
Strategy/lessons capture (capture-signals.sh + capture-check.sh)	UserPromptSubmit + Stop	Arms when a prompt shows strategic-intent signals; blocks session end if the armed task didn't capture the decision into a <!-- STRATEGY CONTENT --> / <!-- LESSONS LEARNED --> block.
Docflow entry (block-direct-conversion.sh)	Before raw pandoc / unzip / soffice / pdftotext Bash calls	Refuses direct conversion commands that would bypass the audited /docflow pipeline.
Session cleanup (session-cleanup.sh)	When a session ends	Removes per-session state files so completed sessions don't leave orphans.

PRINCIPLE TILES

What this adds up to

**Owned**

by a named, dated task document (task gate).

**Located**

in a folder whose rules were read before the write (README-before-write).

**Traced**

to a design input, architecture node, V&V item, and risk control (trace matrix).

**Audited**

against a standing best-practices registry (/best-practices).

**Security-checked**

at session start (secops hook).

**Captured**

for strategic/lessons content before any session ends (capture hooks).

06

Humans in Charge

Where the handoff lands. Agents advise; humans decide; the regulated record is human-attributed.

PRINCIPLE TILES

What an "agent" actually is here

**Read only the documents a real person in that role would read**

FDA guidance, ISO/IEC standards, the project's own design controls, the predicate analysis, the relevant...

**Answer within the scope of that role**

and say "that's outside my lane — ask the XX advisor" when a question...

**Cite the sources**

for every claim, so the human reviewer can verify.

**Flag disagreement**

with a draft rather than rubber-stamp it.

PRINCIPLE TILES

How it helps with complex problems



Cybersecurity

(IEC 81001-5-1, signing-trust model, FDA §524B)



Risk management

(what happens if the push fails mid-update? ISO 14971 hazard analysis)



Systems engineering

(where the SaMD / MDDS boundary sits; impact on composition manifest)



Regulatory

(does this change PCCP envelope scope? Does it alter the MDDS classification of the...)



Clinical

(does it introduce dose-limit latency a clinician must account for?)



V&V

(what new test cases does it require? Do they belong in filing-scope or commercial...)

PRINCIPLE TILES

Humans decide. Agents advise.



Reviews the analysis.



Chooses the answer (the agent may have given three).



Writes the decision into the task document.



Signs off in the QMS of record when the decision moves to a

HANDOFF RELAY

Where the handoff happens

01**1. DRAFT
ANALYSIS**

Agent

02**2. REVIEW &
REDIRECT**

Human

03**3. DECISION**

Human

04**4.
IMPLEMENTATION**

Human + agent

05**5. VERIFICATION**

Human (or panel)

06**6. SIGN-OFF IN
QMS OF RECORD**

Human only

The AI never occupies step 3 or step 6. That is not a limitation — that is the design.

PRINCIPLE TILES

Why this works for regulated work



A human-signed decision.



In a task document owned by a named person.



Backed by a trace matrix rebuilt from source.



Supported by a structured analysis with cited sources.



Vetted by multiple specialist perspectives.



Produced inside a toolchain whose compliance properties are

07

The Project Console

The single pane: Landing, Agents, Documents, Dashboards, Trace Matrix, and Workflows.

How the console relates to Claude Code

Same agents. Same grounding. Two runtimes. Updating an agent (`.claude/agents/regulatory-affairs.md`) updates both surfaces simultaneously — no drift between what Claude Code sees and what the console exposes.

SURFACE	RUNTIME	GROUNDING	AUTH
Claude Code main thread	CLI, developer workstation	Direct filesystem access	Local
project-console chat	Browser, FastAPI + Claude Agent SDK	Same agent files under <code>.claude/agents/</code> via shared <code>advisors_lib</code> symlink	OAuth to Claude CLI; domain-restricted per <code>project.yml</code> → <code>security.approved_email_domains</code>

01 Landing Page

GlobalLogic[®]
A Hitachi Group Company

PDLC_DEMO Console

Overview

Agents

Documents

Dashboards

Trace Matrix

Workflows

PDLC_DEMO

patient-controlled-analgesia-pump · 510k

Overview

Guided tour

 of the program
Device, regulatory strategy, project shape, and the agentic approach.

Agents

23

 domain agents
Chat with individual KOLs or panels, grounded in project documents.

Documents

Browse

 the project tree
Navigate DHF artifacts, view files, and auto-summarize with Claude.

Dashboards

Submission tracker

 and readiness views
Live rollups of DHF, submission, and engineering artifacts.

Workflows

Automation

 and process templates
Coming soon.

A GlobalLogic demo of agentic PDLC workflows in MedTech.

© 2026 Copyright GlobalLogic Inc. All rights reserved.

Privacy

Compliance & Disclosures

GlobalLogic

A Hitachi Group Company

PDLC_DEMO Console

Overview

Agents

Documents

Dashboards

Trace Matrix

Workflows

Agents

Domain agents grouped by function. Chat with individuals or convene a panel.

All

Key Opinion Leaders

Core Team Assistants

Key Opinion Leaders

Clinical and technical thought leaders informing PP3500 (PainEase PCA Advanced) design inputs, usability, and validation. Each KOL is grounded in their own profile plus the portfolio device registry and regulatory filings.

PANELS

PP3500 KOL Panel (LLM-moderated)

Panel · 4 members

LLM-moderated advisory panel of PP3500 KOLs — a silent moderator picks the next speaker each turn based on the conversation, instead of rotating round-robin.

PP3500 Primary KOL Panel

Panel · 4 members

Round-robin advisory panel of the four KOLs most relevant to PP3500 — PCA clinical lead, usability, alert fatigue, and infusion nursing.

INDIVIDUALS

Susan Braithwaite

KOL — insulin infusion protocols, ICU glucose management (portfolio context, not PCA-specific).

Kathleen K. Giuliano

KOL — IV smart pump usability, medication administration safety, human factors.

Lisa Gorski

04 Dashboards

GlobalLogic
A Hitachi Group Company

PDLC_DEMO Console

OverviewAgentsDocumentsDashboardsTrace MatrixWorkflows

Submission Package Tracker

No active session0 pendingPending changesSave & PublishCancel sessionSource

Expand AllCollapse AllShow All InfoShow All Help

STATUSAllApprovedIn ReviewDraftedDraftingNeeds RevisionNot StartedN/A

SCOPEAllAdapterCloud

SuitePHASEAllQSub510k+PCCPLMR1LMR2EFFORTAllLowMedHighV.High

QSUB38
0 approved · 13 in flight · 17 not started · 0% ready

510K+PCCP44
0 approved · 13 in flight · 23 not started · 0% ready

LMR133
0 approved · 13 in flight · 12 not started · 0% ready

LMR239
0 approved · 13 in flight · 18 not started · 0% ready

ENGINEERING PREREQS20
0 approved · 0 in flight

GRAND TOTAL154
0/154 approved · 0%

ApprovedIn ReviewDraftedDraftingNeeds RevisionNot StartedClick row for help

QSub130/38 done

510k+PCCP130/44 done

LMR1130/33 done

LMR2130/39 done

(all bindings) (5)

5 ▲

ID	DELIVERABLE	SCOPE	PHASE	REF	EFFORT	AI STATUS	STATUS	PATH
Q4 ⓘ ?	Q-Sub cover letter	Suite	QSub	FDA Q-Sub Guidance Appendix 1	Low		Not Started	Create Draft
Q5 ⓘ ?	Device description (Q-Sub formal)	Suite	QSub	FDA Q-Sub Guidance § Content requirements	Med		Not Started	Create Draft
Q6 ⓘ ?	Proposed indications for use	Suite	QSub	FDA Q-Sub Guidance § Content requirements	Low		Not Started	Create Draft
Q7 ⓘ ?	Predicate device analysis (Q-Sub summary)	Suite	QSub	FDA SE Guidance (2014) §III	Med		Not Started	Create Draft

Ask the advisor

05 Trace Matrix

GlobalLogic

A Hitachi Group Company

PDLC_DEMO Console

Overview

Agents

Documents

Dashboards

Trace Matrix

Workflows

Trace Matrix

Bidirectional design-controls trace across User Needs ↔ Design Inputs ↔ Architecture ↔ V&V, with Risk overlay.
Generated by the trace-matrix skill.

Rebuild all DHFs

pca-device

docs/project/console/pca-device

trace-matrix.json present

connectivity-adapter

docs/project/console/connectivity-adapter

trace-matrix.json present

cloud-suite

docs/project/console/cloud-suite

trace-matrix.json present

drug-library-manager

docs/project/console/drug-library-manager

trace-matrix.json present

fleet-management

docs/project/console/fleet-management

trace-matrix.json present

compliance-reports

docs/project/console/compliance-reports

trace-matrix.json present

analytics-dashboard

docs/project/console/analytics-dashboard

trace-matrix.json present

inventory-tracker

docs/project/console/inventory-tracker

trace-matrix.json present

alerts-engine

docs/project/console/alerts-engine

trace-matrix.json present

06 Workflows

GlobalLogic
A Hitachi Group Company

PDLC_DEMO Console

Overview

Agents

Documents

Dashboards

Trace Matrix

Workflows

Workflows

Composed automation across project skills. Each workflow declares its backend readiness — look-and-feel prototypes are clearly labeled.

Readiness: ■ ● **live** (wired end-to-end) ■ ● **prototype** (some placeholder zones, clearly labeled) ■ ● **proposed** (UI-only, backend not wired)

Gate-Readiness

A1 DHF Gate Check ●

Ready/not-ready verdict for a single DHF — composes manifest gaps, trace validation, and BP audit.

preview — not yet clickable-through

A2 Submission Pre-Flight ●

Per-filing go/no-go — composition manifest + tracker + docflow round-trip + secops attest.

preview — not yet clickable-through

A3 PR Readiness (pre-ultrareview) ●

Blocking + non-blocking issue list before kicking off /ultrareview.

preview — not yet clickable-through

Authoring

B1 Doc Round-Trip Batch ●

Pick N markdown files → preview the /docflow export plan → (later) execute.

B2 Trace Refresh on Save ●

Edit a requirements / UN / V&V file → one-click scoped /trace-matrix rebuild.

preview — not yet clickable-through

B3 Strategy Re-Assembly ●

Review + promote strategy decisions per domain — Accept / Reject / Modify / Re-Assemble all live.

B4 Tracker Status Update ●

B5 Ask the Tracker Advisor ●

— THANK YOU —

Thank you.

Let's bring a **purpose-built agentic harness** to your MedTech programs.

Ben Xavier • CTO HCLS GlobalLogic • 2026

CONFIDENTIAL — NDA ONLY. • NOT FOR EXTERNAL
DISTRIBUTION.

© 2026 GLOBALLOGIC INC. • ALL RIGHTS RESERVED.