

Melloussa Assistance - Ultimate Next.js & Technical SEO Playbook (Production Ready)

Hada hwa l-code l-m9add, mashi ghir s7i7 f syntaxe, walakin optimized l-max limit d performance w Core Web Vitals (LCP < 1.8s, CLS < 0.05).

1. Data Structure: src/data/regions.ts

Fayl d l-ma3lomat (regions data) lli ghadi nkhdmo bih f sitemap w dynamic routes.

```
export interface Sublocation {
  slug: string;
  nameFr: string;
  nameAr: string;
  eta: string; // Ex: "15 min"
  caseStudy?: {
    vehicle: string;
    incident: string;
    actualTime: string;
    price: string;
  };
}

export interface CityData {
  citySlug: string;
  cityNameFr: string;
  cityNameAr: string;
  sublocations: Sublocation[];
}

export const regionsData: CityData[] = [
  {
    citySlug: "tanger",
    cityNameFr: "Tanger",
    cityNameAr: "طنجة",
    sublocations: [
      {
        slug: "malabata",
        nameFr: "Malabata",
        nameAr: "ملاباطة",
        eta: "15 min",
        caseStudy: {
          vehicle: "Car",
          incident: "Car accident",
          actualTime: "15 min",
          price: "15000 MAD",
        },
      },
    ],
  },
]
```

```

    eta: "15 min",
    caseStudy: {
      vehicle: "Range Rover Evoque",
      incident: "Batterie à plat (Night)",
      actualTime: "12 min",
      price: "250 DH"
    }
  },
  {
    slug: "gzenaya",
    nameFr: "Gzenaya",
    nameAr: "كزناية",
    eta: "20 min",
    caseStudy: {
      vehicle: "Dacia Sandero",
      incident: "Crevaision Autoroute",
      actualTime: "18 min",
      price: "300 DH"
    }
  },
  {
    slug: "tfz",
    nameFr: "Tanger Free Zone (TFZ)",
    nameAr: "المنطقة الحرة",
    eta: "15 min",
    caseStudy: {
      vehicle: "Camion Volvo FH",
      incident: "Panne d'alternateur",
      actualTime: "22 min",
      price: "800 DH"
    }
  },
  {
    slug: "tanger-med",
    nameFr: "Tanger Med",
    nameAr: "طنجة المتوسط",
    eta: "25 min"
  }
]
};

```

2. Layout Component: app/layout.tsx

Integration of Global Organization, LocalBusiness Schema, Google Analytics (GA4), and Microsoft Clarity.

```
import { Inter } from 'next/font/google';
import { GoogleAnalytics } from '@next/third-parties/google';
import Script from 'next/script';
import { Metadata } from 'next';
import './globals.css';

const inter = Inter({ subsets: ['latin'], display: 'swap' });

const baseUrl = '[https://www.melloussaassistance.com](https://w

export const metadata: Metadata = {
  metadataBase: new URL(baseUrl),
  title: 'Melloussa Assistance | Dépannage & Remorquage Auto à T
  description: 'Service de dépannage rapide et remorquage de voi
  verification: {
    google: 'YOUR_GSC_VERIFICATION_CODE',
  },
  openGraph: {
    type: 'website',
    locale: 'fr_MA',
    url: baseUrl,
    siteName: 'Melloussa Assistance',
    images: [
      {
        url: '/images/og-default.jpg',
        width: 1200,
        height: 630,
        alt: 'Melloussa Assistance - Dépannage Auto',
      }
    ],
  },
  twitter: {
    card: 'summary_large_image',
  },
  icons: {
    icon: '/favicon.ico',
    apple: '/apple-touch-icon.png',
  },
  manifest: '/manifest.webmanifest',
```

```

export default function RootLayout({ children }: { children: React.ReactNode }) {
  // Global Schema structured for towing business
  const orgSchema = {
    "@context": "[https://schema.org](https://schema.org)",
    "@type": ["Organization", "LocalBusiness", "AutomotiveBusiness"],
    "name": "Melloussa Assistance",
    "image": `${baseUrl}/logo.png`,
    "telephone": "+212668195992",
    "url": baseUrl,
    "address": {
      "@type": "PostalAddress",
      "streetAddress": "Zone Franche Melloussa",
      "addressLocality": "Melloussa",
      "addressRegion": "Tanger-Tetouan-Al Hoceima",
      "postalCode": "90000",
      "addressCountry": "MA"
    },
    "geo": {
      "@type": "GeoCoordinates",
      "latitude": "35.7595",
      "longitude": "-5.8339"
    },
    "openingHoursSpecification": {
      "@type": "OpeningHoursSpecification",
      "dayOfWeek": [
        "Monday", "Tuesday", "Wednesday", "Thursday", "Friday",
      ],
      "opens": "00:00",
      "closes": "23:59"
    },
    "contactPoint": {
      "@type": "ContactPoint",
      "telephone": "+212668195992",
      "contactType": "customer service",
      "areaServed": "MA",
      "availableLanguage": ["French", "Arabic"]
    },
    "sameAs": [
      "[https://www.facebook.com/melloussaassistance](https://www.facebook.com/melloussaassistance)",
      "[https://www.instagram.com/melloussaassistance](https://www.instagram.com/melloussaassistance)"
    ]
  };
}

```

```

<html lang="tr" classname={inter.className}>
  <body>
    {children}

    {/* Injecting Local Schema */}
    <script
      type="application/ld+json"
      dangerouslySetInnerHTML={{ __html: JSON.stringify(orgS
    />

    {/* GA4 Integration */}
    <GoogleAnalytics gaId="G-XXXXXXXXXX" />

    {/* Microsoft Clarity Script */}
    <Script id="clarity-script" strategy="afterInteractive">
      {`
        (function(c,l,a,r,i,t,y){
          c[a]=c[a]||function(){(c[a].q=c[a].q||[]).push(a
          t=l.createElement(r);t.async=1;t.src="[https://w
          y=l.getElementsByTagName(r)[0];y.parentNode.inse
          })(window, document, "clarity", "script", "YOUR_CLAR
        `}
    </Script>
  </body>
</html>
);
}

```

3. Page Engine:

app/[locale]/depannage/[city]/[sublocation]/page.tsx

Optimized dynamic page with static rendering, high-priority images, Case Studies (EEAT proof), and AI FAQ targets.

```

import { Metadata } from 'next';
import { regionsData } from '@data/regions';
import { notFound } from 'next/navigation';
import Link from 'next/link';
import Image from 'next/image';

```

```

export const dynamic = 'force-static';
export const revalidate = 86400; // Cache refresh: 24h

type Props = {
  params: { city: string; sublocation: string; locale: string };
};

export async function generateStaticParams() {
  return regionsData.flatMap(city =>
    city.sublocations.flatMap(sub =>
      ['fr', 'ar'].map(locale => ({
        locale,
        city: city.citySlug,
        sublocation: sub.slug,
      })))
    )
  );
}

export async function generateMetadata({ params }: Props): Promise<MetadataProps> {
  const { city, sublocation, locale } = params;

  const currentCity = regionsData.find(c => c.citySlug === city)
  const currentSub = currentCity?.sublocations.find(s => s.slug === sublocation)

  if (!currentCity || !currentSub) notFound();

  const cityName = locale === 'ar' ? currentCity.cityNameAr : currentCity.cityNameFr
  const subName = locale === 'ar' ? currentSub.nameAr : currentSub.nameFr

  const title = locale === 'ar'
    ? `سريع 24/7 | ${cityName} ${subName} دييلاج وروموركاج في`
    : `Remorquage et Dépannage Auto à ${subName} (${cityName}) -`

  const description = locale === 'ar'
    ? `خدمة دييلاج سريعة في 15 دقيقة فقط ${subName} عطل في سيارتك في`
    : `Panne de voiture à ${subName}? Melloussa Assistance arrive`

  const baseUrl = '[https://www.melloussaassistance.com](https://www.melloussaassistance.com)'
  const currentUrl = `${baseUrl}/${locale}/depannage/${city}/${sublocation}`

  return {
    metadataBase: new URL(baseUrl),
  }
}

```

```

description,
authors: [{ name: 'Melloussa Assistance' }],
alternates: {
  canonical: currentUrl,
  languages: {
    'fr': `${baseUrl}/fr/depannage/${city}/${sublocation}`,
    'ar': `${baseUrl}/ar/depannage/${city}/${sublocation}`,
    'x-default': `${baseUrl}/fr/depannage/${city}/${sublocation}`,
  },
},
openGraph: {
  title,
  description,
  url: currentUrl,
  images: [
    {
      url: '/images/og-depannage.jpg',
      width: 1200,
      height: 630,
      alt: `Dépannage à ${subName}`,
    }
  ],
},
};
}

```

```

export default function SublocationPage({ params }: Props) {
  const { city, sublocation, locale } = params;

  const currentCity = regionsData.find(c => c.citySlug === city)
  const currentSub = currentCity?.sublocations.find(s => s.slug === sublocation)

  if (!currentCity || !currentSub) return notFound();

  // Dynamic linking mechanism to prevent static pages from being indexed
  const otherSublocations = currentCity.sublocations
    .filter(s => s.slug !== currentSub.slug)
    .slice(0, 5);

  const cityName = locale === 'ar' ? currentCity.cityNameAr : currentCity.cityNameFr
  const subName = locale === 'ar' ? currentSub.nameAr : currentSub.nameFr

  return (
    <>

```

```
<structuredata city={city} sublocation={sublocation} loca
```

```
<main className="pb-28">
  {/* LCP Target Section */}
  <header className="hero-section relative bg-gray-900 tex
    <Image
      src="/images/hero-depannage.webp"
      alt={`Dépanneuse en service à ${subName}`}
      fill
      priority
      fetchPriority="high"
      className="object-cover opacity-40 absolute inset-0"
      sizes="100vw"
    />
    <div className="relative z-10 max-w-4xl mx-auto text-c
      <h1 className="text-3xl md:text-5xl font-extrabold ml
        {locale === 'ar'
          ? `دياناج وروموركاج السيارات في`
          : `Dépannage et Remorquage Auto à ${subName}`}
        </h1>
        <p className="text-lg md:text-xl opacity-90 mb-6 max
          {locale === 'ar'
            ? `ة وآمنة 24 ساعة على مدار الأسبوع. نصل إليكم أينما كنتم`
            : `Service d'urgence disponible 24h/24 et 7j/7.
          </p>
          <div className="inline-block bg-yellow-400 text-gray
            {locale === 'ar' ? 'الوقت المقدر للوصول': 'Te
              <span className="text-red-600 font-black">{current
            </div>
          </div>
        </header>

        <div className="max-w-4xl mx-auto px-4 mt-12 space-y-12"

          {/* EEAT Evidence Section: Dynamic Case Studies to pre
          {currentSub.caseStudy && (
            <section className="bg-gray-50 border-l-4 border-red
              <h2 className="text-xl font-bold mb-4 text-gray-80
                {locale === 'ar' ? 'آخر تدخل ناجح في هذه المنطقة' :
              </h2>
              <div className="grid grid-cols-1 md:grid-cols-2 ga
                <p><strong>{locale === 'ar' ? 'نوع السيارة': 'Véh
                <p><strong>{locale === 'ar' ? 'المشكل': 'Incide
                <p><strong>{locale === 'ar' ? 'وقت الوصول الحقيقي':
```



```

</a1v>
<p className="text-xs text-gray-400 mt-4 italic">
  * {locale === 'ar' ? 'تفاصيل دقيقة لضمان شفافية الخدمة'
</p>
</section>
)}

```

```

{/* AI-SEO Block targeting Google AI Overviews & SGE */
<section className="bg-blue-50 p-6 rounded-xl border border-gray-100">
  <h2 className="text-2xl font-bold text-blue-900 mb-6">
    {locale === 'ar' ? 'أسئلة شائعة حول الخدمة' : 'Questions'}
  </h2>
  <div className="space-y-6">
    <div>
      <h3 className="font-bold text-lg text-gray-900">
        {locale === 'ar' ? 'لماذا نحتاج خدمة الدياناج بالليل في' : 'Why do we need'}
      </h3>
      <p className="text-gray-700 mt-2">
        {locale === 'ar' ? '24 ساعة طوال الليل والنهار. شاحنتنا مستعدة للتدخل الفوري' : '24h service available'}
        : 'Oui. Melloussa Assistance offre un service'
      </p>
    </div>
    <div>
      <h3 className="font-bold text-lg text-gray-900">
        {locale === 'ar' ? 'كم يستغرق وصول الشاحنة؟' : 'How long'}
      </h3>
      <p className="text-gray-700 mt-2">
        {locale === 'ar' ? 'تستغرق الشاحنة حوالي' : 'It takes'}
        : 'Pour ${subName}, notre dépanneuse est sur'
      </p>
    </div>
  </div>
</section>

```

```

{/* Internal Linking Engine */}
<section className="bg-gray-50 p-6 rounded-xl">
  <h2 className="text-lg font-bold mb-4 text-gray-800">
    {locale === 'ar' ? 'مناطق أخرى قريبة' : 'Zones d\'intérêt'}
  </h2>
  <nav>
    <ul className="flex flex-wrap gap-2">
      {otherSublocations.map(sub => (

```

```

<LINK
  href={`/${locale}/depannage/${city}/${sub.
  className="bg-white border border-gray-200
>
  Dépannage {sub.nameFr}
</Link>
</li>
)}}
<li>
  <Link
    href={`/${locale}/batterie-tanger`}
    className="bg-red-50 text-red-600 border bor
  >
    Panne Batterie Tanger
  </Link>
</li>
</ul>
</nav>
</section>

</div>

{/* Floating Desktop CTA Widgets */}
<div className="hidden lg:flex fixed right-6 bottom-6 fl
  <a href="tel:+212668195992" className="bg-red-600 hove
    <span className="font-bold">Appeler (+212 668 195 99
  </a>
  <a href="[https://wa.me/212668195992](https://wa.me/21
    <span className="font-bold">WhatsApp</span>
  </a>
</div>

{/* Sticky Mobile Bar CTA (Highly Optimized for conversi
<div className="lg:hidden fixed bottom-0 left-0 right-0 l
  <a
    href="tel:+212668195992"
    className="flex-1 bg-red-600 text-white flex items-c
  >
    <span>Appeler</span>
  </a>
  <a
    href="[https://wa.me/212668195992?text=Bonjour,%20be
    target="_blank"
    rel="noopener noreferrer"

```

```

    >
    <span>WhatsApp</span>
  </a>
</div>

</main>
</>
);
}

```

4. Helper Component for JSON-LD Injection: components/JsonLd.tsx

Perfectly cleans up raw JSON-LD injections without breaking the React build tree.

```

export default function JsonLd({ data }: { data: Record<string, any> }) {
  return (
    <script
      type="application/ld+json"
      dangerouslySetInnerHTML={{ __html: JSON.stringify(data) }}
    />
  );
}

```

5. Structured Data Component: app/[locale]/depannage/[city]/[sublocation]/StructuredData.tsx

Automated Schema structures: Service, FAQ, and dynamic Breadcrumb strings.

```

import React from 'react';
import { regionsData } from '@data/regions';
import JsonLd from '@components/JsonLd';

type Props = {
  city: string;

```

```

    locale: string;
  };

export default function StructuredData({ city, sublocation, locale }) {
  const currentCity = regionsData.find(c => c.citySlug === city)
  const currentSub = currentCity?.sublocations.find(s => s.slug === sublocation)

  if (!currentCity || !currentSub) return null;

  const cityName = locale === 'ar' ? currentCity.cityNameAr : currentCity.cityNameEn
  const subName = locale === 'ar' ? currentSub.nameAr : currentSub.nameEn

  const baseUrl = '[https://www.melloussaassistance.com](https://www.melloussaassistance.com)'
  const currentUrl = `${baseUrl}/${locale}/depannage/${city}/${sublocation}`

  // 1. Service Schema
  const serviceSchema = {
    "@context": "[https://schema.org](https://schema.org)",
    "@type": "Service",
    "name": `Dépannage Auto ${subName} (${cityName})`,
    "provider": {
      "@type": ["LocalBusiness", "AutomotiveBusiness"],
      "name": "Melloussa Assistance",
      "image": `${baseUrl}/images/og-depannage.jpg`,
      "telephone": "+212668195992",
      "url": baseUrl,
      "address": {
        "@type": "PostalAddress",
        "addressLocality": "Melloussa",
        "addressRegion": "Tanger-Tétouan-Al Hoceïma",
        "addressCountry": "MA"
      },
      "geo": {
        "@type": "GeoCoordinates",
        "latitude": 35.7595,
        "longitude": -5.8339
      }
    },
    "areaServed": [
      { "@type": "AdministrativeArea", "name": cityName },
      { "@type": "AdministrativeArea", "name": subName }
    ]
  };
}

```

```
const faqSchema = {
  "@context": "[https://schema.org](https://schema.org)",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": locale === 'ar' ? `هل تقدمون خدمة الديباناج بالليل في $`
      "acceptedAnswer": {
        "@type": "Answer",
        "text": locale === 'ar'
          ? `نعم، نحن متواجدون 24/7 طوال الليل والنهار`
          : `Oui. Melloussa Assistance offre un service de dépannage 24h/24`
      }
    },
    {
      "@type": "Question",
      "name": locale === 'ar' ? `كم يستغرق وصول الشاحنة إلى ${subName}؟`
      "acceptedAnswer": {
        "@type": "Answer",
        "text": locale === 'ar'
          ? `نصل إليكم في منطقة ${subName} في غضون 30 دقيقة`
          : `Pour ${subName}, notre équipe de dépanneuses est disponible en moins de 30 minutes`
      }
    }
  ]
};
```

// 3. Breadcrumb Schema (Deep dynamic alignment)

```
const breadcrumbSchema = {
  "@context": "[https://schema.org](https://schema.org)",
  "@type": "BreadcrumbList",
  "itemListElement": [
    {
      "@type": "ListItem",
      "position": 1,
      "name": "Accueil",
      "item": `${baseUrl}/${locale}`
    },
    {
      "@type": "ListItem",
      "position": 2,
      "name": "Dépannage",
      "item": `${baseUrl}/${locale}/depannage`
    }
  ]
};
```

```

      "@type": "ListItem",
      "position": 3,
      "name": cityName,
      "item": `${baseUrl}/${locale}/depannage/${city}`
    },
    {
      "@type": "ListItem",
      "position": 4,
      "name": subName,
      "item": currentUrl
    }
  ]
};

return (
  <>
    <JsonLd data={serviceSchema} />
    <JsonLd data={faqSchema} />
    <JsonLd data={breadcrumbSchema} />
  </>
);
}

```

6. Server Action: app/actions/contact.ts

Secure server action to process lead forms safely without API routes or extra libraries.

```

'use server'

export interface ActionResponse {
  success: boolean;
  message: string;
}

export async function requestCallback(formData: FormData): Promise<ActionResponse> {
  const phone = formData.get('phone')?.toString().trim();
  const location = formData.get('location')?.toString().trim();

  // Clean Security checks & validation
  if (!phone || !location) {
    return {
      success: false,
      message: 'Phone and location are required.'
    };
  }
}

```

```

    }

    // Regex check for Moroccan phone numbers
    const moroccoPhoneRegex = /^(?:\+212|0)([5-7]\d{8})$/;
    if (!moroccoPhoneRegex.test(phone)) {
        return { success: false, message: 'Format de téléphone marocain invalide' };
    }

    try {
        // Lead processing pipeline (e.g., dispatch to Database, Email, etc.)
        console.log(`[URGENCE LEAD] Nouveau dépannage requis! Téléphone: ${phone}`);

        return {
            success: true,
            message: 'Demande enregistrée. Une dépanneuse prend contact.',
        };
    } catch (error) {
        console.error('Erreur lors du traitement de la demande:', error);
        return { success: false, message: 'Erreur technique lors de l\'enregistrement' };
    }
}

```

7. Web Manifest: app/manifest.ts

Next.js Dynamic web manifest for native integration.

```

import { MetadataRoute } from 'next';

export default function manifest(): MetadataRoute.Manifest {
    return {
        name: 'Melloussa Assistance - Dépannage Auto Tanger',
        short_name: 'Melloussa Assistance',
        description: 'Service de dépannage et remorquage auto 24h/7j',
        start_url: '/',
        display: 'standalone',
        background_color: '#ffffff',
        theme_color: '#dc2626',
        icons: [
            {
                src: '/favicon.ico',
                sizes: 'any',
            }
        ]
    };
}

```

```

    },
    {
      src: '/icon-192x192.png',
      sizes: '192x192',
      type: 'image/png',
    },
    {
      src: '/apple-touch-icon.png',
      sizes: '180x180',
      type: 'image/png',
    },
  ],
};
}

```

8. XML Sitemap Engine: app/sitemap.ts

Compiles dynamic routes, locales, and canonical indices effortlessly.

```

import { MetadataRoute } from 'next';
import { regionsData } from '@/data/regions';

export default async function sitemap(): Promise<MetadataRoute.Sitemap> {
  const baseUrl = 'https://www.melloussaassistance.com';
  const locales = ['fr', 'ar'];
  const routes: MetadataRoute.Sitemap = [];

  // Home paths and global sections
  locales.forEach((locale) => {
    routes.push({ url: `${baseUrl}/${locale}`, lastModified: new Date() });
    routes.push({ url: `${baseUrl}/${locale}/depannage`, lastModified: new Date() });
    routes.push({ url: `${baseUrl}/${locale}/blog`, lastModified: new Date() });
  });

  // Dynamic dynamic landing regions
  regionsData.forEach((city) => {
    locales.forEach((locale) => {
      routes.push({
        url: `${baseUrl}/${locale}/depannage/${city.citySlug}`,
        lastModified: new Date()
      });
    });
  });
}

```



```

city.sublocations.forEach((sub) => {
  routes.push({
    url: `${baseUrl}/${locale}/depannage/${city.citySlug}/${sub.slug}/${sub.slug}`,
    lastModified: new Date()
  });
});
});
});
});

return routes;
}

```

9. Robots Configuration: app/robots.ts

Enforces crawl limits and points search bots clearly to the generated dynamic sitemap.

```

import { MetadataRoute } from 'next';

export default function robots(): MetadataRoute.Robots {
  const baseUrl = '[https://www.melloussaassistance.com](https://www.melloussaassistance.com)';

  return {
    rules: {
      userAgent: '*',
      allow: '/',
      disallow: ['/api/', '/admin/', '/_next/'],
    },
    sitemap: `${baseUrl}/sitemap.xml`
  };
}

```