

Trellix Incident Management

Author: Issa El Mokadem

Program: 2º DAW – I.E.S. Abdera

Project Type: Full-Stack Web Application (Task Board)

1. Purpose

This document defines the procedure for registering, evaluating, resolving, and closing incidents (bugs) detected during the development of Trellix. All incidents are tracked in Jira to ensure traceability and systematic resolution.

2. Incident Lifecycle

Every incident follows a strict workflow in Jira:



State	Meaning
Open	Bug reported with full description and severity. Awaiting assignment.
In Progress	Assigned to a developer. Investigation and fix underway.
In Revision	Fix implemented and committed. Awaiting verification.
Closed	Fix verified (tested, reviewed). Bug is done.

3. Registration Procedure

3.1 When to register

A Jira issue of type **Bug** is created when:

- A feature does not behave as specified
- The application returns unexpected errors (HTTP 500, validation failures)
- A regression is detected (previously working feature breaks)

- A visual or accessibility defect is found
- A security concern is identified

3.2 Required fields

Every Bug issue must include:

Field	Description	Example
Summary	Short, clear title describing the symptom	"Error 500 when creating a user with empty email"
Priority	Urgency: Highest, High, Medium, Low	High
Assignee	Developer responsible for the fix (Automatically me).	Issa El Mokadem
Epic	Parent epic for tracking	BUG FIXING

4. Evaluation and Assignment

4.1 Severity criteria

Severity	Criteria	SLA
Critical	App crashes, data loss, security breach, auth bypass	Fix within 24h
Major	Core feature broken, no workaround	Fix within 72h
Minor	Feature works with workaround, cosmetic issue	Fix within next sprint
Trivial	Typo, minor visual glitch, non-blocking	Fix when convenient

4.2 Assignment

- Bugs in `backend/` → assigned to backend developer
- Bugs in `frontend/` → assigned to frontend developer
- Infrastructure bugs (Docker, Nginx, DB) → assigned to developer with relevant context

For Trellix, all bugs are assigned to **Issa El Mokadem** (solo developer).

5. Resolution

5.1 Investigation

The assigned developer:

1. Identifies the root cause (code, configuration, data, dependency)
2. Documents findings in the corresponding Pull Request

5.2 Fix

1. The fix is implemented in a feature or fix branch
2. A test is written to prevent regression (backend: Pytest; frontend: Vitest/Playwright)
3. The commit message references the Jira issue key (e.g., `fix: handle null email in register endpoint [TRELLIX-42]`)
4. The branch is merged after code review

5.3 Resolution comment template

```
1  ## Summary
2  Protect the PATCH /api/v1/auth/me endpoint against privilege
3  escalation.
4  Replace the generic UserUpdate schema with a dedicated UserMeUpdate
5  schema for self-profile updates, excluding administrative fields like
6  role and is_active.
7
8  ## Changes
9  - Schemas: Added UserMeUpdate in backend/app/schemas/user.py
10 - Endpoints: Updated PATCH /me in backend/app/api/v1/endpoints/auth.py
11 - Tests: Added security regression tests in
12   backend/tests/test_profile.py
13
14 ## Testing
15 - Security regression test added and verified
16 - All backend tests passing inside Docker
17
18 Closes #SCRUM-94
```

6. Verification and Closure

6.1 Verification criteria

Before closing, the fix must pass:

- [] The specific bug no longer reproduces
- [] Related tests pass: `docker compose exec backend pytest`
- [] No regression in existing test suite

- [] Manual smoke test on affected feature

6.2 Closure

Once verified, the bug moves from **In Revision** to **Closed**. The PR is merged and the issue is marked as done.

7. Example: Real Bug from Trello

Field	Value
Issue	SCRUM-109
Summary	Login fails when using email instead of username
Type	Bug
Priority	High
Severity	Major
Status	Closed
Problem	Frontend showed "username or email" as placeholder but backend only searched by username, rejecting valid email logins
Root Cause	Login query only checked <code>username == input</code> , ignoring email field
Fix	Modified query to check <code>(username == input) OR (email == input)</code> . Updated error message to "Incorrect username, email or password"
Commit	Referenced in SCRUM-109
Test	<code>tests/test_auth.py::test_login_with_email</code> — verifies email login works