

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-01

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2438.4 m MD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-02

Formation: Tipam Sandstone

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 8000 ft MD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-03

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2450 m MD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-04

Formation: Tippam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2480 m TVD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-05

Formation: Barail

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2500 m MD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-06

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2520 m MD, severe mud loss observed.

Mitigation: LCM pill pumped.

Outcome: Returns improved.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-07

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2438.4 m MD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-08

Formation: Tipam Sandstone

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 8000 ft MD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-09

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2450 m MD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-10

Formation: Tippam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2480 m TVD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-11

Formation: Barail

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2500 m MD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-12

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2520 m MD, stuck pipe observed.

Mitigation: Worked pipe within approved limits.

Outcome: Pipe freed.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-13

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2438.4 m MD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-14

Formation: Tipam Sandstone

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 8000 ft MD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-15

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2450 m MD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-16

Formation: Tippam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2480 m TVD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-17

Formation: Barail

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2500 m MD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-18

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2520 m MD, influx observed.

Mitigation: Well shut in under approved procedure.

Outcome: Pressures stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-19

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2438.4 m MD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-20

Formation: Tipam Sandstone

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 8000 ft MD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-21

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2450 m MD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-22

Formation: Tippam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2480 m TVD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-23

Formation: Barail

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2500 m MD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-24

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2520 m MD, stick slip observed.

Mitigation: Adjusted drilling parameters after review.

Outcome: Torque stabilized.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-25

Formation: Tipam

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2438.4 m MD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-26

Formation: Tipam Sandstone

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 8000 ft MD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-27

Formation: Tipam

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2450 m MD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-28

Formation: Tippam

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2480 m TVD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC DAILY DRILLING REPORT

Date: 2026-01-29

Formation: Barail

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2500 m MD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC WELL COMPLETION REPORT

Date: 2026-01-30

Formation: Tipam

Datum: LOCAL_KB

Operation: CEMENTING

Coverage: 2200 m to 2580 m MD

Mud weight: 9.8 ppg

Hole size: 8.5 in

At 2520 m MD, cementing failure observed.

Mitigation: Remedial squeeze performed.

Outcome: Integrity reviewed.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

No mud loss observed during the covered drilling interval.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

No stuck pipe observed during the covered drilling interval.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

No kick observed during the covered drilling interval.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

No torque dysfunction observed during the covered drilling interval.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

No cementing failure observed during the covered cementing interval.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

At 2450 m MD, check the kick contingency plan before drilling ahead.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

At 2460 m MD, discuss possible stuck pipe hazards at the planning meeting.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

At 2470 m MD, mud loss is a potential risk; none occurred on this shift.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

At 2480 m MD, stick slip is listed in the training manual, not observed here.

SYNTHETIC DAILY REPORT

Formation: Tipam

Datum: LOCAL_KB

Operation: DRILLING

At 2490 m MD, cement loss contingency prepared; the cement job has not started.