

To Al

External :

Internal

Remote Mirror

Mirror Traffic

## **Server Configurations**

### Mgmt Port

- IP Address (x.x.x.x/x)
- VLAN (ex: 10)

#### Interfaces

- Enable/Disable (Disabled by default)Mode (Access/Trunk)

#### VLANs

- Name (xxxxx)
- ID (ex: 10)
  Interface (1 for access interface, Can be multiple for Trunk)

#### IP Addresses

- IP Address (x.x.x.x)
- Netmask (x.x.x.x)
- VLAN (ex: 20)

### **Listener Configurations**

#### Server

- External Part
  - Application Name: (ex: Alisa Application)
  - Mode: (Port Mirror/Remote Mirror/Transparent/Standard)
  - Interface: ethX (for Port Mirror/Transparent)
  - IP Address: x.x.x.x/x (for Remote Mirror/Standard)
     Port: (ex: 8080) (for Remore Mirror/Standard)

  - Client IP: x.x.x.x/x
  - Destination Port: (ex: 80)
- Internal Part
  - Interface: ethX (for Transparent)
  - IP Address: x.x.x.x/x (for Standard)

  - Port: (ex: 8088) (for Standard)SNAT: boolean yes/no (for Standard)


# Alert Management


Date/Time	Application	Request	Anomaly Score	Source IP	<b>Destination Port</b>	Add to Whitelist
21.11.1983 08:50	Alisa Application	http://xxxxxxx/xxx/ xx?xx=xx	0,568	195.175.44.33	80	Add

## Whitelist Management


Added Time	Last Seen	Application	Request	Last Anomaly Score
21.11.1983 08:50	21.11.1983 08:50	Alisa Application	http://xxxxxxx/xxx/xx?xx=xx	0,568

## Al Statistics





# Historical Training Data



#### Files

```
base_conf - VLAN, IP, Interface, redundancy, management ip
db_conf - keys, passwords, ipaddresses for DB
x_conf - virtual ip, pool, mode, mirror ip
x-license - license
base_conf
      Server configurations
db_conf
      ip_address
      dbuser
      dbpass
      dbport
alisa_license
      license:
alisa_conf {
      listener <name>
      Listener Configurations
      Creation Date
      Last Modified
```

Applications Table

Listener Configurations + ID

Training Data

Known Benign

Whitelist

Alerts