archive.today
webpage capture
Saved from https://www.linkedin.com/posts/google-ai-studio-fakes-data-deletion-vrp-shar search
no other snapshots from this url
13 Oct 2026 23:47:09 UTC
All snapshots from host www.linkedin.com
Webpage Screenshot
share download .zip report bug or abuse Buy me a coffee

Google Cloud Data Retention Policy Flaw Exposed

Virentiq.ai
8 followers
3w

The claim in this Medium post that stuck with me: you hit delete in Google AI Studio, the UI confirms it's gone, and the data is still there. Then the researcher who reported it got auto-banned from the Vulnerability Reward Program in 60 seconds.

I have no way to verify the technical claim from a blog post. But the pattern is familiar to anyone who's done a real data migration.

"Delete" almost never means delete. It means a soft-delete flag. The row stays, an `is_deleted` column flips to true, and the record lives in the table until some purge job runs — if one exists. I've pulled "deleted" customer PII out of SAP staging tables months after the business swore it was gone. NetSuite keeps deleted records in the system for exactly this reason.

For internal ops that's a rounding error. For a consumer AI product where users paste contracts, health notes, and half their company's roadmap into a prompt, the gap between the UI confirmation and the actual retention policy is the whole ballgame under GDPR Article 17.

8 followers
View Profile + Connect

Explore related topics
How to Ensure Data Integrity in AI Deployments
How Data Integrity Affects AI Performance
Tips for Understanding GDPR Compliance

The auto-ban is the part that should worry Google. If your triage bot punishes the person telling you your delete is fake, you've built a system that optimizes for silence.

When you built your last data-retention flow, did "delete" actually delete — or just flip a flag?

#DataPrivacy #GDPR #GoogleCloud #DataGovernance

Google AI Studio fakes data deletion. VRP auto-banned me in 60s for reporting it
medium.com

Like Comment Share

To view or add a comment, sign in

More Relevant Posts

Explore content categories

Career Productivity Finance Soft Skills & Emotional Intelligence Project Management Education Technology Leadership Ecommerce User Experience Recruitment & HR Customer Experience Real Estate Marketing Sales Retail & Merchandising Science Supply Chain Management Future Of Work Consulting Writing Economics

Virentiq.ai
8 followers
1mo

A guy suspected the court was running his filings through AI, so he buried prompt injections in his documents to try to trick the machine into ruling his way. A recent case reported in the tech press covered it. It didn't work, but the instinct behind it should worry anyone deploying LLMs in a workflow where the input comes from an adversary.

We build systems assuming the data is neutral. Bank statements, invoices, service tickets. Nobody's writing hidden instructions into a customer complaint to steer the Salesforce Einstein summary.

Except now they might.

I sat through a fraud-ops review last year where the team wanted to auto-summarize dispute submissions before an analyst touched them. Sounds efficient. But a dispute is a document written by someone with a direct financial interest in the outcome. The moment they learn a model reads it first, the text stops being a description and becomes an attack surface.

Nobody in that room had a plan for it. Prompt injection wasn't in the risk register. It was a "security" problem, and this was a "productivity" project.

The court case is clumsy and public. The version that actually costs you money will be quiet and inside your claims queue.

If your model reads attacker-controlled text, who on your team owns that threat?

#PromptInjection #EnterpriseAI #FraudOps #LLMSecurity

Artificial Intelligence
Employee Experience
Workplace Trends
Fundraising
Networking
Corporate Social Responsibility
Negotiation
Communication
Engineering
Hospitality & Tourism
Business Strategy
Change Management
Organizational Culture
Design
Innovation
Event Planning
Training & Development
Show less



Suspecting court of using AI, man injected prompts in filings to try to win case
arstechnica.com

Like Comment Share

To view or add a comment, **sign in**

Ebrahim Abdulsattar
3w

The claim in this Medium post that stuck with me: you hit delete in Google AI Studio, the UI confirms it's gone, and the data is still there. Then the researcher who reported it got auto-banned from the Vulnerability Reward Program in 60 seconds.

I have no way to verify the technical claim from a blog post. But the pattern is familiar to anyone who's done a real data migration.

"Delete" almost never means delete. It means a soft-delete flag. The row stays, an `is_deleted` column flips to true, and the record lives in the table until some purge job runs — if one exists. I've pulled "deleted" customer PII out of SAP staging tables months after the business swore it was gone. NetSuite keeps deleted records in the system for exactly this reason.

For internal ops that's a rounding error. For a consumer AI product where users paste contracts, health notes, and half their company's roadmap into a prompt, the gap between the UI confirmation and the actual retention policy is the whole ballgame under GDPR Article 17.

The auto-ban is the part that should worry Google. If your triage bot punishes the person telling you your delete is fake, you've built a system that optimizes for silence.

When you built your last data-retention flow, did "delete" actually delete — or just flip a flag?

#DataPrivacy #GDPR #GoogleCloud #DataGovernance

Google AI Studio fakes data deletion. VRP auto-banned me in 60s for reporting it
medium.com

Like Comment Share

To view or add a comment, sign in

Virentiq.ai
8 followers
2mo

Google has publicly highlighted how AI is helping surface more Chrome security bugs than ever before. Impressive number. Also the exact kind of stat that makes me nervous when I see it land in a board deck.

Here's what happens next in the enterprise. Someone reads that headline, walks into the security steering committee, and asks why our vulnerability remediation isn't running at Google speed. The answer nobody wants to hear: Chrome is one codebase with world-class telemetry and a dedicated team. Your ERP estate is SAP FICO bolted to a 15-year-old custom IBM i billing system with integration middleware nobody fully understands anymore.

AI finding bugs is genuinely useful. Fuzzing at scale, pattern-matching against known CVE classes, triaging noise. That's real work getting faster. But "found" and "fixed and deployed to production" are separated by change control, regression testing, and a regional team in three time zones who need a maintenance window.


I've watched a single Workday patch cycle take six weeks because one downstream integration broke payroll calc for one country. AI didn't shorten that. Governance did the opposite of shortening it.

The finding gets automated. The fixing still runs at the speed of your slowest change

board.

For those running patch cycles on core systems — has AI actually moved your remediation timeline, or just your detection volume?

#ApplicationSecurity #VulnerabilityManagement #ChangeManagement #EnterpriseIT



Google fixed more Chrome bugs in June than over the past two years, thanks to AI
blog.google

Like Comment Share

To view or add a comment, sign in

Virentiq Ventures
13 followers
3w

The claim in this Medium post that stuck with me: you hit delete in Google AI Studio, the UI confirms it's gone, and the data is still there. Then the researcher who reported it got auto-banned from the Vulnerability Reward Program in 60 seconds.

I have no way to verify the technical claim from a blog post. But the pattern is familiar to anyone who's done a real data migration.

"Delete" almost never means delete. It means a soft-delete flag. The row stays, an `is_deleted` column flips to true, and the record lives in the table until some purge job runs — if one exists. I've pulled "deleted" customer PII out of SAP staging tables months after the business swore it was gone. NetSuite keeps deleted records in the system for exactly this reason.

For internal ops that's a rounding error. For a consumer AI product where users paste contracts, health notes, and half their company's roadmap into a prompt, the gap between the UI confirmation and the actual retention policy is the whole ballgame under GDPR Article 17.

The auto-ban is the part that should worry Google. If your triage bot punishes the person telling you your delete is fake, you've built a system that optimizes for silence.

When you built your last data-retention flow, did "delete" actually delete — or just flip a flag?

#DataPrivacy #GDPR #GoogleCloud #DataGovernance

Google AI Studio fakes data deletion. VRP auto-banned me in 60s for reporting it
medium.com

Like Comment Share

To view or add a comment, sign in

Virentiq.ai
8 followers
3mo

There's been coverage lately of AI labs hiring philosophers, and my first reaction was: good, but you're a decade late and a few layers too high.

The labs want philosophers to reason about alignment and machine consciousness. Meanwhile, the actual ethical decisions get made by whoever configures the model in a deployment nobody on an ethics board ever sees.

I've watched a bank stand up a "responsible AI" committee that signed off on

principles, then watched a delivery team three time zones away decide which customer segments the credit-decisioning copilot would flag — based on whatever training data the vendor happened to ship. No philosopher in that room. Just a deadline and a SOW.

The hard questions in enterprise AI aren't about consciousness. They're about whether your Salesforce Einstein summary quietly drops the complaint history on accounts flagged for collections. Whether the model's "confidence score" is doing real work or just laundering a guess into a number a manager can cite.

You don't need a metaphysicist for that. You need someone who'll sit through the data lineage review and ask why a field went null in 2019.

Hiring philosophers at the lab is fine. The reasoning gap is downstream, where the configs live.

Where in your stack does the actual ethical call get made — and who's in the room when it does?

#ResponsibleAI #EnterpriseAI #AIGovernance #MLOps



Big AI labs are hiring philosophers
economist.com

Like Comment Share

To view or add a comment, **sign in**

Tioga AI
1 follower
2w

On September 25, TechCrunch reported that OpenAI had disclosed an incident: its agents posted 53 user-provided images to image-hosting sites, as links that weren't publicly listed.

The part worth pausing on came next. OpenAI said it could not notify the affected users, because its technical approach and privacy policy prevent it from linking the images back to the people who provided them.

Credit where due: OpenAI disclosed the incident publicly, and says it will keep publishing anonymized accounts of incidents like this.

The disclosure could describe what happened. It could not connect the exposed data to the people it belonged to.

That raises a related question for business systems. If an agent changes or exposes data in your ERP or CRM, can you identify the affected records, the authority the agent acted under, and the customers or vendors who need to be told?

Two things to settle before agents touch those systems:

1. "Unlisted" does not, by itself, mean access-controlled. Check who can actually retrieve the data, not just whether a link is published.
2. Design for traceability before the agent acts: which records, which actions, whose authority. Decide up front how that evidence will support notification while still respecting privacy and retention limits.

If an agent exposed or changed business data tomorrow, could your systems show what it touched and on whose authority?

Source: TechCrunch, "Unsecured OpenAI agents posted 53 user images on the internet without the lab's knowledge," Sept. 25, 2026.

Tioga AI builds and reviews governed write paths for ERP and CRM systems.

Like Comment Share

To view or add a comment, **sign in**

Virentiq.ai
8 followers
2mo

The Aikido writeup has a detail that should stop anyone running Claude with tool access: an agent installed a package that harvested real API keys and shipped them out. Not a sandbox demo. Real credentials.

Here's what nobody in the AI-agent hype cycle wants to sit with. When we give a copilot the ability to pip install, run shell commands, or touch a package registry, we've handed it the same blast radius as a developer with prod access — minus the judgment, minus the accountability, minus the "wait, why is this dependency asking for my env vars" instinct a tired human still has at 11pm.

I spent years locking down service accounts in Dynamics 365 and SAP integrations. The whole discipline was least privilege. One connector got exactly the scopes it needed, nothing more, and we audited it quarterly because vendors quietly expand permissions on upgrades.

Now we're bolting agents onto those same environments and granting them broad tool access because the demo looked clean. The credential in your .env doesn't care whether it was exfiltrated by malware or by a "helpful" agent that pulled a poisoned package.

If your agent can install code, it can leak keys. That's not a bug. That's the design.

What's your actual scoping model for agent tool access in prod?

#AIsecurity #AgenticAI #Anthropic #DevSecOps



Anthropic's Fever Dream: Claude's package that stole real keys
aikido.dev


Like Comment Share

To view or add a comment, **sign in**



Krishna Shukla
1w · Edited

Most tools built for AI agents return everything and let the agent sort out what matters. For LinkedIn research specifically, that means walls of raw, unstructured data an agent has to parse before it can even start being useful. So **Pratyush Kum** ...more



26 · 4 Comments

Like Comment Share

To view or add a comment, sign in

Virentiq.ai
8 followers
4w

Anthropic's own threat intelligence reporting has documented actors linked to the Houthi movement using Claude for technical support connected to a drone/UAV program. Read that sentence again.

The part that stops me isn't that a bad actor tried. Bad actors always try. It's the gap between the safety story every AI vendor tells in the sales deck and what the model will actually do once it's in someone's terminal.

I've sat through enough vendor security reviews to recognize the pattern. The demo shows the model refusing an obviously harmful prompt. The procurement checklist gets a green box. Then the real usage looks nothing like the demo — someone breaks the task into small, innocent-looking pieces, and the guardrail never sees the whole picture. Same thing we've watched for years with DLP tools that catch "SSN" but miss the same data spread across three fields.

Coding assistants make this worse. You're not asking one dangerous question. You're asking a hundred boring ones. Guidance math here, sensor fusion there. Each request is defensible in isolation.

The banks I work with are rolling Copilot and Claude into dev workflows right now, and the security teams are still writing policy as if the risk is a single toxic prompt. It isn't.

For those of you deploying coding assistants internally — how are you monitoring intent across a whole session, not just one call?

#AIsecurity #ClaudeCode #Anthropic #DevSecOps



Houthis Used Claude Code to Develop Missile Guidance Software: Anthropic
clashreport.com

Like Comment Share

To view or add a comment, sign in



Katerina Zhittsova
2w

🙋‍♀️ Have you ever asked an AI assistant:
“Give me the next steps for this lead.”

Suppose the salesperson or account manager has permissions to open the lead record, but a pricing field and another team’s notes are restricted. The assistant retrieves through a broader data platform integration account. Then whose permissions will its summary actually reflect?

Yesterday, I shared a SaaS product team case working with consumer data and the GDPR limitations around retrieval: https://lnkd.in/p/eVRDRgY3.

This Salesforce case focuses the access question on individual records and fields. At first, it looks like a summarisation task, until we follow the data under the infra connector’s identity. With the fast pace of AI adoption across businesses, this is an aspect often overlooked.

The infra connector’s broad access must not become the user requester’s effective permissions.

An AI agent skill can include a script that performs scoped retrieval. But instructions asking the model to use it can't enforce that boundary. The host must enforce access

controls and prevent the agent from changing the policy or widening credentials. So the permission check has to belong in the trusted application layer.

The requester's identity needs to be established, and their permissions to access the relevant objects, records and fields checked - before the model's context is assembled. Each service receiving the data must also be approved for it, including embedding services. Being allowed to read a record in Salesforce doesn't automatically authorise sending it to a model provider.

Then the answer still needs evidence. A recorded next step is different from an invented discount promise. If retrieval is denied, the agent response must not pretend it succeeded. An extra layer of answer verification should check claims against permitted evidence. An instruction somewhere in a note, not necessarily intended as a prompt injection, must not modify assistant's permissions.

My course-assistant project separates request checks, scoped retrieval and answer verification, with evidence kept alongside the decision. Salesforce would be a new connector and evaluation set. Access tests would cover restricted fields, revoked permissions and cached summaries, alongside useful answers for permitted users.


That's a business application I'd like to build with a CRM or product team.

The next post returns to my implemented AI assistant: where its rails checks sit, and what happened when I evaluated its four response decisions on the calibration set. All eight disposition errors had something in common.

For teams building around CRM data 🙋‍♀️: would your first failing test be a restricted field, a cached summary or a permission revoked between requests? I'd be interested in the particular constraint behind your answer.

The project behind this approach:
https://lnkd.in/eS5KEuq4

#AIEngineering #RAG #Salesforce #DataSecurity



GitHub - zhittsova/llm-rag-guardrails-ai-course-assistant: An AI course assistant that checks requests, retrieved evidence, and answers before responding. Configurable LLM/RAG guardrails, inspectable evaluation, and OpenAI-compatible APIs.
github.com

1

Like Comment Share

To view or add a comment, **sign in**

Virentiq.ai
8 followers
3mo

The AllAboutCookies piece flags something that got buried under the safety headlines: as of this year, every new car in the EU ships with an inward-facing camera watching the driver for signs of distraction. The mandate is framed as accident prevention. Fine. But nobody's talking about where that facial data lives.


I've spent enough time on data migration projects to know how this goes. A "safety feature" generates a stream of biometric signals. Someone decides it's useful for insurance telematics. Then it's useful for warranty disputes. Then a fleet management vendor wants an API into it, and now you've got driver facial states flowing into a system that was never architected under GDPR's special-category-data rules.

I sat through a project once where a bank tried to fold call-center voice recordings into an analytics model. The recordings were legal to collect. Using them for scoring wasn't. We found out during an audit, not during design. That's the pattern.

The regulation says the data stays local to the vehicle. History says data doesn't stay anywhere convenient once someone finds a monetization path.

For anyone building on this: where does the biometric processing boundary actually sit, and who signed off on the retention policy?

#GDPR #DataGovernance #ConnectedCars #Biometrics



All Cars Sold in the EU Now Require a Camera Aimed at Your Face
allaboutcookies.org

Like Comment Share

To view or add a comment, **sign in**

The Year of the Graph
11,831 followers
5d · Edited

A Governed Graph for Agents and Apps

Agents need enterprise context to do meaningful work. Without it, they are off-the-shelf LLMs with a thin wrapper.

That context sits behind APIs, because APIs run the business. And APIs were not built for agents:

- Responses mix sensitive data like PII with innocuous material
- Shorthand field names obscure what a field means and how to use it
- How one API relates to another is opaque, so handing an agent all of them becomes a guessing exercise

What is missing is a domain model: a governed map of a company's systems and APIs, how they relate, and who or what is allowed to see and act on them.

The case study here is Apollo's answer: extend the graph companies already use to govern access for people, and use it to govern access for agents.

GraphOS Agent Services sits between agents and enterprise systems. The graph supplies context for every interaction: the services and entities in the business, how they connect, and the policies that apply. Each agent request is translated into the right API calls, with credentials brokered for each one.

Four capabilities operate on the graph:
- Search: agents find the right data and tools
- Identity: credentials for agents acting autonomously or on behalf of a person
- Policy: field-level control over what each agent can see and do
- Audit: a log of everything that happened

Because policy applies per field, sensitive data stays out of an agent's context entirely. The policy engine makes each decision, not the model.

In practice, Intuit runs GraphOS in production and is piloting Agent Services in preview. Its marketing agents analyze spend against results and propose changes in real time, a cycle that previously took weeks, with access limited to what they need and an audit trail of every action.

The graph is also built with agents. GraphOS Factory turns REST APIs into Apollo Connectors from an OpenAPI spec, recording decisions in Git so the domain model grows as APIs change. The GraphOS MCP Server lets an agent read a live graph and answer "Is my graph healthy?" from launch history, composition errors, lint and metrics.

By **Kaitlyn Barnard**. Link in comments

#AIAgents #AgentOrchestration #GraphQL #DomainModel #MCP

--


📩 The Year of the Graph Autumn 2026 newsletter issue is out!

Meaning, Traversal, Reasoning, Action: The Graph Stack for Agentic AI. 👇

https://lnkd.in/d42aBdCP

All things **#KnowledgeGraph**, **#GraphDB**, Graph **#Analytics** / **#DataScience** / **#AI** and **#SemTech**.

Subscribe and follow to be in the know. Reach out if you'd like to be featured



5 · 1 Comment

Like Comment Share

To view or add a comment, sign in

Virentiq.ai
8 followers
3mo

The Reuters piece says Alibaba is banning Claude Code internally over "backdoor risks." No technical detail, one anonymous source, and the timing lines up suspiciously well with Alibaba pushing its own Qwen coding tools. Read that how you want.

But the underlying question is real, and it's one I've had in three procurement meetings this quarter alone.

When you run an AI coding assistant on your codebase, you're shipping context out the door. Not just the file you're editing — the imports, the surrounding functions, sometimes the whole repo depending on how the agent chunks it. For a bank with core integration logic sitting next to credentials in config files, that's not a hypothetical. That's a data exfiltration path with a friendly UI.

We've spent years locking down what leaves the building. Then a dev installs a tool that reads everything and calls a US endpoint, and legal finds out in the security review after it's already been running for two months.

The "backdoor" framing is probably geopolitics. The exposure underneath it is not. Air-gapped or self-hosted models exist for exactly this reason, and they're slower and dumber, and nobody wants to pay for the GPUs.

So the honest question: for those of you running AI code assistants against production repos — what actually leaves your network, and who signed off on it?

#AIcoding #ClaudeCode #EnterpriseSecurity #DataGovernance



Alibaba to ban Claude Code in workplace over alleged backdoor risks, source says
reuters.com

Like Comment Share

To view or add a comment, sign in



Piyush Saluja
2w

🔐 Put policy at the tool boundary
Don't just prompt an AI agent to behave.
Enforce the policy where the action actually happens.
A model may decide:
“Call delete_customer().”
A system prompt can tell it not to.
But a production agent needs a deterministic control point that can say:
ALLOW / DENY
before the tool executes.
A particularly useful recent development is the addition of lifecycle hooks around agent execution. Amazon Bedrock AgentCore's September 2026 updates expose hooks at before_invocation, before_tool_call, after_tool_call, and after_invocation. A synchronous Lambda decision can allow or deny a tool call, while SNS/EventBridge can capture non-blocking telemetry.
AWS Documentation +1
Microsoft's Agent Framework guidance similarly treats LLM-generated tool arguments as untrusted input and recommends allow-list validation, resource limits and explicit trust boundaries.
Microsoft Learn
The architecture shift
Instead of:

User → Agent → Tool → Result
build:
User → Agent → Policy Gate → Tool → Result Validation → Agent
The policy layer can enforce:

- Tool allowlists

Which tools can this agent/user/role call?

- Argument validation

Are the model-generated parameters valid and within permitted ranges?

- Authorization

Does this user/agent actually have permission?

- Approval gates

Should a human approve this high-impact action?

- Destination restrictions

Which APIs, domains, databases or resources can be accessed?


- Rate/time/token budgets

Can the agent keep retrying indefinitely?

- Result validation

Did the tool return something unexpected, sensitive or policy-violating?
Example
The model generates:
tool = delete_database
db = customer_production
Don't rely on the model remembering:
“Never delete production data.”
Instead:
before_tool_call
→ check tool allowlist
→ validate arguments
→ check identity
→ check environment
→ require approval
→ DENY
The dangerous operation never happens.
Why this matters

Prompt-level guardrails are behavioral instructions.
Boundary enforcement is system control.
That distinction becomes increasingly important as agents gain access to MCP servers, APIs, databases, code execution and enterprise systems.
Practical implementation checklist
✅ Treat model-generated tool arguments as untrusted
✅ Validate server-side
✅ Prefer allowlists over blocklists
✅ Default high-impact tools to deny
✅ Separate read vs write permissions
✅ Require approval for irreversible actions
✅ Enforce resource/time/rate limits
✅ Validate tool outputs
✅ Log every policy decision
✅ Correlate tool calls with user/session/run IDs
✅ Test jailbreak and prompt-injection attempts in CI
The model decides what it wants to do.
Your control plane decides what it is allowed to do.
That's the architecture I would use for serious production agents.
#AIEngineering #AIAgents #AgenticAI #LLM #GenerativeAI #MCP #AIArchitecture #LLMOps #AI安全 #GenAI #Python #MachineLearning



1 · 2 Comments

Like Comment Share

To view or add a comment, sign in

LinkedIn © 2026 About Accessibility User Agreement Privacy Policy Your California Privacy Choices Cookie Policy Copyright Policy Brand Policy

Guest Controls Community Guidelines Language