

## GRADUATE DIPLOMA IN SOFTWARE ENGINEERING

## ASSIGNMENT NAME

Programming fundamentals

ASSIGNMENT NO

04

NUMBER OF QUESTIONS: 35

NUMBER OF COMPLETED QUESTIONS: 35 NUMBER OF REMAINING QUESTIONS: 00

STUDENT NAME: M.G. ISURU PRABHATH

NIC: 200123601322

BATCH NO: 61

1.

```
import java.util.Scanner;
class Example{
    public static void main(String[] args){
        Scanner input=new Scanner(System.in);
        int x,y,z;
        System.out.print("Input number 1 : ");
        x=input.nextInt();
        System.out.print("Input number 2 : ");
        y=input.nextInt();
        if (x>y) {
            z=x+y;
        }
        System.out.println("number 1 : "+x);
        System.out.println("number 2 : "+y);
    }
}
```

## 2.

```
import java.util.*;
class Example{
    public static void main(String[] args){
        Scanner input=new Scanner(System.in);
        System.out.print("Input an integer : ");
        int num=input.nextInt();

        System.out.println("Absolute value of "+num+" is : "+(num<0 ? -num:num));
    }
}</pre>
```

```
import java.util.*;
3.
      class Example{
          public static void main(String[] args){
              Scanner input=new Scanner(System.in);
              int ch,ph,cm,to;
              double avg;
              System.out.print("Input Chemistry marks : ");
              ch=input.nextInt();
              System.out.print("Input Physics marks : ");
              ph=input.nextInt();
              System.out.print("Input Combined maths marks : ");
              cm=input.nextInt();
              to=ch+ph+cm;
              avg=to/3;
              System.out.println("Total marks : "+to);
              System.out.println("Average marks : "+avg);
              if (avg>=75) {
                  System.out.println("pass");
              else{
                 System.out.println("fail");
         }
      1
4.
   import java.util.*;
   class Example{
        public static void main(String[] args){
            Scanner input=new Scanner(System.in);
            int pr, amo, to;
            System.out.print("Input Unit price : ");
            pr=input.nextInt();
            System.out.print("Input Amount : ");
            amo=input.nextInt();
            to=pr*amo;
            if (to>1500) {
                 System.out.println("You are entitled for the super draw.");
            else{
                 System.out.println("try again");
            }
        }
```

5.

```
import java.util.*;
class Example {
public static void main(String args[]){
    Scanner input=new Scanner(System.in);
System.out.print("Enter price of the unit: Rs.");
double x=input.nextDouble();
System.out.print("Enter amout of the products: ");
int y=input.nextInt();
double total=x*y;
double dis=(total*5)/100;
if(total>500){
double nl=total-dis;
System.out.println("Total price(After discount) = "+n1);
   }else{
        System.out.println("No discount given");
        System.out.println("Total price= "+total);
}
}
```

6.

```
import java.util.*;
class Example{
public static void main(String args[]) {
    Scanner input=new Scanner(System.in);
System.out.print("Enter a year: ");
int year=input.nextInt();
int bl=year%4;
if(bl==0) {
    System.out.println("A leap year..");
    }else{
        System.out.println("Not a leap year..");
    }
}
```

```
7.
   import java.util.*;
   class Example{
   public static void main(String args[]) {
       Scanner input=new Scanner(System.in);
   System.out.print("Enter the radius: ");
   double r=input.nextDouble();
   double area=r*r*3.14;
   System.out.println("The area is= "+area);
    }
   }
8.
   import java.util.*;
   class Example{
   public static void main(String args[]) {
       Scanner input=new Scanner(System.in);
   double daily=100000;
   System.out.print("Enter current balance: Rs.");
   double balance=input.nextDouble();
   System.out.print("Enter the withdrawal value : ");
   double value=input.nextDouble();
   double charge=balance*0.02;
   if(balance>value && value <daily){
       System.out.println("You can withdrawal..");
       }else {
           System.out.println("You can't withdrawal..");
           }
           if (balance<5000) {
       System.out.println("After charge, Rs."+(balance-charge));
```

} } 9.

```
import java.util.*;
   class Example{
   public static void main(String args[]) {
       Scanner input=new Scanner(System.in);
   System.out.print("Enter number 01: ");
   int nl=input.nextInt();
   System.out.print("Enter number 02: ");
   int n2=input.nextInt();
   System.out.print("Enter number 03: ");
   int n3=input.nextInt();
   int max=n1;
   if(n2>n1){
   max=n2;
   }else if (n2<n3){
       max=n3;
       }
   System.out.println(max);
   }
       }
10.
     import java.util.*;
     class Example{
     public static void main(String[] args) {
         Scanner input=new Scanner(System.in);
         System.out.print("Enter an enteger: ");
         int nl=input.nextInt();
         double n2=n1%2;
         if(n2==0){
         System.out.println("Entered number is an odd");
                 System.out.println("Entered number is an even");
      }
     }
```

- 11. B,E
- 12. A, B, C, D, E, F
- 13.A.9
  - B. false
  - D. false
  - E. true
- 14. A. true
  - B. true
  - C. true
  - D. false
  - E. true
  - F. false
  - G. true
- 15.
  - No display
  - ++x==x:100
  - X==x++:100
  - No display
  - No display
  - No display
  - ++x==x++:101
  - No display
- 16. Same answers of the q.15
- 17. A. x++==y: 100:99
  - B. No display
  - C. x==y++: 99:100
  - D. No display
  - E. ++x==++y: 100:100
  - F. x++==y++: 100:100
  - G. No display
  - H. No display

- 18. C, D, G, H
- 19. B
- 20. A. 2351.521.231ctrue
  - B. 101001251.521.231ctrue
  - C. 356.731true
  - D. compile error
  - E. compile error
- 21. A. true
  - B. false
  - C. true
  - D. false
  - E. false
  - F. false
  - G. false
- 22. A. 10
  - B. true
  - C. error
  - D. true
  - E. false
- 23. A.123
  - B. 23
  - C. 3
  - D. 4123
  - E. 4123
  - F. 4123
- 24. A, B, C, D, E, F, H

- 25. A. 1
  - B. 231
  - C. 31
  - D. 4
  - E. 4
  - F. 4
- 26. B, C, D, E, G
- 27. Error  $\rightarrow$  A or F
- 28. D
- 29. B, D, H
- 30. A, B, C, D, E
- 31.A, B, D, E
- 32.A. 37
  - B. run time error
  - C. compile error
  - D. -13.34999999999999
  - E. 5.625
  - F. error
  - G. 15.0
  - H. 6
  - I. -10.000000000000028
  - J. 10
  - K. -9
  - L. 4
  - M. 4
  - N. 2

- 33. A. 2 3 4 5 10
  - B. error
  - C. 44444
- 34. A. false
  - B. true
  - C. error
  - D. true
  - E. false
  - F. true
  - G. false
  - H. false
- 35. error