

Measurements on Electronic Components

Measurement	Description
DistUmin	Detection distance to Umin
HystUmin	Hysteresis in Umin
DistUnom	Sensing distance to Unom
HystUnom	Hysteresis in Unom
DistUmax	Sensing distance to Umax
HystUmax	Hysteresis in Umax
CommutUmaxIchmax	Cleaning switching to Umax with Ichmax
CommutUmaxIchmin	Cleaning switching to Umax with Ichmin
CommutCapUmaxIchmax	Capacitive switching capability at Umax with Ichmax
CommutUminIchmax	Cleaning switching to Umin with Ichmax
CommutUminIchmin	Cleaning switching to Umin with Ichmin
CommutCapUminIchmax	Capacitive switching capability at Umin with Ichmax
IconsOn	Consumption current with switched output
IconsOff	Consumption current with non-switched output
IccEnclUmin	Switch-on short-circuit protection current at Umin
IccFrancUmin	Average short-circuit output current at Umin
IccFrancUminSat	Average short-circuit output current at Umin at $S_n = 0$
IccPeakUmin	Peak short-circuit output current at Umin
CCTPulseUmin	Duration of the short-circuit output current pulses at Umin
CCFreqUmin	Frequency of output pulses in short-circuit to Umin
IccEnclUmax	Switch-on short-circuit protection current at Umax
IccFrancUmax	Average short-circuit output current at Umax
IccFrancUmaxSat	Average short-circuit output current at Umax at $S_n = 0$
IccPeakUmax	Peak short-circuit output current at Umax
CCTPulseUmax	Duration of the short-circuit output current pulses at Umax
CCFreqUmax	Frequency of output short-circuit pulses to Umax
UsatUmaxIchmax	Saturation voltage of the output transistor at Umax and Ichmax
IfuiteUmax	Leakage current at output to Umax
UbDeclenchement	Supply voltage causing trip output
UbEnclenchement	Supply voltage causing the output to trip
RetDispUmin	Delay in Umin output
SignErrOnUmin	Duration of the erroneous signal on the output with switched output at Umin
SignErrOffUmin	Duration of the erroneous signal on the output with switched off output to Umin
IinvBlBr	Current measured in case of blue and brown wire reversal
IinvBlNr	Current measured in case of blue and black wire reversal
IinvNrBr	Current measured in case of black and brown wire reversal
UzOverOut	Voltage of the protection Zener diode in case of overvoltage on the load
UzOverUb	Voltage of the protective Zener diode in case of overvoltage on the power supply
UzInvUb	Voltage of the protective Zener diode in the case of reversal of the supply voltage
YellowLed	Yellow Output Status LED Operation
TestIsolation	Insulation test between wires and socket

Measurements on Optical Sensors

Measurement	Description
DistUmin	Detection distance at Umin
HystUmin	Hysteresis at Umin
DistUnom	Detection distance at Unom
HystUnom	Hysteresis at Unom
DistUmax	Detection distance at Umax
HystUmax	Hysteresis at Umax
DistResUmin	Reserve operating distance at Umin
DistResUnom	Reserve operating distance at Unom
DistResUmax	Reserve operating distance at Umax
DistResPotMin	Reserve operating distance with potentiometer at min at Unom
DistResGray	Reserve operating distance with gray target at Unom
DistUmin2	Detection distance at Umin (output 2)
HystUmin2	Hysteresis at Umin (output 2)
DistUnom2	Detection distance at Unom (output 2)
HystUnom2	Hysteresis at Unom (output 2)
DistUmax2	Detection distance at Umax (output 2)
HystUmax2	Hysteresis at Umax (output 2)
DistPotMin	Detection distance with potentiometer at min at Unom
DistPotMin2	Detection distance with potentiometer at min at Unom (output 2)
HystPotMin	Hysteresis with potentiometer at min at Unom
HystPotMin2	Hysteresis with potentiometer at min at Unom (output 2)
DistPotSn	Actual distance with potentiometer set to Sn at Unom
DistPotSn2	Actual distance with potentiometer set to Sn at Unom (output 2)
DistGray	Detection distance with gray target at Unom
DistGray2	Detection distance with gray target at Unom (output 2)
DiffSnGray	Difference in distance between DistPotSn and DistGray
DiffSnGray2	Difference in distance between DistPotSn2 and DistGray2
HystGray	Hysteresis at Unom with gray target
HystGray2	Hysteresis at Unom with gray target (output 2)
DistDeadZone	Dead zone distance at Unom
DistDeadZone2	Dead zone distance at Unom (output 2)
CommutUmaxIchmax	Switching cleanliness at Umax with Ichmax
CommutUmaxIchmin	Switching cleanliness at Umax with Ichmin
CommutCapUmaxIchmax	Capacitive switching cleanliness at Umax with Ichmax
CommutUminIchmax	Switching cleanliness at Umin with Ichmax
CommutUminIchmin	Switching cleanliness at Umin with Ichmin
CommutCapUminIchmax	Capacitive switching cleanliness at Umin with Ichmax
CommutUmaxIchmax2	Switching cleanliness at Umax with Ichmax (output 2)
CommutUmaxIchmin2	Switching cleanliness at Umax with Ichmin (output 2)
CommutCapUmaxIchmax2	Capacitive switching cleanliness at Umax with Ichmax (output 2)
CommutUminIchmax2	Switching cleanliness at Umin with Ichmax (output 2)
CommutUminIchmin2	Switching cleanliness at Umin with Ichmin (output 2)
CommutCapUminIchmax2	Capacitive switching cleanliness at Umin with Ichmax (output 2)
IconsOn	Consumption current with switched output
IconsOff	Consumption current with non-switched output
IccEnclUmin	Switch-on short-circuit protection current at Umin
IccFrancUmin	Average short-circuit output current at Umin

IccFrancUminSat	Average short-circuit output current at Umin at Sn = 0
IccPeakUmin	Peak short-circuit output current at Umin
CCTPulseUmin	Duration of the short-circuit output current pulses at Umin
CCFreqUmin	Frequency of output pulses in short-circuit to Umin
IccEnclUmax	Switch-on short-circuit protection current at Umax
IccFrancUmax	Average short-circuit output current at Umax
IccFrancUmaxSat	Average short-circuit output current at Umax at Sn = 0
IccPeakUmax	Peak short-circuit output current at Umax
CCTPulseUmax	Duration of the short-circuit output current pulses at Umax
CCFreqUmax	Frequency of output pulses in short-circuit to Umax
IccEnclUmin2	Switch-on short-circuit protection current at Umin (output 2)
IccFrancUmin2	Average short-circuit output current at Umin (output 2)
IccFrancUminSat2	Average short-circuit output current at Umin at Sn = 0 (output 2)
IccPeakUmin2	Peak short-circuit output current at Umin (output 2)
CCTPulseUmin2	Duration of the short-circuit output current pulses at Umin (output 2)
CCFreqUmin2	Frequency of output pulses in short-circuit to Umin (output 2)
IccEnclUmax2	Switch-on short-circuit protection current at Umax (output 2)
IccFrancUmax2	Average short-circuit output current at Umax (output 2)
IccFrancUmaxSat2	Average short-circuit output current at Umax at Sn = 0 (output 2)
IccPeakUmax2	Peak short-circuit output current at Umax (output 2)
CCTPulseUmax2	Duration of the short-circuit output current pulses at Umax (output 2)
CCFreqUmax2	Frequency of output pulses in short-circuit to Umax (output 2)
UsatUmaxIchmax	Saturation voltage of the output transistor at Umax and Ichmax
UsatUmaxIchmax2	Saturation voltage of the output transistor at Umax and Ichmax (output 2)
UsatUminIchmax	Saturation voltage of the output transistor at Umin and Ichmax
UsatUminIchmax2	Saturation voltage of the output transistor at Umin and Ichmax (output 2)
IfuiteUmax	Leakage current at output to Umax
IfuiteUmax2	Leakage current at output to Umax (output 2)
UbDeclenchement	Supply voltage causing trip output
UbEnclenchement	Supply voltage causing the output to trip
RetDispUmin	Delay in Umin output
RetDispUmin2	Delay in Umin output (output 2)
SignErrOnUmin	Duration of the erroneous signal on the output with switched output at Umin
SignErrOnUmin2	Duration of the erroneous signal on the output with switched output at Umin (output 2)
SignErrOffUmin	Duration of the erroneous signal on the output with switched off output to Umin
SignErrOffUmin2	Duration of the erroneous signal on the output with switched off output to Umin (output 2)
IinvBlBr	Current measured in case of blue and brown wire reversal
IinvBlNr	Current measured in case of blue and black wire reversal
IinvBlWh	Current measured in case of blue and white wire reversal
IinvWhBr	Current measured in case of white and brown wire reversal
IinvWhNr	Current measured in case of white and black wire reversal
IinvNrBr	Current measured in case of black and brown wire reversal
UzOverOut	Voltage of the protection Zener diode in case of overvoltage on the load
UzOverOut2	Voltage of the protection Zener diode in case of overvoltage on the load (output 2)
UzOverUb	Voltage of the protective Zener diode in case of overvoltage on the power supply

UzInvUb	Voltage of the protective Zener diode in the case of reversal of the supply voltage
YellowLed	Yellow Output Status LED Operation
GreenLed	Reserve operating status green LED operation
TestIsolation	Insulation test between wires and socket